Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State (Cents per Gallon Excluding Taxes)

| | | | Reg | ular | | | | | Midg | ırade | | |
|-----------------------|------------------------------|----------------------|---------------------|---------------------|-----------------------|---------------------|------------------------------|----------------------|---------------------|---------------------|-----------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales f | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| United States | | | | | | | | | | | | |
| January | 70.4 | 70.1 | 64.3 | 56.2 | 51.8 | 58.2 | 78.6 | 78.2 | 69.8 | 60.7 | _ | 65.6 |
| February | 70.8 | 70.5 | 65.2 | 57.2 | 52.7 | 59.0 | 79.0 | 78.5 | 70.8 | 61.5 | _ | 66.5 |
| March | 75.9 | 75.6 | 70.3 | 64.1 | 59.0 | 65.4 | 83.9 | 83.5 | 76.0 | 68.1 | W | 72.4 |
| April | 84.2 | 84.0 | 79.4 | 72.4 | 66.4 | 73.5 | 92.4 | 91.9 | 85.1 | 76.8 | _ | 81.4 |
| May | 87.9 | 87.6 | 83.2 | 72.7 | 68.1 | 75.2 | 96.2 | 95.7 | 88.8 | 76.8 | _ | 83.3 |
| June | 85.5 | 85.1 | 79.8 | 67.5 | 61.3 | 70.1 | 93.9 | 93.1 | 85.7 | 70.8 | _ | 78.8 |
| July | 83.1 | 82.9 | 77.7 | 67.5 | 61.8 | 69.6 | 91.4 | 90.9 | 83.5 | 71.3 | _ | 77.8 |
| | 81.3 | 81.1 | 75.3 | 66.8 | 61.3 | 68.6 | 89.4 | 88.9 | 81.0 | 70.7 | NA | 76.1 |
| AugustSeptember | 81.1 | 81.0 | 74.9 | 67.8 | 61.9 | 69.2 | 89.1 | 88.7 | 80.1 | 71.6 | W | 76.1 |
| | 81.6 | 81.5 | 75.4 | | 63.4 | | 89.8 | | 80.6 | 73.8 | W | 70.2 77.4 |
| October | | | | 69.8 | | 70.7 | | 89.3 | | | | |
| November | 84.3 | 84.0 | 76.2 | 72.2 | 65.9 | 72.4 | 92.2 | 91.8 | 81.0 | 75.8 | W | 78.5 |
| December | 84.0 | 83.7 | 75.7 | 70.3 | 65.9 | 71.1 | 92.2 | 91.7 | 80.7 | 74.5 | NA | 77.8 |
| 1996 Average | 81.2 | 80.9 | 75.0 | 67.3 | 62.1 | 68.9 | 89.0 | 88.5 | 80.3 | 71.1 | NA | 76.0 |
| PAD District I | | | | | | | | | | | | |
| January | 68.5 | 68.1 | 63.8 | 56.4 | 54.2 | 58.8 | 77.9 | 77.2 | 69.8 | 60.7 | - | 65.2 |
| February | 68.6 | 68.1 | 64.2 | 56.6 | 53.8 | 59.0 | 78.0 | 77.3 | 70.4 | 61.0 | _ | 65.6 |
| March | 72.4 | 72.1 | 68.2 | 62.8 | 59.7 | 64.4 | 81.8 | 81.3 | 74.6 | 67.0 | _ | 70.8 |
| April | 81.0 | 80.4 | 76.3 | 70.8 | 68.5 | 72.3 | 90.2 | 89.4 | 82.7 | 75.2 | _ | 78.9 |
| May | 84.9 | 84.3 | 79.7 | 70.5 | 68.6 | 73.3 | 94.1 | 93.1 | 86.4 | 75.1 | _ | 80.6 |
| June | 83.0 | 82.1 | 76.1 | 63.5 | 59.9 | 67.2 | 92.1 | 90.9 | 83.0 | 68.3 | _ | 75.6 |
| July | 80.6 | 79.9 | 74.7 | 64.9 | 62.0 | 67.8 | 89.8 | 88.9 | 81.5 | 69.6 | _ | 75.3 |
| August | 78.5 | 78.0 | 73.2 | 64.6 | 62.2 | 67.0 | 87.6 | 86.9 | 79.8 | 69.1 | W | 74.3 |
| September | 78.0 | 77.6 | 73.4 | 65.7 | 62.4 | 67.9 | 87.1 | 86.5 | 79.8 | 70.1 | _ | 74.9 |
| October | 79.2 | 78.7 | 75.2 | 68.8 | 65.7 | 70.7 | 88.3 | 87.6 | 81.8 | 73.1 | _ | 77.4 |
| November | 82.8 | 82.3 | 78.2 | 71.7 | 69.1 | 73.6 | 91.6 | 91.0 | 84.5 | 75.8 | _ | 80.1 |
| December | 84.6 | 84.1 | 79.1 | 71.5 | 69.7 | 73.9 | 93.2 | 92.6 | 85.1 | 75.6 | _ | 80.3 |
| 1996 Average | 78.9 | 78.3 | 73.8 | 65.9 | 63.6 | 68.3 | 87.7 | 87.0 | 80.0 | 70.1 | w | 75.0 |
| Subdistrict IA | | | | | | | | | | | | |
| January | 75.5 | 75.1 | 70.0 | 62.0 | 55.4 | 64.6 | 85.2 | 83.9 | 77.1 | 66.4 | _ | 72.0 |
| February | 74.6 | 74.2 | 69.0 | 60.8 | 52.9 | 63.1 | 84.3 | 83.0 | 76.3 | 65.0 | _ | 70.8 |
| | 76.6 | 76.3 | 71.9 | 65.4 | 60.1 | 66.9 | 86.2 | 85.1 | 78.9 | 69.4 | _ | 74.3 |
| March April | 84.7 | 84.4 | 79.3 | 72.8 | 67.2 | 74.1 | 93.8 | 92.7 | 85.8 | 76.8 | _ | 81.7 |
| | 89.2 | 88.7 | 83.6 | 72.9 | 68.5 | 76.2 | 97.9 | 96.3 | 90.9 | | _ | 84.3 |
| May | | | | | | | | | | 76.7 | | |
| June | 87.6 | 87.0 | 80.1 | 66.1 | 60.8 | 70.7 | 96.7 | 94.7 | 87.5 | 70.5 | - | 79.5 |
| July | 85.2 | 84.7 | 78.4 | 67.6 | 62.4 | 71.2 | 94.5 | 92.8 | 85.2 | 71.7 | - | 78.9 |
| August | 83.3 | 83.1 | 77.6 | 68.3 | 64.8 | 71.1 | 92.7 | 91.4 | 84.0 | 72.2 | - | 78.8 |
| September | 83.0 | 82.8 | 77.4 | 69.3 | 63.5 | 71.4 | 92.4 | 91.3 | 83.5 | 72.9 | - | 79.0 |
| October | 83.9 | 83.7 | 78.6 | 71.6 | 66.3 | 74.0 | 93.3 | 92.3 | 84.8 | 74.9 | - | 80.6 |
| November | 86.9 | 86.6 | 81.8 | 74.2 | 70.8 | 76.8 | 96.2 | 95.3 | 88.4 | 78.3 | - | 84.1 |
| December 1996 Average | 90.3 83.8 | 90.0 83.4 | 84.3 77.9 | 76.6 69.0 | 69.0 64.0 | 79.0 71.7 | 99.5 92.7 | 98.5 91.5 | 90.6 84.4 | 80.5 72.6 | _ | 86.3 79.0 |
| | 00.0 | •••• | | 00.0 | •• | | V | •• | • | | | |
| Connecticut | | | | | | | | | | | | |
| January | 75.2 | 74.5 | 69.9 | 62.4 | W | 65.6 | 85.3 | 82.7 | 75.7 | 67.0 | - | 71.7 |
| February | 74.1 | 73.4 | 68.8 | 60.9 | 51.5 | 62.2 | 84.0 | 81.7 | 75.0 | 65.4 | - | 70.5 |
| March | 76.1 | 75.5 | 71.7 | 65.4 | W | 67.5 | 85.5 | 83.5 | 77.4 | 69.7 | - | 73.8 |
| April | 85.0 | 84.4 | 79.5 | 72.9 | W | 74.4 | 93.9 | 91.8 | 85.1 | 76.6 | - | 81.4 |
| May | 88.9 | 88.2 | 83.2 | 72.9 | W | 76.0 | 97.5 | 94.6 | 89.3 | 76.4 | _ | 83.4 |
| June | 86.6 | 85.7 | 78.9 | 66.2 | 60.7 | 70.6 | 96.3 | 92.8 | 85.5 | 70.8 | _ | 78.8 |
| July | 83.5 | 82.8 | 76.6 | 67.7 | 62.5 | 71.1 | 93.1 | 90.2 | 82.2 | 71.8 | _ | 77.4 |
| August | 81.3 | 80.9 | 75.9 | 68.5 | 65.0 | 71.2 | 90.8 | 88.5 | 80.8 | 72.2 | _ | 77.0 |
| September | 80.9 | 80.6 | 75.5 | 69.7 | 64.1 | 70.7 | 90.7 | 88.7 | 80.8 | 73.3 | _ | 77.7 |
| October | 83.1 | 82.6 | 77.5 | 71.1 | W | 73.5 | 93.2 | 90.9 | 82.8 | 75.1 | _ | 79.6 |
| November | 87.1 | 86.6 | 81.5 | 74.1 | 71.4 | 76.8 | 96.7 | 94.6 | 87.6 | 78.2 | _ | 83.6 |
| | 91.2 | | | | 71. 4 W | | | | | | | |
| December | | 90.6 | 83.6 77.1 | 75.7 | | 78.9 71.6 | 101.2 | 98.4 | 89.6 | 79.8 | _ | 85.4 |
| 1996 Average | 83.0 | 82.4 | 77.1 | 68.9 | 62.6 | 71.6 | 92.3 | 89.9 | 82.6 | 72.7 | - | 78.2 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Pren | nium | | | | | All G | rades | | |
|-----------------------|------------------------------|----------------------|---------------------|---------------------|---------------------|---------------------|------------------------------|----------------------|---------------------|---------------------|--------------------------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | r Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| United States | | | | | | | | | | | | |
| January | 87.3 | 86.4 | 77.1 | 65.9 | 57.3 | 70.3 | 74.6 | 74.1 | 68.1 | 58.4 | 52.4 | 61.4 |
| February | 87.6 | 86.7 | 78.1 | 66.7 | 57.6 | 71.0 | 75.0 | 74.5 | 69.1 | 59.4 | 53.3 | 62.2 |
| March | 92.5 | 91.7 | 83.0 | 73.4 | 64.0 | 77.2 | 79.8 | 79.4 | 74.0 | 66.1 | 59.5 | 68.4 |
| April | 100.6 | 99.8 | 91.7 | 81.8 | 75.0 | 85.8 | 87.9 | 87.5 | 82.9 | 74.3 | 67.1 | 76.3 |
| May | 104.1 | 103.2 | 95.6 | 81.9 | 73.9 | 87.3 | 91.3 | 90.8 | 86.4 | 74.4 | 68.5 | 77.9 |
| June | 101.7 | 100.5 | 92.5 | 76.1 | 66.9 | 82.5 | 88.9 | 88.4 | 83.1 | 69.1 | 61.8 | 72.9 |
| July | 99.4 | 98.5 | 90.3 | 76.6 | 67.5 | 81.7 | 86.7 | 86.3 | 81.1 | 69.3 | 62.3 | 72.4 |
| August | 97.4 | 96.6 | 87.9 | 75.9 | 65.3 | 80.4 | 84.8 | 84.5 | 78.7 | 68.6 | 61.6 | 71.2 |
| September | 97.3 | 96.5 | 87.2 | 77.0 | 68.3 | 80.8 | 84.6 | 84.3 | 78.1 | 69.6 | 62.5 | 71.8 |
| October | 98.0 | 97.1 | 87.9 | 79.2 | 68.8 | 82.1 | 85.1 | 84.8 | 78.7 | 71.6 | 64.0 | 73.2 |
| November | 100.4 | 99.6 | 88.7 | 81.6 | 71.3 | 84.2 | 87.6 | 87.3 | 79.4 | 73.9 | 66.3 | 74.9 |
| December | 100.5 | 99.6 | 88.3 | 80.2 | 71.3 | 82.7 | 87.5 | 87.1 | 78.9 | 72.1 | 66.5 | 73.7 |
| 1996 Average | 97.0 | 96.2 | 87.2 | 76.2 | 67.2 | 80.4 | 84.7 | 84.3 | 78.3 | 69.1 | 62.5 | 71.5 |
| PAD District I | | | | | | | | | | | | |
| January | 86.9 | 85.9 | 77.6 | 66.6 | 60.2 | 71.3 | 73.9 | 73.3 | 68.7 | 59.1 | 55.4 | 62.7 |
| February | 86.9 | 85.9 | 78.2 | 66.8 | 58.7 | 71.6 | 73.9 | 73.3 | 69.1 | 59.4 | 54.7 | 62.8 |
| March | 90.8 | 89.9 | 82.2 | 72.7 | 63.7 | 76.5 | 77.7 | 77.1 | 73.0 | 65.4 | 60.4 | 68.0 |
| April | 99.0 | 97.9 | 90.2 | 80.8 | 73.2 | 84.6 | 85.7 | 85.1 | 80.9 | 73.3 | 69.1 | 75.7 |
| May | 102.9 | 101.6 | 94.2 | 80.5 | 72.7 | 86.1 | 89.4 | 88.6 | 84.1 | 72.9 | 69.2 | 76.7 |
| June | 100.8 | 99.1 | 90.8 | 73.6 | 65.4 | 80.7 | 87.5 | 86.5 | 80.7 | 66.0 | 60.7 | 71.0 |
| July | 98.6 | 97.2 | 88.9 | 75.2 | 67.0 | 80.7 | 85.3 | 84.4 | 79.3 | 67.5 | 62.8 | 71.4 |
| August | 96.2 | 95.1 | 87.2 | 74.8 | 67.7 | 80.1 | 83.1 | 82.5 | 77.8 | 67.0 | 62.7 | 70.5 |
| September | 96.0 | 94.9 | 87.2 | 75.8 | 67.4 | 80.5 | 82.6 | 82.1 | 77.9 | 68.1 | 63.1 | 71.4 |
| October | 97.2 | 96.1 | 89.1 | 78.9 | 70.7 | 83.0 | 83.8 | 83.2 | 79.6 | 71.2 | 66.5 | 74.0 |
| November | 100.4 | 99.3 | 91.7 | 81.7 | 74.8 | 85.9 | 87.2 | 86.7 | 82.5 | 74.0 | 69.8 | 76.9 |
| December 1996 Average | 101.9 96.3 | 100.8 95.2 | 92.5 87.3 | 81.7 75.6 | 75.1 68.2 | 85.9 80.5 | 88.9 83.5 | 88.2 82.8 | 83.2 78.2 | 73.8 68.3 | 70.7 64.3 | 77.1 71.7 |
| _ | | | | | | | | | | | | |
| Subdistrict IA | 00.5 | 00.0 | 00.0 | 74.7 | 00.4 | 70.5 | 00.0 | 70.0 | 740 | 04.5 | 50.0 | 00.0 |
| January | 93.5 | 92.2 | 82.8 | 71.7 | 60.1 | 76.5 | 80.2 | 79.6 | 74.0 | 64.5 | 56.0 | 68.0 |
| February | 92.7 | 91.4 | 82.7 | 70.3 | 57.7 | 74.3 | 79.4 | 78.7 | 73.2 | 63.2 | 54.1 | 66.4 |
| March | 94.5 | 93.2 | 85.5 | 74.7 | 63.7 | 78.1 | 81.2 | 80.7 | 76.0 | 67.7 | 60.7 | 70.1 |
| April | 102.3 | 101.0 | 92.6 | 82.5 | 75.3 | 86.7 | 88.8 | 88.3 | 83.1 | 75.0 | 67.9 | 77.2 |
| May | 106.4 | 104.8 | 97.1 | 82.3 | W | 88.6 | 92.8 | 92.1 | 87.2 | 75.0 | 68.6 | 79.2 |
| June | 104.5 | 102.6 | 93.7 | 75.5 | 65.4 | 82.3 | 91.4 | 90.4 | 83.8 | 68.3 | 61.5 | 73.8 |
| July | 102.4 | 100.9 | 91.6 | 77.2 | 62.7 | 81.7 | 89.1 | 88.4 | 82.0 | 69.9 | 62.4 | 74.1 |
| August | 101.1 | 99.7 | 90.3 | 78.0 | 67.0 | 83.1 | 87.4 | 86.9 | 81.2 | 70.5 | 65.0 | 74.0 |
| September | 100.8 102.0 | 99.6 100.8 | 90.0 91.4 | 79.0 80.8 | 69.5 W | 83.3 | 86.9 87.9 | 86.6 87.5 | 80.8 81.9 | 71.3 | 64.2 66.4 | 74.3 |
| October | 104.3 | 100.8 | 94.8 | 83.8 | 76.8 | 85.7 88.7 | 90.7 | 90.3 | 85.3 | 73.5 76.2 | 71.4 | 76.8 79.6 |
| November December | 104.3 | 103.2 | 94.6 97.0 | 86.4 | 76.6 W | 89.9 | 93.9 | 93.5 | 87.5 | 78.5 | 71. 4 70.9 | 79.6 81.7 |
| 1996 Average | 107.3 | 99.4 | 90.5 | 78.1 | 67.1 | 82.9 | 87.7 | 87.1 | 81.4 | 70.5 71.1 | 64.4 | 74.6 |
| Connecticut | | | | | | | | | | | | |
| January | 94.5 | 92.8 | 82.4 | 72.7 | _ | 77.5 | 80.3 | 79.3 | 73.8 | 65.1 | W | 69.1 |
| February | 94.2 | 92.6 | 81.5 | 71.2 | W | 75.2 | 79.4 | 78.4 | 72.8 | 63.6 | 51.9 | 65.8 |
| March | 95.9 | 94.3 | 84.5 | 75.7 | W | 79.4 | 81.1 | 80.3 | 75.5 | 68.2 | W | 70.8 |
| April | 104.4 | 102.6 | 92.0 | 83.2 | _ | 87.7 | 89.5 | 88.6 | 83.0 | 75.4 | W | 77.8 |
| May | 108.2 | 105.7 | 95.9 | 82.9 | W | 88.3 | 93.1 | 92.0 | 86.6 | 75.2 | W | 79.2 |
| June | 105.5 | 103.0 | 91.4 | 76.8 | W | 83.4 | 91.0 | 89.6 | 82.4 | 68.8 | 61.4 | 74.0 |
| July | 102.9 | 101.0 | 88.9 | 78.1 | W | 83.0 | 88.1 | 87.0 | 80.0 | 70.3 | 63.3 | 74.3 |
| August | 101.1 | 99.5 | 87.7 | 79.1 | _ | 83.6 | 85.9 | 85.2 | 79.1 | 71.0 | 65.0 | 74.3 |
| September | 100.5 | 99.0 | 87.9 | 80.4 | W | 83.8 | 85.5 | 84.9 | 78.9 | 72.2 | 64.3 | 73.7 |
| October | 102.3 | 100.8 | 89.7 | 81.8 | _ | 85.8 | 87.6 | 86.8 | 80.8 | 73.6 | W | 76.6 |
| November | 105.7 | 104.1 | 94.1 | 84.7 | W | 87.9 | 91.3 | 90.6 | 84.9 | 76.5 | 72.5 | 79.6 |
| | | 106.5 | 95.9 | 86.6 | _ | 91.3 | 95.2 | 94.3 | 86.8 | 78.1 | W | 81.9 |
| December | 108.3 | 100.5 | 55.5 | 00.0 | | 31.3 | 33.2 | 34.3 | 00.0 | 70.1 | v v | 01.0 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Reg | Jular | | | | | Midg | rade | | |
|-----------------|------------------------------|----------------------|-------------|----------|-------------|---------|------------------------------|----------------------|------|-------------|-----------|-------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| Maine | | | | | | | | | | | | |
| January | 77.0 | 76.5 | 69.5 | 61.7 | 51.5 | 61.7 | 87.0 | 86.0 | 82.1 | 65.5 | _ | 70.2 |
| February | 76.5 | 75.9 | 68.2 | 60.6 | 57.1 | 61.6 | 86.3 | 84.8 | 78.8 | 64.1 | _ | 68.3 |
| March | 78.1 | 77.8 | 71.9 | 65.1 | 59.9 | 65.2 | 88.0 | 87.2 | 82.4 | 68.6 | _ | 72.7 |
| April | 85.0 | 84.9 | 79.1 | 72.6 | 68.5 | 72.7 | 94.9 | 94.3 | 88.6 | 76.1 | _ | 80.0 |
| May | 90.2 | 89.8 | 82.1 | 73.0 | 70.5 | 74.0 | 100.0 | 99.0 | 95.3 | 76.5 | _ | 82.1 |
| June | 89.3 | 88.7 | 76.7 | 66.0 | 59.5 | 66.7 | 99.2 | 97.1 | 88.9 | 69.7 | _ | 75.8 |
| July | 86.3 | 86.0 | 76.5 | 67.3 | W | 69.0 | 96.3 | 95.1 | 90.4 | 71.2 | _ | 77.2 |
| August | 84.8 | 85.0 | 76.7 | 68.0 | 63.4 | 68.2 | 94.8 | 93.9 | 89.1 | 71.9 | _ | 77.3 |
| September | 84.6 | 84.5 | 77.1 | 68.5 | W | 68.5 | 94.9 | 93.9 | 87.5 | 71.8 | _ | 77.1 |
| October | 86.2 | 86.0 | 79.4 | 71.1 | 67.2 | 71.5 | 96.4 | 95.7 | 89.6 | 74.6 | _ | 78.8 |
| November | 88.1 | 87.9 | 81.4 | 74.1 | W | 75.4 | 98.4 | 97.7 | 91.6 | 77.9 | _ | 82.3 |
| December | 91.2 | 91.0 | 83.4 | 76.8 | 66.9 | 76.2 | 101.3 | 100.5 | NA | 80.4 | _ | 84.8 |
| 1996 Average | 85.2 | 84.9 | 77.0 | 68.8 | 63.9 | 69.4 | 94.8 | 93.7 | 88.3 | 72.0 | _ | 77.0 |
| _ | 03.2 | 04.3 | 77.0 | 00.0 | 03.3 | 03.4 | 34.0 | 33.1 | 00.5 | 72.0 | | 77.0 |
| Massachusetts | | | | | | | | | | | | |
| January | 75.3 | 74.9 | 70.5 | 62.2 | 56.5 | 64.6 | 84.9 | 83.9 | 78.0 | 66.9 | _ | 73.0 |
| February | 74.4 | 74.0 | 69.6 | 61.0 | 52.7 | 63.6 | 84.1 | 82.8 | 77.6 | 65.5 | _ | 72.0 |
| March | 76.2 | 75.9 | 72.4 | 65.6 | 59.2 | 66.9 | 86.0 | 85.1 | 80.3 | 69.8 | _ | 75.3 |
| April | 84.2 | 83.9 | 79.6 | 72.7 | 68.2 | 74.2 | 93.4 | 92.5 | 86.7 | 77.0 | _ | 82.6 |
| May | 88.5 | 88.1 | 84.7 | 72.8 | 68.5 | 76.7 | 97.4 | 96.0 | 92.1 | 76.8 | _ | 85.6 |
| June | 86.9 | 86.2 | 82.0 | 66.2 | 61.1 | 71.6 | 96.0 | 94.3 | 89.4 | 71.2 | _ | 81.7 |
| July | 84.7 | 84.2 | 79.6 | 67.7 | 61.6 | 71.4 | 94.3 | 92.8 | 86.2 | 71.9 | _ | 80.4 |
| August | 83.1 | 82.8 | 78.7 | 68.2 | 65.8 | 71.7 | 92.6 | 91.5 | 85.2 | 72.2 | _ | 80.5 |
| September | 82.7 | 82.5 | 78.3 | 69.5 | 64.2 | 72.3 | 92.1 | 91.4 | 84.5 | 73.2 | _ | 80.5 |
| October | 83.2 | 83.0 | 78.8 | 72.5 | W | 75.2 | 92.6 | 91.8 | 85.7 | 74.7 | _ | 81.7 |
| November | 86.3 | 86.1 | 81.8 | 74.2 | 69.5 | 76.9 | 95.6 | 95.1 | 88.9 | 78.2 | _ | 85.0 |
| December | 89.8 | 89.5 | 84.8 | 76.7 | 69.7 | 79.5 | 98.9 | 98.3 | 91.3 | 80.7 | _ | 87.4 |
| 1996 Average | 83.3 | 83.0 | 78.7 | 69.1 | 63.9 | 72.1 | 92.4 | 91.4 | 85.6 | 72.7 | - | 80.3 |
| New Hampshire | | | | | | | | | | | | |
| January | 75.1 | 74.8 | 68.9 | 63.3 | _ | 67.1 | 85.3 | 84.9 | 74.3 | 68.4 | _ | 73.1 |
| February | 74.2 | 74.0 | 68.1 | 62.4 | _ | 66.3 | 84.7 | 84.2 | 73.6 | 67.3 | _ | 72.3 |
| March | 77.1 | 76.9 | 71.4 | 66.5 | _ | 69.9 | 86.9 | 86.4 | 76.4 | 71.9 | _ | 75.5 |
| April | 85.0 | 84.8 | 79.1 | 71.8 | _ | 76.6 | 94.6 | 94.1 | 83.9 | 77.0 | _ | 82.4 |
| May | 90.2 | 89.8 | 83.7 | 71.3 | _ | 79.5 | 99.2 | 98.6 | 89.2 | 76.9 | _ | 86.7 |
| June | 89.2 | 88.7 | 79.5 | 67.1 | _ | 75.3 | 98.3 | 97.0 | 86.3 | 72.1 | _ | 83.3 |
| July | 86.8 | 86.4 | 78.3 | 67.6 | _ | 74.6 | 95.5 | 94.3 | 84.0 | 72.6 | _ | 81.7 |
| August | 84.3 | 84.1 | 77.7 | 69.1 | _ | 75.0 | 94.7 | 93.5 | 82.7 | 73.4 | _ | 80.8 |
| September | 84.3 | 84.1 | 77.7 | 69.9 | - | 75.3 | 94.4 | 93.8 | 82.4 | 74.2 | - | 80.8 |
| October | 84.6 | 84.4 | 79.2 | 71.9 | - | 77.0 | 94.9 | 94.4 | 84.0 | 75.5 | - | 82.1 |
| November | 87.0 | 86.8 | 82.7 | 74.2 | _ | 80.0 | 97.0 | 96.6 | 87.2 | 78.9 | _ | 85.4 |
| December | 89.8 | 89.5 | 85.1 | 77.6 | _ | 82.8 | 99.4 | 99.0 | 89.7 | 82.0 | _ | 88.2 |
| 1996 Average | 84.2 | 84.0 | 77.8 | 69.4 | - | 75.1 | 93.8 | 93.1 | 82.6 | 74.0 | - | 80.8 |
| Rhode Island | | | | | | | | | | | | |
| January | 72.5 | 72.2 | 68.1 | 61.1 | W | 63.5 | 81.1 | 80.8 | 74.4 | 65.0 | - | 69.5 |
| February | 71.9 | 71.7 | 66.7 | 59.7 | W | 62.1 | 80.7 | 80.4 | 73.6 | 63.2 | _ | 68.1 |
| March | 74.6 | 74.5 | 69.9 | 65.0 | W | 66.0 | 83.2 | 83.0 | 76.1 | 68.4 | - | 71.8 |
| April | 82.6 | 82.5 | 76.3 | 73.8 | 66.6 | 73.1 | 90.9 | 90.7 | 82.5 | 77.5 | - | 79.8 |
| May | 86.7 | 86.5 | 82.1 | 73.3 | 70.7 | 74.8 | 94.8 | 94.4 | 88.3 | 77.3 | - | 82.1 |
| June | 84.9 | 84.6 | 79.8 | 65.6 | 62.7 | 69.2 | 93.3 | 92.7 | 86.1 | 69.2 | _ | 76.4 |
| July | 82.4 | 82.2 | 77.8 | 67.7 | W | 70.0 | 91.2 | 90.5 | 83.5 | 71.4 | - | 76.5 |
| August | 79.7 | 79.6 | 76.0 | 68.9 | 64.0 | 69.5 | 88.4 | 88.1 | 81.5 | 72.6 | _ | 76.5 |
| September | 78.8 | 78.7 | 75.3 | 69.5 | W | 70.2 | 87.7 | 87.5 | 80.5 | 73.0 | _ | 76.5 |
| October | 79.5 | 79.4 | 75.9 | 70.8 | W | 71.7 | 88.1 | 88.0 | 81.5 | 75.1 | _ | 78.3 |
| November | 83.3 | 83.2 | 79.4 | 74.4 | 72.0 | 75.1 | 91.1 | 91.0 | 84.6 | 78.6 | _ | 81.6 |
| December | 87.3 | 87.2 | 81.5 | 77.0 | W | 77.4 | 94.7 | 94.6 | 87.3 | 81.1 | _ | 84.1 |
| December | | | | | | | | | | | | |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Pren | nium | | | | | All G | rades | | |
|-----------------------|------------------------------|-----------------------|---------------------|---------------------|----------|---------------------|------------------------------|----------------------|---------------------|---------------------|-----------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | r Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| Maine | | | | | | | | | | | | |
| January | 94.3 | 92.8 | 81.5 | 71.2 | W | 73.0 | 81.0 | 80.3 | 73.7 | 63.8 | 52.7 | 64.5 |
| February | | 91.5 | 80.3 | 70.0 | W | 71.5 | 80.3 | 79.5 | 71.9 | 62.5 | 58.3 | 64.0 |
| March | 95.3 | 94.0 | 83.9 | 74.1 | 63.3 | 71.8 | 81.7 | 81.4 | 75.5 | 67.0 | 60.9 | 67.1 |
| April | 102.0 | 100.9 | 91.1 | 82.4 | W | 83.6 | 88.3 | 88.1 | 82.3 | 74.2 | 69.1 | 74.6 |
| May | | 105.6 | 93.2 | 81.9 | W | 84.0 | 93.2 | 92.7 | 85.8 | 74.6 | 71.0 | 75.9 |
| June | | 103.7 | 88.0 | 75.0 | W | 77.3 | 92.3 | 91.5 | 80.3 | 67.7 | 59.9 | 69.0 |
| July | | 101.5 | 89.2 | 76.9 | W | 79.1 | 89.5 | 89.1 | 81.1 | 69.3 | W | 71.6 |
| August | 102.2 | 100.4 | 88.7 | 77.7 | W | 78.7 | 88.2 | 88.1 | 80.8 | 69.9 | 63.8 | 70.6 |
| September | | 101.0 | 89.1 | 78.0 | W | 80.2 | 87.9 | 87.6 | 80.6 | 70.0 | W | 70.8 |
| October | | 102.6 | 90.9 | 80.6 | W | 82.3 | 89.3 | 89.1 | 82.3 | 72.6 | 67.3 | 73.3 |
| November | 105.9 | 104.1 | 92.6 | 83.5 | W | 85.0 | 91.2 | 90.9 | 84.4 | 75.6 | W | 77.2 |
| December | | 107.4 | 94.9 | 86.0 | W | 87.5 | 94.2 | 93.9 | 86.4 | 78.2 | 66.9 | 78.2 |
| 1996 Average | | 100.1 | 88.2 | 77.6 | 68.0 | 78.7 | 88.3 | 87.9 | 80.5 | 70.4 | 64.2 | 71.4 |
| Massachusetts | | | | | | | | | | | | |
| January | 93.5 | 91.8 | 83.4 | 71.6 | W | 76.5 | 80.3 | 79.7 | 74.9 | 64.7 | 56.9 | 68.3 |
| February | 92.3 | 90.6 | 84.2 | 70.2 | W | 73.8 | 79.4 | 78.7 | 74.3 | 63.5 | W | 67.1 |
| March | 93.7 | 92.2 | 86.7 | 74.4 | W | 78.7 | 81.0 | 80.5 | 77.0 | 67.9 | 60.0 | 70.4 |
| April | 101.5 | 100.0 | 93.7 | 82.2 | W | 86.6 | 88.5 | 88.0 | 83.8 | 75.0 | 69.1 | 77.5 |
| May | 105.3 | 103.6 | 98.7 | 81.9 | W | 89.5 | 92.3 | 91.7 | 88.6 | 75.0 | 68.5 | 80.0 |
| June | 103.4 | 101.4 | 96.2 | 75.2 | W | 82.6 | 90.8 | 89.8 | 86.0 | 68.5 | 61.8 | 74.9 |
| July | 101.8 | 100.1 | 93.4 | 76.8 | W | 80.7 | 88.8 | 88.1 | 83.5 | 70.0 | 61.6 | 74.4 |
| August | 100.5 | 99.0 | 91.9 | 77.4 | W | 83.5 | 87.3 | 86.8 | 82.5 | 70.3 | 65.9 | 74.8 |
| September | | 98.9 | 91.2 | 78.6 | W | 83.1 | 86.9 | 86.5 | 82.0 | 71.5 | 65.3 | 75.3 |
| October | | 100.3 | 92.4 | 80.2 | W | 85.9 | 87.5 | 87.1 | 82.6 | 74.1 | 67.3 | 78.0 |
| November | 103.7 | 102.6 | 95.4 | 83.4 | W | 89.6 | 90.4 | 90.1 | 85.7 | 76.2 | 70.0 | 80.1 |
| December | 106.9 | 105.6 | 98.1 | 86.4 | W | 89.1 | 93.7 | 93.3 | 88.4 | 78.7 | 72.8 | 82.4 |
| 1996 Average | 100.2 | 98.7 | 91.9 | 77.8 | 66.7 | 82.9 | 87.5 | 86.9 | 82.6 | 71.1 | 64.4 | 75.2 |
| New Hampshire | | | | | | | | | | | | |
| January | 92.6 | 92.1 | 81.1 | 73.7 | _ | 79.0 | 79.5 | 79.2 | 72.2 | 65.8 | _ | 70.3 |
| February | 92.3 | 91.9 | 81.0 | 72.5 | _ | 78.6 | 78.7 | 78.5 | 71.5 | 64.8 | _ | 69.5 |
| March | | 94.5 | 84.3 | 76.9 | _ | 82.2 | 81.4 | 81.1 | 74.7 | 68.9 | _ | 72.9 |
| April | 102.0 | 101.6 | 91.6 | 82.8 | _ | 89.0 | 88.8 | 88.5 | 82.0 | 73.9 | _ | 79.4 |
| May | | 106.2 | 96.8 | 81.1 | _ | 92.1 | 93.5 | 93.1 | 86.5 | 73.3 | _ | 82.4 |
| June | | 105.0 | 92.3 | 76.3 | _ | 87.3 | 92.7 | 92.1 | 82.5 | 69.0 | _ | 78.2 |
| July | | 101.8 | 90.7 | 77.3 | _ | 86.5 | 90.2 | 89.7 | 81.2 | 69.6 | _ | 77.5 |
| August | | 100.9 | 90.2 | 79.8 | _ | 87.5 | 88.1 | 87.8 | 80.7 | 71.2 | _ | 77.9 |
| September | | 101.3 | 90.1 | 81.0 | _ | 87.8 | 88.0 | 87.8 | 80.5 | 71.9 | _ | 78.0 |
| October | | 101.6 | 91.6 | 83.1 | _ | 89.4 | 88.3 | 88.0 | 81.9 | 73.9 | _ | 79.6 |
| November | | 103.9 | 95.2 | 84.9 | _ | 92.3 | 90.6 | 90.3 | 85.3 | 76.1 | _ | 82.5 |
| December 1996 Average | | 106.7 100.3 | 97.3 89.7 | 89.9 79.3 | _ | 95.3 86.8 | 93.2 87.9 | 92.9 87.6 | 87.6 80.5 | 79.6 71.4 | _ | 85.3 77.8 |
| - | 100.5 | 100.5 | 03.7 | 13.3 | _ | 00.0 | 07.5 | 07.0 | 00.5 | 71.4 | _ | 77.0 |
| Rhode Island | 00.0 | 00.0 | 04.0 | 70 F | | 74.0 | 77.0 | 76.0 | 72.2 | 62.7 | 14/ | 66.0 |
| January | 88.9 | 88.3 | 81.2 | 70.5 | - | 74.6 | 77.2 | 76.9 | 72.3 | 63.7 | W | 66.8 |
| February | 88.6 | 88.3 | 80.0 | 68.7 | - | 73.1 | 76.6 | 76.4 | 71.0 | 62.1 | W | 65.4 |
| March | 90.8 | 90.4 | 83.1 | 73.7 | _ | 77.1 | 79.1 | 78.9 | 73.9 | 67.3 | W | 68.9 |
| April | | 98.1 | 89.4 | 82.4 | _ | 85.0 | 86.6 | 86.5 | 80.2 | 76.0 | 66.6 | 76.0 |
| May | 102.0 | 101.6 | 95.0 | 82.5 | - | 87.2 | 90.3 | 90.1 | 85.6 | 75.6 | 70.7 | 77.4 |
| June | 100.5 | 99.9 | 92.6 | 74.3 | W | 79.8 | 88.6 | 88.2 | 83.4 | 67.7 | 63.1 | 72.0 |
| July | 98.6 | 98.2 | 91.0 | 76.8 | - | 81.8 | 86.4 | 86.0 | 81.4 | 70.0 | W | 72.9 |
| August | 96.4 | 96.0 | 89.0 | 78.2 | - | 82.1 | 83.7 | 83.5 | 79.6 | 71.2 | 64.0 | 72.3 |
| September | 95.7 | 95.4 | 88.3 | 78.8 | - | 82.4 | 82.9 | 82.8 | 78.8 | 71.6 | W | 72.9 |
| October | 95.8 | 95.6 | 88.6 | 80.3 | _ | 83.5 | 83.4 | 83.4 | 79.4 | 73.1 | W | 74.6 |
| November | 98.6 | 98.5 | 92.1 | 83.4 | - | 86.8 | 86.9 | 86.9 | 82.6 | 76.6 | 72.0 | 77.5 |
| December | 102.0 | 101.8 | 94.0 | 86.1 | - | 89.0 | 90.6 | 90.5 | 84.8 | 79.1 | W | 80.0 |
| 1996 Average | 96.1 | 95.8 | 88.5 | 77.8 | W | 81.7 | 84.5 | 84.3 | 79.5 | 71.3 | 66.9 | 73.3 |
| | | | | | | | | | | | | |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Reg | jular | | | | | Midg | rade | | |
|----------------------|------------------------------|----------------------|--------------|--------------|-----------|--------------------------|------------------------------|----------------------|--------------|--------------|-----------|--------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales f | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| Vermont | | | | | | | | | | | | |
| January | 77.7 | 77.4 | 70.3 | 60.2 | _ | 67.7 | 87.3 | 86.2 | 76.8 | 64.2 | _ | 73.9 |
| February | | 76.2 | 70.0 | 60.1 | _ | 67.3 | 86.8 | 85.3 | 76.5 | 64.4 | _ | 73.5 |
| March | | 78.3 | 72.4 | 65.1 | _ | 70.5 | 88.3 | 87.5 | 78.0 | 69.2 | _ | 75.9 |
| April | | 87.3 | 80.6 | 72.9 | _ | 78.8 | 95.9 | 95.0 | 84.7 | 77.0 | _ | 83.3 |
| May | | 91.8 | 82.0 | 74.7 | _ | 80.1 | 100.7 | 99.2 | 87.8 | 78.8 | _ | 85.6 |
| June | | 90.4 | 77.6 | 67.0 | _ | 74.7 | 99.4 | 97.7 | 82.9 | 70.7 | _ | 79.7 |
| July | | 89.4 | 79.5 | 68.0 | _ | 76.1 | 98.4 | 96.7 | 85.9 | 72.0 | _ | 82.0 |
| August | | 88.2 | 79.2 | 68.7 | _ | 76.0 | 97.4 | 96.3 | 85.5 | 72.9 | _ | 81.9 |
| | | 87.9 | 80.3 | 69.4 | _ | 77.0 | 97.2 | 95.9 | 86.5 | 73.6 | _ | 82.9 |
| September | | | | | | | 97.1 | | | | | |
| October | | 88.4 90.1 | 81.7 85.0 | 71.8 76.2 | _ | 78.9 82.6 | 97.1 | 95.8 98.4 | 87.6 90.3 | 76.1 80.6 | _ | 84.6 87.7 |
| November | | 90.1 | 86.0 | 76.2 77.6 | _ | 83.8 | 101.1 | 98.4 99.9 | 90.3 | 82.1 | _ | 88.3 |
| December | | | | | | | | | | | | |
| 1996 Average | 87.3 | 86.9 | 79.0 | 69.4 | - | 76.3 | 95.7 | 94.4 | 84.4 | 73.4 | _ | 81.6 |
| Subdistrict IB | | | | | | | | | | | | |
| January | 71.7 | 71.1 | 65.1 | 58.5 | 54.1 | 60.3 | 81.1 | 80.1 | 72.0 | 63.4 | _ | 68.6 |
| February | 71.2 | 70.6 | 65.1 | 57.9 | 54.2 | 60.0 | 80.5 | 79.6 | 72.1 | 62.6 | _ | 68.3 |
| March | | 73.1 | 68.5 | 63.3 | 59.4 | 64.7 | 82.7 | 82.0 | 75.9 | 67.6 | _ | 72.7 |
| April | | 81.2 | 76.6 | 70.6 | 68.7 | 72.3 | 90.8 | 89.9 | 83.9 | 75.2 | _ | 80.4 |
| May | | 86.1 | 81.3 | 72.0 | 68.7 | 74.5 | 95.6 | 94.6 | 88.9 | 76.9 | _ | 84.0 |
| June | | 84.2 | 78.2 | 65.2 | 59.6 | 68.4 | 94.1 | 92.7 | 85.8 | 70.6 | _ | 79.6 |
| July | | 81.3 | 76.3 | 66.3 | 61.9 | 68.7 | 90.9 | 90.0 | 83.6 | 71.3 | _ | 78.5 |
| August | | 79.3 | 74.0 | 66.1 | 61.6 | 67.4 | 88.2 | 87.5 | 80.9 | 71.0 | W | 76.9 |
| September | | 78.7 | 73.8 | 67.0 | 62.0 | 68.4 | 87.4 | 86.8 | 80.6 | 71.5 | - | 77.0 |
| October | | 79.8 | 75.5 | 69.3 | 65.3 | 70.7 | 88.4 | 87.8 | 82.7 | 73.7 | _ | 79.1 |
| November | | 83.7 | 78.9 | 72.8 | 68.6 | 74.0 | 92.2 | 91.5 | 85.7 | 77.2 | _ | 82.4 |
| December | | 86.7 | 80.6 | 74.1 | 69.9 | 75.5 | 95.3 | 94.6 | 86.9 | 78.5 | _ | 83.7 |
| 1996 Average | | 80.0 | 74.7 | 67.2 | 63.5 | 69.1 | 89.1 | 88.2 | 81.7 | 71.7 | W | 77.7 |
| Delaware | | | | | | | | | | | | |
| January | 70.2 | 69.9 | 63.4 | 58.9 | W | 61.0 | 80.4 | 80.0 | 69.0 | 63.0 | _ | 66.4 |
| February | | 68.9 | 63.0 | 58.0 | W | 60.4 | 79.4 | 79.4 | 69.1 | 62.0 | _ | 66.1 |
| March | | 71.9 | 66.5 | 63.4 | W | 64.9 | 82.1 | 82.0 | 72.7 | 67.5 | _ | 70.6 |
| April | | 80.8 | 75.5 | 72.0 | W | 73.8 | 90.9 | 90.6 | 81.4 | 75.9 | _ | 79.3 |
| May | | 85.3 | 80.5 | 72.2 | W | 76.3 | 95.4 | 94.7 | 86.7 | 76.3 | _ | 82.2 |
| June | | 83.6 | 78.0 | 65.6 | W | 71.6 | 94.5 | 93.6 | 84.8 | 69.9 | _ | 77.4 |
| | | 80.5 | 76.2 | 66.3 | W | 70.9 | 89.9 | 89.4 | 82.8 | 70.5 | _ | 76.9 |
| July August | | 78.8 | 76.2 74.4 | 66.4 | W | 70.9 70.4 | 87.0 | 86.8 | 80.8 | 70.5 70.1 | _ | 76.9 76.1 |
| | | 70.0 80.4 | 73.8 | 67.4 | W | 70. 4 70.7 | 90.2 | 89.6 | 80.3 | 70.1 | _ | 76.1 |
| September October | | 80.7 | 73.6 74.5 | 69.7 | W | 70.7 72.1 | 90.2 | 90.3 | 80.6 | 71.0 | _ | 76.2 77.2 |
| November | | 83.1 | 74.5 77.0 | 73.0 | W | 72.1 75.0 | 90.8 | 90.3 | 83.6 | 73.5 77.1 | _ | 80.6 |
| | | 85.6 | 79.6 | 74.8 | W | 77.3 | 95.3 | 94.9 | 86.1 | 79.0 | _ | 83.0 |
| 1996 Average | | 79.5 | 73.9 | 67.3 | w | 70.6 | 89.2 | 88.8 | 79.8 | 71.3 | _ | 76.1 |
| District of Columbia | | | | | | | | | | | | |
| | W | 64.8 | 65.4 | _ | _ | 65.4 | W | 74.4 | 70.0 | _ | _ | 70.0 |
| January | | 64.5 | 68.5 | _ | _ | 68.5 | W | 74.4 | 73.3 | _ | _ | 73.3 |
| February | | 70.1 | 72.1 | _ | _ | 72.1 | W | 79.7 | 76.7 | _ | _ | 76.7 |
| March April | | 70.1 80.8 | 72.1 81.4 | _ | _ | 72.1 81.4 | W | 79.7 89.6 | 85.7 | _ | _ | 76.7 85.7 |
| May | | 83.6 | 88.3 | _ | _ | 88.3 | W | 93.6 | 92.9 | _ | _ | 92.9 |
| | | 79.7 | | _ | _ | | W | | 90.8 | _ | _ | 90.8 |
| June | | | 86.1 | - | _ | 86.1 | | 88.6 | | | | |
| July | | 78.7 | 82.7 | - | | 82.7 | W | 89.7 | 87.1 | - | - | 87.1 |
| August | | 76.7 | 79.0 | - | _ | 79.0 | W | 87.7 | 83.3 | - | - | 83.3 |
| September | | 74.6 | 79.2 | - | - | 79.2 | W | 85.7 | 83.2 | - | - | 83.2 |
| October | | 77.0 | 80.9 | - | - | 80.9 | W | 89.0 | 84.9 | - | - | 84.9 |
| November | | 80.5 | 83.2 | - | - | 83.2 | W | 90.6 | 86.6 | - | - | 86.6 |
| December | | 81.5 | 83.6 | - | W | 79.2 | W | 90.6 | 86.6 | - | - | 86.6 |
| 1996 Average | W | 76.6 | 79.8 | _ | W | 79.5 | W | 86.5 | 83.8 | _ | _ | 83.8 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Pren | nium | | | | | All G | rades | | |
|----------------------|------------------------------|----------------------|--------------|--------------|-----------|--------------|------------------------------|----------------------|--------------|--------------|-----------|--------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| Vermont | | | | | | | | | | | | |
| January | 95.8 | 95.4 | 83.6 | 69.6 | _ | 79.8 | 82.5 | 82.1 | 73.9 | 62.6 | _ | 70.9 |
| February | 95.2 | 94.3 | 83.5 | 69.6 | _ | 79.9 | 81.3 | 80.7 | 73.5 | 62.4 | _ | 70.6 |
| March | 96.2 | 95.9 | 85.7 | 74.5 | _ | 82.9 | 82.7 | 82.4 | 75.7 | 67.4 | _ | 73.6 |
| April | 105.6 | 104.0 | 92.5 | 82.4 | _ | 90.2 | 91.2 | 90.9 | 83.1 | 74.9 | _ | 81.2 |
| May | 109.4 | 109.1 | 95.1 | 83.9 | _ | 92.4 | 95.6 | 95.0 | 84.7 | 76.5 | _ | 82.7 |
| June | 107.5 | 106.9 | 90.9 | 76.6 | _ | 87.0 | 94.2 | 93.6 | 80.4 | 69.0 | _ | 77.3 |
| July | 107.0 | 106.3 | 92.1 | 77.7 | _ | 87.7 | 93.4 | 92.7 | 82.3 | 70.0 | _ | 78.7 |
| August | 106.0 | 105.5 | 91.9 | 78.5 | _ | 88.1 | 92.2 | 91.7 | 82.1 | 70.7 | _ | 78.7 |
| September | 105.9 | 105.4 | 92.3 | 78.9 | _ | 88.2 | 92.0 | 91.4 | 82.9 | 71.4 | _ | 79.4 |
| October | 106.0 | 105.6 | 94.8 | 81.2 | _ | 91.0 | 92.2 | 91.7 | 84.4 | 73.7 | _ | 81.4 |
| November | 108.1 | 107.7 | 97.6 | 86.2 | - | 94.6 | 93.9 | 93.5 | 87.5 | 78.1 | _ | 85.0 |
| December | 109.9 | 109.3 | 97.4 | 87.4 | - | 94.9 | 96.5 | 96.0 | 88.2 | 79.5 | - | 86.0 |
| 1996 Average | 104.0 | 103.5 | 91.1 | 78.3 | _ | 87.7 | 90.8 | 90.3 | 81.6 | 71.3 | - | 78.8 |
| Subdistrict IB | | | | | | | | | | | | |
| January | 90.2 | 89.0 | 79.9 | 68.9 | 60.2 | 73.8 | 77.0 | 76.2 | 70.5 | 61.3 | 55.3 | 64.7 |
| February | 89.5 | 88.3 | 79.8 | 68.1 | 58.9 | 73.6 | 76.5 | 75.6 | 70.6 | 60.6 | 55.0 | 64.3 |
| March | 91.8 | 90.8 | 83.2 | 73.0 | 63.3 | 77.4 | 78.6 | 78.0 | 73.9 | 65.9 | 60.2 | 68.8 |
| April | 99.8 | 98.6 | 91.1 | 80.5 | 72.9 | 85.2 | 86.4 | 85.7 | 81.7 | 73.1 | 69.2 | 76.0 |
| May | 104.5 | 103.0 | 96.3 | 81.7 | 73.0 | 87.9 | 91.1 | 90.2 | 86.2 | 74.4 | 69.4 | 78.2 |
| June | 102.8 | 101.1 | 93.3 | 75.0 | 65.5 | 83.0 | 89.6 | 88.4 | 83.3 | 67.7 | 60.5 | 72.6 |
| July | 99.9 | 98.5 | 90.8 | 76.7 | 67.9 | 82.7 | 86.6 | 85.7 | 81.3 | 68.9 | 62.7 | 72.7 |
| August | 97.1 | 95.8 | 88.4 | 76.2 | 67.8 | 81.8 | 84.2 | 83.6 | 78.9 | 68.6 | 62.2 | 71.3 |
| September | 96.4 | 95.2 | 88.0 | 76.9 | 66.9 | 81.5 | 83.5 | 82.9 | 78.7 | 69.4 | 62.8 | 72.2 |
| October | 97.4 | 96.2 | 90.0 | 79.3 | 70.4 | 83.6 | 84.5 | 83.9 | 80.5 | 71.7 | 66.2 | 74.4 |
| November | 101.3 | 100.1 | 93.1 | 82.9 | 74.6 | 87.5 | 88.4 | 87.7 | 83.6 | 75.1 | 69.4 | 77.7 |
| December | 103.9 | 102.7 | 94.5 | 84.4 | 75.1 | 88.2 | 91.3 | 90.6 | 85.1 | 76.5 | 70.8 | 79.1 |
| 1996 Average | 97.8 | 96.5 | 88.9 | 76.9 | 68.3 | 82.1 | 85.1 | 84.3 | 79.7 | 69.6 | 64.3 | 72.9 |
| Delaware | 00.0 | 00.0 | 77.4 | 00.4 | | 70.0 | 75.0 | 75.0 | 07.4 | 04.5 | 147 | 04.0 |
| January | 89.2 | 88.3 | 77.1 | 68.4 | - | 72.8 | 75.3 | 75.0 | 67.1 | 61.5 | W | 64.2 |
| February | 88.8 | 88.0 | 76.6 | 67.3 | - | 72.1 | 74.5 | 74.1 | 66.8 | 60.4 | W | 63.6 |
| March | 90.7 | 90.2 | 80.1 | 73.0 | _ | 76.7 | 77.1 | 76.9 | 70.3 | 65.9 | W | 68.0 |
| April | 99.9 | 99.1 | 89.1 | 81.1 | W | 82.6 | 85.7 | 85.3 | 79.1 | 74.3 | W | 76.6 |
| May | 104.6 | 103.3 | 94.8 | 81.9 | W | 85.3 | 90.1 | 89.4 | 83.9 | 74.5 | W | 79.0 |
| June | 102.2 | 101.2 | 92.3 | 75.5 | _ | 83.6 | 88.9 | 88.0 | 81.5 | 68.2 | W | 74.5 73.8 |
| July | 99.0 | 98.1 | 90.1 | 76.1 | | 82.8 | 85.1 | 84.7 | 79.8 | 68.8 | W | |
| August September | 95.3 99.8 | 94.8 98.8 | 88.2 87.8 | 75.8 76.8 | _ | 82.2 82.5 | 82.9 85.1 | 82.7 84.7 | 77.9 77.2 | 68.8 69.6 | W | 73.3 73.4 |
| October | 99.3 | 98.4 | 88.4 | 78.9 | _ | 83.6 | 85.3 | 85.0 | 77.2 77.9 | 72.1 | W | 73.4 74.8 |
| November | 101.6 | 100.8 | 91.1 | 82.5 | _ | 86.8 | 87.4 | 87.2 | 80.5 | 72.1 75.5 | W | 74.8 77.8 |
| December | 103.8 | 100.0 | 93.9 | 84.4 | _ | 89.5 | 89.8 | 89.6 | 83.0 | 77.3 | W | 80.2 |
| 1996 Average | 97.7 | 96.9 | 87.4 | 76.6 | w | 81.7 | 84.2 | 83.8 | 77.3 | 69.7 | w | 73.5 |
| District of Columbia | | | | | | | | | | | | |
| January | W | 77.7 | 77.1 | _ | _ | 77.1 | W | 70.5 | 72.0 | _ | _ | 72.0 |
| February | W | 77.6 | 80.7 | _ | _ | 80.7 | W | 70.2 | 75.3 | _ | _ | 75.3 |
| March | W | 83.1 | 84.2 | _ | _ | 84.2 | W | 75.9 | 78.7 | _ | _ | 78.7 |
| April | W | 94.5 | 93.8 | _ | _ | 93.8 | W | 86.1 | 87.7 | _ | _ | 87.7 |
| May | W | 96.2 | 101.5 | _ | - | 101.5 | W | 88.8 | 94.6 | _ | _ | 94.6 |
| June | W | 91.7 | 99.3 | _ | - | 99.3 | W | 84.5 | 92.5 | _ | _ | 92.5 |
| July | W | 91.0 | 95.1 | _ | - | 95.1 | W | 83.9 | 88.8 | _ | _ | 88.8 |
| August | W | 91.5 | 91.4 | _ | - | 91.4 | W | 82.4 | 85.1 | _ | _ | 85.1 |
| September | W | 89.9 | 91.1 | _ | - | 91.1 | W | 80.4 | 85.1 | _ | _ | 85.1 |
| October | W | 92.0 | 92.8 | _ | - | 92.8 | W | 82.7 | 86.7 | _ | _ | 86.7 |
| November | W | 95.4 | 94.9 | _ | - | 94.9 | W | 86.0 | 88.7 | _ | _ | 88.7 |
| December | W | 94.7 | 94.3 | - | _ | 94.3 | W | 86.6 | 88.6 | _ | W | 86.3 |
| 1996 Average | W | 89.6 | 91.2 | _ | _ | 91.2 | W | 81.9 | 85.6 | _ | W | 85.4 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Reg | ular | | | | | Midg | rade | | |
|-----------------|------------------------------|----------------------|--------------|----------|-----------|--------------|------------------------------|----------------------|------|--------------|-----------|---------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ² | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| Maryland | | | | | | | | | | | | |
| January | 72.9 | 70.2 | 63.9 | 58.0 | W | 61.8 | 81.0 | 78.0 | 69.2 | 62.7 | _ | 67.4 |
| February | 73.3 | 70.1 | 65.6 | 58.2 | W | 63.0 | 81.3 | 78.3 | 71.0 | 63.0 | _ | 68.8 |
| March | 76.9 | 74.8 | 69.8 | 64.3 | W | 68.0 | 84.3 | 81.3 | 75.1 | 69.1 | _ | 73.5 |
| April | 86.2 | 83.7 | 78.6 | 72.9 | W | 76.5 | 93.7 | 90.0 | 84.0 | 77.6 | _ | 82.1 |
| May | 91.0 | 88.2 | 84.7 | 73.6 | W | 80.5 | 99.4 | 94.9 | 90.5 | 78.5 | _ | 86.8 |
| June | 88.6 | 85.5 | 82.1 | 66.3 | 62.7 | 75.4 | 97.5 | 92.7 | 88.1 | 71.6 | _ | 83.0 |
| July | 87.1 | 84.3 | 80.1 | 66.7 | 64.8 | 74.6 | 95.6 | 91.7 | 86.1 | 71.7 | _ | 81.4 |
| August | 83.9 | 81.6 | 76.4 | 65.6 | W | 72.2 | 92.6 | 88.9 | 82.1 | 70.3 | _ | 78.5 |
| September | 83.2 | 81.3 | 76.1 | 66.4 | 65.7 | 72.3 | 92.1 | 88.2 | 81.4 | 70.6 | _ | 78.4 |
| October | 84.0 | 81.8 | 77.2 | 69.6 | W | 74.6 | 92.7 | 88.8 | 82.8 | 74.0 | _ | 80.5 |
| | 87.4 | 85.1 | 80.1 | 72.4 | W | 77.3 | 96.2 | 92.2 | 85.3 | 76.3 | _ | 83.0 |
| November | | | | | | | | | | | _ | |
| December | 89.3 | 86.7 | 80.7 | 72.4 | 71.5 | 77.6 | 98.0 | 93.8 | 85.7 | 76.3 | _ | 83.3 |
| 1996 Average | 84.1 | 81.5 | 76.7 | 67.6 | 67.1 | 73.3 | 92.2 | 88.4 | 81.9 | 72.0 | _ | 79.1 |
| New Jersey | | | | | | | | | | | | |
| January | 74.4 | 73.8 | 68.8 | 61.5 | 54.4 | 60.0 | 86.5 | 85.3 | 74.9 | 67.1 | _ | 72.3 |
| February | 73.8 | 73.1 | 68.7 | 59.6 | 53.9 | 59.2 | 85.9 | 84.8 | 74.9 | 65.4 | _ | 71.6 |
| March | 75.6 | 75.0 | 71.0 | 64.4 | 59.0 | 64.1 | 87.8 | 87.0 | 77.8 | 69.2 | _ | 74.8 |
| April | 83.7 | 83.1 | 78.8 | 71.3 | 69.1 | 71.6 | 95.3 | 94.4 | 85.3 | 76.6 | _ | 82.0 |
| May | 89.3 | 88.6 | 84.3 | 72.3 | 69.5 | 73.3 | 100.7 | 99.2 | 90.5 | 78.2 | _ | 85.6 |
| June | 88.5 | 87.3 | 82.3 | 65.9 | 59.5 | 65.8 | 100.0 | 98.1 | 88.4 | 72.7 | _ | 82.2 |
| July | 85.7 | 84.8 | 79.9 | 67.2 | 62.8 | 67.9 | 97.3 | 95.7 | 86.0 | 73.4 | _ | 80.9 |
| August | 82.8 | 82.1 | 76.9 | 66.7 | 61.5 | 65.3 | 94.5 | 93.2 | 82.7 | 72.7 | _ | 78.8 |
| September | 80.6 | 79.9 | 75.3 | 67.7 | 61.6 | 66.1 | 92.7 | 91.8 | 81.4 | 73.3 | _ | 78.2 |
| October | 81.2 | 80.6 | 77.0 | 69.8 | 65.1 | 68.9 | 93.3 | 92.5 | 83.6 | 75.2 | _ | 80.4 |
| November | 84.9 | 84.4 | 80.3 | 73.1 | 68.0 | 71.9 | 96.5 | 95.8 | 86.3 | 79.2 | _ | 83.7 |
| December | 88.1 | 87.5 | 82.8 | 74.9 | 69.8 | 73.8 | 99.3 | 98.6 | 88.8 | 80.5 | _ | 85.9 |
| 1996 Average | 82.8 | 82.1 | 77.5 | 68.1 | 63.6 | 67.8 | 94.4 | 93.3 | 83.5 | 73.8 | - | 79.9 |
| New York | | | | | | | | | | | | |
| January | 72.3 | 72.0 | 65.1 | 59.2 | 55.7 | 62.0 | 82.3 | 81.5 | 74.8 | 65.0 | _ | 71.3 |
| February | 72.0 | 71.5 | 64.6 | 58.6 | 55.9 | 61.3 | 81.6 | 80.7 | 74.1 | 64.4 | _ | 70.7 |
| March | 74.1 | 73.8 | 68.5 | 63.9 | 59.5 | 65.6 | 84.0 | 83.3 | 78.5 | 68.8 | _ | 75.3 |
| April | 81.7 | 81.3 | 76.0 | 70.7 | 67.2 | 72.8 | 91.1 | 90.5 | 85.6 | 75.7 | _ | 82.4 |
| May | 86.6 | 86.1 | 79.4 | 72.2 | 68.7 | 75.2 | 95.2 | 94.5 | 89.2 | 77.2 | _ | 85.3 |
| June | 85.3 | 84.4 | 75.5 | 65.5 | 59.2 | 69.1 | 93.5 | 92.3 | 85.1 | 71.1 | _ | 80.5 |
| July | 82.7 | 81.9 | 73.8 | 66.6 | 59.1 | 67.9 | 90.8 | 90.1 | 82.8 | 72.0 | _ | 79.2 |
| August | 80.4 | 80.0 | 72.3 | 66.7 | 61.0 | 68.7 | 88.1 | 87.6 | 81.0 | 72.1 | W | 78.0 |
| September | 79.7 | 79.2 | 72.8 | 67.6 | 64.3 | 70.0 | 87.2 | 86.6 | 81.8 | 72.8 | _ | 78.9 |
| October | 80.9 | 80.4 | 74.7 | 69.7 | 65.4 | 71.8 | 88.1 | 87.5 | 84.2 | 74.9 | _ | 81.2 |
| November | 85.3 | 84.8 | 78.7 | 73.5 | 71.8 | 75.7 | 92.4 | 91.7 | 88.0 | 79.0 | _ | 85.3 |
| December | 88.4 | 87.9 | 80.2 | 75.6 | 71.3 | 77.6 | 95.6 | 94.8 | 88.4 | 81.4 | _ | 86.3 |
| 1996 Average | 81.1 | 80.6 | 73.6 | 67.6 | 62.6 | 69.9 | 89.2 | 88.5 | 82.9 | 72.7 | w | 79.5 |
| Pennsylvania | | | | | | | | | | | | |
| lanuam. | 70.0 | 69.6 | 62.9 | 56.5 | 51.4 | 58.1 | 78.7 | 78.2 | 69.4 | 61.2 | _ | 64.9 |
| February | 69.2 | 68.9 | 62.5 | 56.3 | 54.7 | 58.3 | 78.1 | 77.6 | 68.4 | 60.6 | _ | 64.0 |
| March | 71.5 | 71.3 | 65.3 | 61.9 | 60.4 | 62.9 | 80.2 | 79.9 | 72.0 | 65.9 | _ | 68.6 |
| April | 80.2 | 79.9 | 74.3 | 69.7 | 66.7 | 70.8 | 88.6 | 88.1 | 80.8 | 73.4 | _ | 76.7 |
| May | 85.2 | 84.7 | 74.3 78.7 | 71.3 | 65.1 | 70.8 72.7 | 93.6 | 93.0 | 85.1 | 75.4 75.5 | _ | 79.6 |
| June | 83.5 | 82.8 | 75.4 | 64.4 | 59.5 | 67.6 | 91.9 | 91.1 | 81.0 | 68.9 | _ | 74.2 |
| | 79.4 | | | | | | | | | | _ | |
| July | | 79.0 | 73.9 | 65.6 | 62.3 | 68.0 67.1 | 88.3 85.7 | 87.7 95.4 | 79.5 | 69.9 | | 74.0 |
| August | 77.5 | 77.3 | 71.8 | 65.3 | 62.1 | 67.1 | 85.7 | 85.4 | 77.6 | 70.0 | _ | 73.2 |
| September | 77.3 | 77.2 | 71.8 | 66.3 | 62.7 | 67.8 | 85.1 | 84.9 | 77.3 | 70.5 | _ | 73.5 |
| October | 78.5 | 78.4 | 74.1 | 68.6 | 66.1 | 70.1 | 86.3 | 86.1 | 79.8 | 72.5 | _ | 75.6 |
| November | 82.3 | 82.1 | 77.1 | 72.1 | 69.6 | 73.5 | 90.1 | 89.9 | 83.0 | 75.8 | _ | 78.9 |
| December | 85.6 | 85.3 | 79.3 | 72.9 | 69.4 | 74.7 | 93.6 | 93.2 | 84.7 | 77.0 | - | 80.3 |
| 1996 Average | 78.8 | 78.4 | 72.6 | 66.3 | 62.9 | 68.0 | 86.8 | 86.4 | 78.2 | 70.2 | _ | 73.7 |
| | | | | | | | | | | | | |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Pren | nium | | | | | All G | rades | | |
|--------------------|------------------------------|----------------------|--------------|---------------------|--------------|---------------------|------------------------------|----------------------|---------------------|---------------------|---------------------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| Maryland | | | | | | | | | | | | |
| January | . 88.1 | 85.2 | 75.5 | 68.6 | _ | 73.7 | 77.6 | 74.6 | 68.1 | 61.2 | W | 66.0 |
| February | | 85.5 | 77.6 | 68.7 | W | 74.6 | 77.9 | 74.5 | 69.9 | 61.3 | W | 67.1 |
| March | | 89.0 | 81.8 | 74.7 | W | 79.8 | 81.2 | 78.8 | 74.0 | 67.3 | 64.4 | 71.9 |
| April | | 97.7 | 90.5 | 83.3 | _ | 88.5 | 90.2 | 87.3 | 82.6 | 75.8 | W | 80.3 |
| May | | 102.3 | 97.4 | 84.2 | W | 93.5 | 95.0 | 91.7 | 88.6 | 76.3 | W | 84.3 |
| June | . 104.2 | 99.8 | 94.9 | 76.9 | W | 89.5 | 92.7 | 89.2 | 86.2 | 69.1 | 63.6 | 79.7 |
| July | . 102.1 | 98.6 | 92.9 | 77.4 | W | 87.6 | 91.2 | 88.2 | 84.2 | 69.5 | 65.5 | 78.6 |
| August | | 95.7 | 88.6 | 76.1 | W | 85.0 | 88.1 | 85.4 | 80.4 | 68.3 | W | 76.1 |
| September | | 95.9 | 87.8 | 76.7 | W | 84.6 | 87.5 | 85.0 | 79.9 | 69.0 | 66.1 | 76.1 |
| October | | 96.5 | 89.2 | 80.0 | W | 86.3 | 88.2 | 85.5 | 81.1 | 72.2 | 69.9 | 78.2 |
| November | | 99.7 | 91.9 | 82.2 | W | 89.1 | 91.6 | 88.8 | 83.8 | 74.8 | W | 80.8 |
| December | | 101.3 | 91.9 | 82.1 | W | 89.0 | 93.4 | 90.3 | 84.3 | 74.7 | 71.3 | 81.0 |
| 1996 Average | . 98.8 | 95.5 | 88.1 | 77.6 | 67.9 | 85.0 | 88.1 | 85.2 | 80.5 | 70.2 | 67.2 | 77.0 |
| New Jersey | | | | | | | | | | | | |
| January | | 93.1 | 82.9 | 70.7 | 60.6 | 73.7 | 81.9 | 81.0 | 74.8 | 64.7 | 55.6 | 64.7 |
| February | | 91.6 | 83.0 | 69.0 | 58.7 | 73.2 | 81.1 | 80.1 | 74.7 | 62.8 | 54.6 | 63.7 |
| March | | 94.7 | 85.2 | 72.8 | 63.8 | 76.5 | 83.0 | 82.2 | 77.0 | 67.3 | 59.9 | 68.4 |
| April | | 102.2 | 92.8 | 80.7 | 73.0 | 84.1 | 90.5 | 89.7 | 84.4 | 74.3 | 69.6 | 75.0 |
| May | | 107.3 | 98.5 | 81.4 | 73.1 | 85.6 | 95.7 | 94.7 | 89.6 | 75.3 | 70.0 | 76.8 |
| June | | 105.5 | 96.6 | 74.9 | 65.7 | 80.2 | 94.9 | 93.4 | 87.7 | 68.9 | 60.5 | 70.2 |
| July | | 103.2 | 94.2 | 76.9 | 67.6 | 81.3 | 92.2 | 91.0 | 85.4 | 70.4 | 63.6 | 72.0 |
| August | | 101.0 99.2 | 90.9 | 76.1 77.1 | 68.1 66.7 | 80.9 | 89.5 | 88.5 | 82.2 | 69.7 | 62.0 62.4 | 68.9 69.8 |
| September | | 99.2 99.8 | 89.4 91.4 | 77.1 79.4 | 70.5 | 79.1 | 87.4 87.9 | 86.5 97.1 | 80.8 82.6 | 70.7 72.8 | 62.4 66.0 | 69.8 72.7 |
| October November | | 103.1 | 94.4 | 83.6 | 70.5 74.6 | 81.7 86.7 | 91.4 | 87.1 90.6 | 85.6 | 76.3 | 68.7 | 75.6 |
| December | | 106.2 | 96.9 | 85.0 | 75.1 | 86.5 | 94.2 | 93.5 | 88.1 | 77.9 | 70.6 | 77.4 |
| 1996 Average | | 100.6 | 91.2 | 77.3 | 68.4 | 80.9 | 89.4 | 88.5 | 82.9 | 71.1 | 64.3 | 71.6 |
| New York | | | | | | | | | | | | |
| January | . 91.2 | 90.2 | 81.6 | 69.4 | 61.7 | 76.7 | 77.4 | 76.8 | 71.3 | 61.9 | 57.5 | 66.8 |
| February | | 90.0 | 80.8 | 68.9 | 61.6 | 76.0 | 77.0 | 76.2 | 70.8 | 61.2 | 57.7 | 66.1 |
| March | . 92.6 | 91.8 | 84.8 | 73.6 | 66.3 | 80.3 | 78.9 | 78.5 | 74.7 | 66.3 | 60.7 | 70.3 |
| April | . 99.7 | 98.6 | 91.9 | 80.5 | 74.4 | 87.4 | 86.0 | 85.4 | 81.8 | 72.9 | 68.2 | 77.2 |
| May | | 102.5 | 95.8 | 81.3 | 71.5 | 89.7 | 90.5 | 89.8 | 85.1 | 74.2 | 69.2 | 79.4 |
| June | | 100.7 | 91.7 | 75.1 | 65.9 | 85.3 | 89.1 | 88.0 | 81.3 | 67.7 | 59.8 | 73.8 |
| July | | 98.3 | 89.2 | 77.2 | 68.6 | 84.3 | 86.5 | 85.6 | 79.4 | 69.0 | 59.7 | 72.4 |
| August | | 95.0 | 88.1 | 77.0 | 68.6 | 83.4 | 84.2 | 83.6 | 78.0 | 69.1 | 62.3 | 73.1 |
| September | | 94.5 | 88.6 | 77.6 | 69.9 | 84.7 | 83.5 | 82.8 | 78.6 | 69.9 | 65.1 | 74.5 |
| October | | 95.9 | 91.0 | 80.0 | 69.7 | 86.3 | 84.6 | 83.9 | 80.6 | 72.0 | 66.6 | 76.3 |
| November December | | 100.3 | 94.3 95.0 | 83.5 | 77.8 78.7 | 90.4 91.4 | 89.0 | 88.3 91.1 | 84.3 | 75.6 | 72.6 | 80.0 |
| 1996 Average | | 102.2 96.6 | 89.3 | 86.0 77.3 | 69.3 | 84.5 | 91.8 85.1 | 84.4 | 85.3 79.3 | 77.8 69.8 | 73.2 63.7 | 81.7 74.3 |
| Pennsylvania | | | | | | | | | | | | |
| January | . 87.0 | 86.2 | 76.1 | 67.2 | 58.3 | 69.9 | 74.8 | 74.3 | 67.0 | 59.2 | 53.1 | 61.5 |
| February | | 85.2 | 75.1 | 66.4 | W | 69.8 | 74.1 | 73.6 | 66.4 | 58.8 | 55.2 | 61.4 |
| March | | 87.7 | 78.2 | 72.0 | 60.6 | 73.0 | 76.2 | 75.8 | 69.3 | 64.3 | 60.5 | 65.7 |
| April | | 96.3 | 87.3 | 79.7 | 71.8 | 81.9 | 84.5 | 84.0 | 78.1 | 72.0 | 67.6 | 73.7 |
| May | . 102.0 | 100.7 | 92.6 | 81.4 | 73.2 | 85.2 | 89.1 | 88.5 | 82.3 | 73.5 | 66.0 | 75.6 |
| June | | 99.0 | 89.2 | 74.5 | 62.6 | 79.6 | 87.5 | 86.8 | 79.0 | 66.6 | 60.0 | 70.6 |
| July | | 95.8 | 86.9 | 75.9 | 68.4 | 79.4 | 83.7 | 83.2 | 77.4 | 67.9 | 63.6 | 70.8 |
| August | | 93.3 | 84.6 | 75.8 | 65.4 | 78.4 | 81.7 | 81.3 | 75.3 | 67.7 | 62.7 | 69.9 |
| September | | 92.9 | 84.1 | 76.3 | 67.0 | 78.6 | 81.3 | 81.1 | 75.2 | 68.5 | 63.6 | 70.5 |
| October | | 94.0 | 86.0 | 78.4 | 70.7 | 80.6 | 82.5 | 82.2 | 77.4 | 70.8 | 67.0 | 72.7 |
| November | | 97.7 | 89.5 | 82.0 | 73.6 | 83.7 | 86.1 | 85.9 | 80.4 | 74.2 | 70.7 | 76.1 |
| December | | 101.0 | 91.9 | 83.2 | 73.4 | 85.5 79.7 | 89.4 | 89.0 | 82.6 | 75.0 | 70.3 | 77.3 |
| 1996 Average | . 94.9 | 94.0 | 84.9 | 76.0 | 67.3 | 78.7 | 82.8 | 82.4 | 76.0 | 68.5 | 63.8 | 70.7 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Reg | ular | | | | | Midg | rade | | |
|-----------------|------------------------------|----------------------|---------------------|---------------------|------------------|---------------------|------------------------------|----------------------|---------------------|---------------------|-----------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| Subdistrict IC | | | | | | | | | | | | |
| January | 65.5 | 65.2 | 60.1 | 54.0 | 53.8 | 55.9 | 75.4 | 74.8 | 66.0 | 58.6 | _ | 61.7 |
| February | 66.1 | 65.8 | 61.3 | 55.0 | 53.1 | 56.9 | 76.0 | 75.4 | 67.3 | 59.6 | _ | 62.8 |
| | 71.2 | 70.9 | 66.6 | 61.9 | 60.4 | 63.3 | 80.8 | 80.3 | 72.5 | 66.3 | _ | 69.0 |
| March April | 80.0 | 70.9 79.4 | 75.0 | 70.4 | 69.5 | 71.8 | 89.4 | | 81.0 | 74.9 | _ | 77.5 |
| • | | | | | | | | 88.7 | | | | |
| May | 83.1 | 82.6 | 76.4 | 69.1 | 67.8 | 71.3 | 92.8 | 92.0 | 83.0 | 74.0 | - | 77.8 |
| June | 80.9 | 80.1 | 72.2 | 62.0 | 60.4 | 65.0 | 90.6 | 89.5 | 79.3 | 66.9 | - | 72.2 |
| July | 78.9 | 78.2 | 71.6 | 63.6 | 63.2 | 66.0 | 88.6 | 87.8 | 78.4 | 68.5 | - | 72.5 |
| August | 76.7 | 76.2 | 70.7 | 62.9 | 62.7 | 65.2 | 86.5 | 85.9 | 77.4 | 67.7 | _ | 71.7 |
| September | 76.5 | 76.0 | 71.4 | 64.2 | 64.5 | 66.4 | 86.1 | 85.6 | 78.0 | 69.1 | _ | 72.8 |
| October | 77.6 | 77.2 | 73.6 | 67.9 | 68.0 | 69.7 | 87.4 | 86.7 | 80.0 | 72.6 | _ | 75.7 |
| November | 81.2 | 80.8 | 76.2 | 70.5 | 71.3 | 72.3 | 90.6 | 90.0 | 82.2 | 74.9 | - | 77.9 |
| December | 82.1 | 81.5 | 75.5 | 68.9 | 68.9 | 70.9 | 91.3 | 90.8 | 81.8 | 73.8 | _ | 77.1 |
| 1996 Average | 77.0 | 76.5 | 71.1 | 64.5 | 63.5 | 66.5 | 86.4 | 85.7 | 77.3 | 69.0 | - | 72.4 |
| Florida | | | | | | | | | | | | |
| January | 67.2 | 66.7 | 60.1 | 54.1 | W | 56.1 | 76.9 | 76.1 | 66.8 | 58.4 | _ | 62.4 |
| February | 68.2 | 67.7 | 61.3 | 55.1 | 52.2 | 57.0 | 78.0 | 77.1 | 68.1 | 59.2 | _ | 63.4 |
| March | 73.5 | 73.0 | 66.4 | 61.8 | 58.8 | 63.3 | 83.1 | 82.3 | 73.4 | 65.9 | _ | 69.4 |
| April | 82.3 | 81.1 | 74.9 | 70.4 | W | 71.9 | 91.6 | 90.6 | 81.4 | 74.6 | _ | 77.8 |
| May | 85.3 | 84.4 | 77.5 | 68.9 | W | 71.6 | 94.7 | 93.4 | 84.6 | 73.4 | _ | 78.7 |
| June | 82.7 | 81.7 | 75.0 | 61.9 | W | 66.2 | 92.2 | 90.7 | 82.5 | 66.6 | _ | 74.4 |
| July | 80.9 | 79.9 | 73.7 | 63.6 | W | 66.9 | 90.8 | 89.4 | 80.6 | 68.5 | _ | 74.2 |
| August | 79.0 | 78.4 | 73.0 | 63.1 | W | 66.2 | 89.0 | 88.0 | 80.2 | 67.5 | _ | 73.5 |
| September | 79.1 | 78.4 | 73.9 | 64.4 | W | 67.4 | 89.3 | 88.4 | 81.2 | 69.2 | _ | 75.0 |
| | 80.8 | 80.0 | 75.7 | | W | | 90.7 | | 82.9 | | _ | |
| October | | | | 68.2 | | 70.7 | | 89.4 | | 72.5 | | 77.4 |
| November | 84.4 | 83.6 | 78.1 | 70.9 | W | 73.2 | 94.0 | 92.9 | 84.7 | 74.8 | - | 79.4 |
| 1996 Average | 85.8 79.3 | 84.7 78.5 | 78.0 72.3 | 69.3 64.4 | W 61.5 | 72.1 66.9 | 95.1 88.8 | 93.9 87.7 | 84.7 79.1 | 73.6 68.7 | _ | 78.7 73.6 |
| Georgia | | | | | | | | | | | | |
| | 62.7 | 62.7 | 58.4 | 53.6 | 54.0 | 55.2 | 72.7 | 72.2 | 62.7 | 58.8 | _ | 60.6 |
| January | | | | | W | | | | | | | |
| February | 63.3 | 63.3 | 59.4 | 54.5 | | 56.1 | 73.4 | 72.9 | 63.7 | 59.6 | - | 61.5 |
| March | 68.6 | 68.6 | 64.9 | 61.6 | W | 62.7 | 78.5 | 78.1 | 69.4 | 66.6 | - | 67.9 |
| April | 77.5 | 77.5 | 73.8 | 70.2 | W | 71.2 | 86.9 | 86.5 | 78.7 | 75.2 | - | 76.8 |
| May | 80.9 | 80.6 | 74.2 | 68.6 | 67.4 | 70.4 | 90.8 | 90.0 | 79.3 | 74.0 | - | 76.5 |
| June | 78.7 | 78.3 | 67.9 | 61.6 | 59.8 | 63.5 | 89.1 | 87.7 | 73.0 | 66.7 | _ | 69.7 |
| July | 76.4 | 76.1 | 68.4 | 63.3 | W | 65.0 | 86.0 | 85.4 | 74.1 | 68.4 | - | 70.9 |
| August | 74.2 | 74.0 | 67.2 | 62.3 | W | 63.9 | 84.4 | 84.0 | 72.7 | 67.7 | - | 69.9 |
| September | 73.4 | 73.3 | 68.0 | 63.7 | W | 65.1 | 83.6 | 83.2 | 73.2 | 69.2 | - | 70.9 |
| October | 73.9 | 73.9 | 70.4 | 67.2 | W | 68.2 | 84.0 | 83.5 | 75.5 | 72.4 | - | 73.8 |
| November | 77.7 | 77.7 | 73.4 | 69.8 | W | 71.0 | 87.3 | 87.0 | 78.2 | 74.7 | _ | 76.3 |
| December | 77.9 | 77.9 | 71.8 | 67.6 | W | 69.0 | 87.5 | 87.2 | 77.0 | 73.4 | _ | 75.0 |
| 1996 Average | 74.1 | 74.0 | 68.4 | 63.9 | 62.4 | 65.4 | 83.8 | 83.2 | 73.1 | 68.9 | _ | 70.8 |
| North Carolina | | | | | | | | | | | | |
| January | 63.7 | 63.2 | 59.4 | 53.7 | 53.6 | 55.1 | 73.3 | 72.8 | 65.8 | 58.4 | - | 60.5 |
| February | 64.2 | 63.6 | 60.9 | 54.7 | 54.2 | 56.1 | 73.6 | 73.1 | 67.8 | 59.6 | - | 61.8 |
| March | 69.6 | 69.1 | 66.3 | 62.1 | 60.8 | 63.0 | 78.6 | 78.3 | 72.8 | 66.8 | _ | 68.4 |
| April | 77.6 | 77.1 | 73.8 | 70.3 | W | 71.2 | 86.5 | 86.1 | 80.4 | 74.9 | _ | 76.4 |
| May | 81.3 | 80.5 | 73.8 | 69.1 | 70.3 | 70.2 | 90.7 | 90.2 | 81.1 | 73.9 | _ | 75.9 |
| June | 79.5 | 78.4 | 69.2 | 61.9 | 62.4 | 63.6 | 88.8 | 88.2 | 77.3 | 66.7 | _ | 69.8 |
| July | 77.6 | 76.6 | 68.6 | 63.4 | W | 64.6 | 86.6 | 86.2 | 75.0 | 68.2 | _ | 70.0 |
| August | 74.6 | 73.9 | 68.2 | 62.7 | W | 64.0 | 83.5 | 83.2 | 74.7 | 67.5 | _ | 69.5 |
| September | 74.6 | 73.9 | 69.2 | 64.1 | 63.8 | 65.3 | 83.4 | 83.1 | 75.6 | 69.0 | _ | 70.7 |
| October | 74.0 75.7 | 75.9 75.1 | 72.4 | 68.0 | 67.6 | 69.0 | 85.4 | 85.2 | 78.8 | 72.7 | _ | 74.3 |
| | 78.8 | | | | W | | | | | | _ | |
| November | | 78.4 70.0 | 74.6 | 70.5 | | 71.5 | 87.7 | 87.6 | 80.5 | 75.0 | | 76.4 |
| December | 79.5 | 79.0 | 73.4 | 69.2 | 69.1 | 70.2 | 88.4 | 88.2 | 79.9 | 74.0 | - | 75.5 |
| 1996 Average | 75.2 | 74.5 | 69.4 | 64.5 | 64.7 | 65.6 | 84.1 | 83.7 | 75.9 | 69.1 | - | 70.9 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Pren | nium | | | | | All G | rades | | |
|----------------------|------------------------------|----------------------|--------------|--------------|-----------|--------------|------------------------------|----------------------|--------------|--------------|--------------|--------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| Subdistrict IC | | | | | | | | | | | | |
| January | 84.3 | 83.4 | 73.4 | 64.3 | 59.9 | 67.9 | 71.2 | 70.7 | 64.8 | 56.8 | 55.2 | 59.6 |
| February | 84.8 | 83.9 | 75.0 | 65.4 | 59.4 | 69.2 | 71.8 | 71.3 | 66.1 | 57.9 | 53.8 | 60.6 |
| March | 89.9 | 89.0 | 80.1 | 72.1 | 71.3 | 75.3 | 76.6 | 76.2 | 71.2 | 64.6 | 61.2 | 66.9 |
| April | 98.2 | 97.2 | 88.4 | 80.6 | 73.6 | 83.6 | 84.9 | 84.2 | 79.3 | 73.0 | 70.2 | 75.1 |
| May | 101.6 | 100.4 | 90.6 | 79.5 | 68.5 | 83.8 | 88.0 | 87.2 | 80.8 | 71.7 | 67.9 | 74.7 |
| June | 99.2 | 97.6 | 86.9 | 72.4 | 65.1 | 78.0 | 85.7 | 84.8 | 76.8 | 64.5 | 60.9 | 68.6 |
| July | 97.3 | 96.0 | 85.8 | 74.0 | 68.1 | 78.5 | 83.9 | 83.0 | 76.2 | 66.2 | 63.8 | 69.5 |
| August | 95.0 | 94.0 | 84.8 | 73.3 | 67.0 | 77.7 | 81.7 | 81.1 | 75.2 | 65.5 | 63.0 | 68.7 |
| September | 95.0 | 94.0 | 85.3 | 74.6 | 69.1 | 78.8 | 81.4 | 80.8 | 75.9 | 66.8 | 64.8 | 69.8 |
| October | 96.4 | 95.3 | 87.2 | 78.3 | 75.7 | 81.8 | 82.6 | 82.0 | 77.9 | 70.4 | 68.8 | 73.0 |
| November | 99.3 | 98.3 | 89.1 | 80.6 | 75.0 | 83.8 | 86.0 | 85.4 | 80.2 | 72.9 | 72.2 | 75.4 |
| December | 100.2 | 99.2 | 88.8 | 79.5 | 72.8 | 82.8 | 86.7 | 86.1 | 79.6 | 71.5 | 69.9 | 74.2 |
| 1996 Average | 94.9 | 93.9 | 84.4 | 74.4 | 69.0 | 78.3 | 81.9 | 81.3 | 75.4 | 67.0 | 64.2 | 69.8 |
| Florida | 05.0 | 0.4.0 | 744 | 0.4.5 | 04.0 | 00.5 | 70.0 | 70.4 | 00.0 | 50.0 | 57 0 | 00.0 |
| January | 85.0 | 84.2 | 74.4 | 64.5 | 61.6 | 69.5 | 72.8 | 72.1 | 66.2 | 56.9 | 57.2 | 60.6 |
| February | 86.2 | 85.3 | 76.0 | 65.4 | _ | 70.8 | 73.7 | 73.0 | 67.6 | 57.9 | 52.2 | 61.6 |
| March | 91.5 99.8 | 90.3 98.6 | 81.2 89.1 | 71.7 80.6 | _ | 76.5 85.0 | 78.9 87.2 | 78.1 85.9 | 72.6 80.6 | 64.4 73.0 | 58.8 W | 67.6 76.0 |
| April May | 102.9 | 101.5 | 92.6 | 79.2 | _ | 86.0 | 90.0 | 89.0 | 83.3 | 73.0 71.4 | W | 76.0 |
| June | 102.9 | 98.9 | 90.5 | 72.2 | _ | 81.7 | 87.5 | 86.4 | 81.1 | 64.5 | W | 71.1 |
| July | 98.9 | 97.1 | 88.4 | 74.2 | _ | 81.3 | 85.9 | 84.8 | 79.5 | 66.3 | W | 71.4 |
| August | 96.8 | 95.8 | 87.7 | 73.2 | W | 80.4 | 84.1 | 83.3 | 78.9 | 65.6 | W | 70.6 |
| September | 97.3 | 96.1 | 88.7 | 74.8 | W | 81.8 | 84.1 | 83.3 | 79.9 | 67.0 | W | 72.0 |
| October | 98.7 | 97.2 | 90.4 | 78.4 | _ | 84.5 | 85.7 | 84.7 | 81.4 | 70.7 | W | 74.9 |
| November | 101.9 | 100.6 | 91.6 | 80.8 | _ | 86.2 | 89.1 | 88.2 | 83.3 | 73.2 | W | 77.1 |
| December | 103.0 | 101.6 | 91.6 | 79.6 | - | 85.5 | 90.4 | 89.2 | 83.2 | 71.8 | W | 76.1 |
| 1996 Average | 96.5 | 95.3 | 86.4 | 74.3 | 63.2 | 80.4 | 84.2 | 83.2 | 78.0 | 66.9 | 61.6 | 71.2 |
| Georgia | | | | | | | | | | | | |
| January | 82.5 | 81.8 | 69.8 | 63.9 | W | 65.9 | 68.4 | 68.2 | 61.9 | 56.5 | 55.4 | 58.4 |
| February | 82.9 | 82.2 | 71.2 | 65.0 | W | 67.2 | 69.0 | 68.8 | 62.8 | 57.4 | W | 59.3 |
| March | 87.9 | 87.2 | 76.9 | 71.9 | W | 74.0 | 74.0 | 73.8 | 68.4 | 64.3 | W | 65.8 |
| April | 96.1 | 95.1 | 85.7 | 80.2 | W | 81.7 | 82.3 | 82.1 | 77.1 | 72.7 | W | 74.1 |
| May | 100.4 | 99.2 | 86.2 | 78.9 | W | 81.4 | 85.7 | 85.3 | 77.4 | 71.1 | 67.6 | 73.2 |
| June | 98.0 95.7 | 95.6 94.4 | 80.2 80.6 | 71.9 73.5 | W | 74.6 76.1 | 83.7 81.2 | 82.9 80.8 | 71.2 71.9 | 64.0 65.8 | 60.5 W | 66.4 67.9 |
| July August | 94.1 | 93.1 | 79.6 | 73.5 | _ | 75.1 | 79.3 | 78.9 | 70.7 | 64.9 | W | 66.8 |
| September | 93.1 | 92.1 | 79.6 | 73.9 | _ | 76.0 | 78.5 | 78.3 | 71.3 | 66.2 | W | 68.0 |
| October | 93.7 | 92.9 | 81.8 | 77.3 | W | 79.0 | 79.0 | 78.7 | 73.6 | 69.7 | 66.8 | 71.1 |
| November | 97.0 | 96.2 | 84.5 | 79.9 | | 81.6 | 82.5 | 82.4 | 76.4 | 72.2 | W | 73.7 |
| December | 97.1 | 96.4 | 83.6 | 78.4 | _ | 80.4 | 82.7 | 82.5 | 75.1 | 70.2 | W | 71.9 |
| 1996 Average | 93.0 | 92.1 | 79.8 | 73.9 | 65.4 | 76.0 | 79.0 | 78.8 | 71.6 | 66.4 | 62.9 | 68.2 |
| North Carolina | | | | | | | | | | | | |
| January | 83.1 | 82.0 | 71.8 | 64.2 | W | 66.1 | 69.7 | 68.9 | 63.2 | 56.8 | 55.0 | 58.3 |
| February | 83.2 | 82.2 | 73.7 | 65.3 | W | 67.4 | 70.1 | 69.3 | 64.8 | 57.8 | 55.8 | 59.4 |
| March | 88.5 | 87.6 | 79.1 | 72.4 | W | 74.0 | 75.2 | 74.6 | 70.1 | 65.0 | 61.8 | 66.1 |
| April | 96.2 | 95.2 | 86.3 | 80.6 | W | 82.0 | 82.9 | 82.1 | 77.3 | 73.1 | W | 74.1 |
| May | 100.4 | 99.2 | 86.7 | 79.5 | W | 81.2 | 86.4 | 85.5 | 77.3 | 71.7 | 70.2 | 73.0 |
| June | 97.8 | 96.4 | 82.0 | 72.4 | W | 74.7 | 84.6 | 83.5 | 72.9 | 64.6 | 62.9 | 66.6 |
| July | 96.2 | 94.9 | 81.1 | 73.7 | W | 75.4 | 82.7 | 81.6 | 72.1 | 66.1 | 64.6 | 67.4 |
| August | 92.3 | 91.3 | 80.3 | 73.3 | W | 75.0 76.4 | 79.6 | 78.8 | 71.5 | 65.4 | W 62.9 | 66.8 |
| September October | 92.8 95.1 | 91.8 94.2 | 81.5 84.6 | 74.9 78.5 | – W | 76.4 80.0 | 79.5 81.1 | 78.8 80.4 | 72.5 75.6 | 66.9 70.7 | 63.8 68.0 | 68.1 71.7 |
| November | 97.1 | 96.3 | 86.4 | 80.8 | W | 82.1 | 83.9 | 83.3 | 75.6 77.7 | 73.1 | W | 71.7 74.2 |
| | | | 85.6 | 79.8 | | | | | 76.6 | | | |
| December | 97.7 | 96.9 | 00.0 | 798 | 73.4 | 81.0 | 84.5 | 83.8 | 700 | 71.9 | 69.5 | 72.9 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Reg | ular | | | | | Midg | rade | | |
|-----------------------|------------------------------|----------------------|---------------------|---------------------|---------------------|---------------------|------------------------------|----------------------|---------------------|---------------------|-----------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| South Carolina | | | | | | | | | | | | |
| January | 63.2 | 63.0 | 60.3 | 54.0 | W | 55.6 | 74.2 | 73.7 | 66.3 | 58.9 | _ | 61.1 |
| | 63.2 | 63.1 | 62.2 | 55.2 | W | 57.1 | 74.2 | 73.7 | | 60.0 | _ | 62.8 |
| February | | | | | | | | | 69.0 | | | |
| March | 68.6 | 68.5 | 68.4 | 62.2 | W | 63.8 | 79.5 | 79.2 | 75.6 | 67.0 | _ | 69.7 |
| April | 77.7 | 77.5 | 76.2 | 70.3 | W | 71.9 | 88.4 | 87.8 | 83.4 | 75.1 | | 77.8 |
| May | 79.8 | 79.4 | 74.6 | 68.7 | W | 70.1 | 90.6 | 90.0 | 81.6 | 73.7 | - | 76.1 |
| June | 77.4 | 76.9 | 69.7 | 61.4 | W | 63.0 | 88.2 | 87.4 | 75.8 | 66.1 | _ | 68.9 |
| July | 75.0 | 74.7 | 69.5 | 63.4 | W | 64.8 | 85.8 | 85.2 | 75.8 | 68.2 | _ | 70.2 |
| August | 73.1 | 72.9 | 69.0 | 62.4 | W | 64.0 | 84.4 | 83.9 | 75.1 | 67.5 | _ | 69.6 |
| September | 72.1 | 72.0 | 70.1 | 64.0 | W | 65.4 | 83.1 | 82.7 | 76.1 | 69.2 | _ | 70.9 |
| October | 73.1 | 73.0 | 73.0 | 67.7 | W | 69.0 | 84.0 | 83.6 | 79.1 | 72.9 | _ | 74.5 |
| November | 77.8 | 77.7 | 75.9 | 70.4 | W | 71.7 | 88.0 | 87.6 | 81.6 | 74.9 | - | 76.8 |
| December | 78.5 | 78.2 | 75.3 | 68.8 | W | 70.4 | 88.8 | 88.3 | 81.6 | 74.0 | _ | 76.1 |
| 1996 Average | 73.6 | 73.4 | 70.6 | 64.3 | 64.1 | 65.8 | 84.2 | 83.7 | 76.8 | 69.1 | - | 71.3 |
| Virginia | | | | | | | | | | | | |
| January | 68.0 | 67.8 | 62.6 | 54.4 | 51.5 | 57.2 | 77.9 | 77.5 | 68.2 | 58.4 | _ | 62.8 |
| February | 68.3 | 68.0 | 63.5 | 55.4 | 51.5 | 57.8 | 78.2 | 77.6 | 69.0 | 59.4 | _ | 63.7 |
| March | 72.5 | 72.2 | 67.9 | 61.8 | W | 63.9 | 82.2 | 81.8 | 73.2 | 65.9 | _ | 69.2 |
| April | 81.9 | 81.6 | 76.7 | 70.8 | W | 72.8 | 92.0 | 91.4 | 82.1 | 74.9 | _ | 78.1 |
| May | 85.5 | 85.1 | 80.5 | 70.5 | 64.9 | 73.7 | 95.2 | 94.5 | 86.1 | 75.0 | _ | 80.0 |
| June | 83.2 | 82.4 | 77.3 | 62.7 | 59.3 | 67.5 | 92.7 | 91.7 | 83.7 | 67.7 | _ | 75.1 |
| | 81.6 | 81.0 | 75.9 | 64.3 | W | 68.0 | 91.5 | 90.7 | 82.2 | 68.9 | _ | 75.1 |
| July | | | | | | | | | | | | |
| August | 79.6 | 79.1 | 74.1 | 63.7 | 61.0 | 67.1 | 89.2 | 88.6 | 80.3 | 68.2 | - | 73.8 |
| September | 79.3 | 78.9 | 74.2 | 64.6 | W | 67.9 | 88.5 | 87.8 | 79.8 | 68.7 | - | 74.0 |
| October | 80.3 | 80.0 | 75.9 | 68.2 | 69.5 | 70.9 | 89.2 | 88.7 | 81.2 | 72.6 | - | 76.7 |
| November | 83.3 | 82.9 | 78.0 | 70.8 | NA | 73.3 | 92.9 | 92.3 | 83.2 | 74.7 | _ | 78.8 |
| December 1996 Average | 84.0 79.5 | 83.6 79.1 | 78.2 74.2 | 69.7 65.1 | 67.5 63.1 | 72.5 68.1 | 93.5 88.7 | 92.9 88.2 | 83.1 79.5 | 73.9 69.1 | _ | 78.2 73.9 |
| _ | 70.0 | 70 | | 00 | 00.1 | 00.1 | 00 | 00.2 | 7 0.0 | 00 | | 70.0 |
| West Virginia | | | | | | | | | | | | |
| January | 71.0 | 70.4 | 63.3 | 55.7 | W | 60.0 | 79.6 | 79.1 | 68.3 | 61.6 | _ | 66.3 |
| February | 71.6 | 71.1 | 64.8 | 57.1 | W | 61.3 | 80.6 | 79.9 | 70.2 | 62.7 | _ | 67.6 |
| March | 75.1 | 74.8 | 69.7 | 63.2 | W | 66.8 | 84.2 | 83.7 | 74.9 | 67.6 | _ | 72.6 |
| April | 83.0 | 82.8 | 77.5 | 71.0 | W | 74.8 | 92.0 | 91.6 | 82.6 | 75.7 | _ | 80.6 |
| May | 87.1 | 86.6 | 78.0 | 72.2 | W | 75.5 | 96.2 | 95.5 | 83.8 | 76.8 | _ | 81.6 |
| June | 84.2 | 83.7 | 73.1 | 66.7 | _ | 70.6 | 93.1 | 92.4 | 78.8 | 71.8 | _ | 76.8 |
| July | 81.6 | 81.3 | 72.9 | 66.9 | _ | 70.7 | 90.4 | 89.9 | 78.6 | 71.3 | _ | 76.5 |
| August | 80.8 | 80.4 | 72.8 | 64.9 | - | 69.6 | 89.2 | 88.7 | 78.0 | 69.4 | - | 75.2 |
| September | 80.4 | 80.1 | 74.0 | 66.5 | - | 71.1 | 89.6 | 89.1 | 78.7 | 71.1 | - | 76.6 |
| October | 81.1 | 80.9 | 75.7 | 69.4 | _ | 73.3 | 90.3 | 89.9 | 80.4 | 73.3 | _ | 78.4 |
| November | 85.7 | 85.5 | 79.2 | 73.4 | _ | 77.0 | 94.5 | 94.2 | 84.3 | 77.7 | _ | 82.2 |
| December | 86.5 | 86.2 | 78.7 | 71.2 | _ | 75.8 | 95.5 | 95.0 | 83.9 | 76.8 | _ | 81.9 |
| 1996 Average | 81.2 | 80.8 | 73.7 | 66.9 | W | 70.9 | 89.8 | 89.2 | 78.6 | 71.1 | - | 76.4 |
| PAD District II | | | | | | | | | | | | |
| January | 69.9 | 69.7 | 62.3 | 55.8 | 52.3 | 57.3 | 77.9 | 77.7 | 69.3 | 60.5 | _ | 65.2 |
| February | 70.5 | 70.3 | 63.6 | 57.8 | 53.3 | 58.8 | 78.3 | 78.2 | 70.2 | 62.2 | _ | 66.5 |
| March | 76.7 | 76.5 | 70.0 | 64.8 | 59.3 | 65.8 | 84.9 | 84.6 | 76.9 | 69.2 | _ | 73.3 |
| April | 83.4 | 83.2 | 76.7 | 71.4 | 64.5 | 72.1 | 91.8 | 91.5 | 83.3 | 76.5 | _ | 80.1 |
| May | 85.1 | 84.9 | 78.3 | 71.7 | 65.6 | 73.0 | 93.5 | 93.2 | 85.5 | 76.8 | _ | 81.3 |
| June | 82.3 | 82.1 | 74.6 | 68.2 | 63.2 | 69.4 | 90.3 | 90.0 | 81.6 | 71.6 | _ | 76.7 |
| July | 80.5 | 80.4 | 72.9 | 67.3 | 62.0 | 68.4 | 88.3 | 88.1 | 79.6 | 71.6 | _ | 75.7 |
| | 79.3 | 79.3 | 71.7 | 67.3 67.1 | 62.0 | 68.0 | 86.9 | 86.8 | 79.6 78.3 | 71.0 | _ | 74.7 |
| August | | | | | | | | | | | | |
| September | 80.4 | 80.4 | 73.1 | 68.3 | 63.1 | 69.2 | 88.3 | 88.1 | 79.7 | 72.5 | - | 76.2 |
| October | 81.4 | 81.5 | 75.8 | 70.6 | 64.8 | 71.5 | 89.5 | 89.4 | 82.5 | 75.2 | - | 79.0 |
| November | 86.2 | 86.1 | 79.9 | 74.8 | 68.7 | 75.8 | 94.3 | 94.1 | 86.4 | 78.2 | - | 82.4 |
| December 1996 Average | 84.9 80.3 | 84.8 | 77.2 | 70.7 | 65.8 | 71.9 | 92.9 | 92.6 | 84.2 | 75.1 | - | 79.7 |
| | | 80.2 | 73.2 | 67.7 | 62.2 | 68.7 | 88.0 | 87.8 | 79.7 | 71.7 | _ | 75.8 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Pren | nium | | | | | All G | rades | | |
|-----------------------|------------------------------|----------------------|---------------------|---------------------|---------------------|---------------------|------------------------------|----------------------|---------------------|---------------------|---------------------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| South Carolina | | | | | | | | | | | | |
| January | 83.7 | 82.9 | 73.5 | 64.7 | _ | 67.0 | 69.0 | 68.7 | 63.9 | 56.9 | W | 58.7 |
| February | 83.1 | 82.4 | 76.5 | 65.6 | _ | 68.5 | 68.9 | 68.6 | 66.1 | 58.0 | W | 60.2 |
| March | 89.4 | 88.9 | 82.5 | 72.5 | _ | 75.2 | 74.2 | 74.0 | 72.3 | 64.9 | W | 66.8 |
| April | 98.3 | 97.5 | 91.4 | 80.7 | - | 83.7 | 82.8 | 82.5 | 80.0 | 72.8 | W | 74.8 |
| May | 99.9 | 99.1 | 87.6 | 79.1 | W | 81.2 | 84.6 | 84.2 | 77.9 | 71.0 | 67.9 | 72.7 |
| June | 97.5 | 96.4 | 81.9 | 71.8 | _ | 74.4 | 82.3 | 81.7 | 72.8 | 63.8 | W | 65.6 |
| July | 94.9 | 94.1 | 82.4 | 74.0 | _ | 76.0 | 80.0 | 79.6 | 72.7 | 65.9 | W | 67.5 |
| August | 93.8 | 93.1 | 82.4 | 73.0 | - | 75.4 | 78.4 | 78.1 | 72.3 | 64.9 | W | 66.7 |
| September | 92.4 | 91.6 | 82.9 | 74.8 | - | 76.7 | 77.2 | 76.9 | 73.2 | 66.5 | W | 68.1 |
| October | 93.3 | 92.6 | 85.6 | 78.6 | | 80.4 | 78.1 | 77.9 | 76.0 | 70.2 | W | 71.6 |
| November | 97.1 | 96.5 | 88.7 | 80.8 | W | 82.7 | 82.5 | 82.2 | 78.9 | 72.7 | 71.8 | 74.2 |
| December | 98.2 | 97.4 | 88.4 | 80.0 | W | 82.0 | 83.2 | 82.8 | 78.4 | 71.3 | W | 73.1 |
| 1996 Average | 93.3 | 92.6 | 83.6 | 74.5 | W | 76.8 | 78.7 | 78.3 | 73.9 | 66.8 | 64.4 | 68.5 |
| Virginia | | | | | | | | | | | | |
| January | 85.8 | 85.0 | 75.7 | 64.4 | 56.5 | 69.3 | 73.7 | 73.3 | 67.5 | 57.1 | 53.5 | 61.1 |
| February | 85.8 | 85.0 | 76.7 | 65.7 | W | 70.4 | 74.0 | 73.5 | 68.3 | 58.2 | 52.0 | 61.8 |
| March | 89.9 | 89.3 | 80.8 | 72.1 | W | 76.0 | 77.9 | 77.5 | 72.5 | 64.6 | W | 67.6 |
| April | 99.3 | 98.5 | 89.9 | 81.1 | W | 85.0 | 86.9 | 86.5 | 81.1 | 73.4 | W | 76.3 |
| May | 102.5 | 101.7 | 94.4 | 81.1 | W | 86.7 | 90.1 | 89.6 | 84.8 | 73.0 | 65.1 | 77.3 |
| June | 100.1 | 99.0 | 91.1 | 73.5 | W | 80.8 | 87.9 | 87.0 | 81.7 | 65.3 | 60.8 | 71.3 |
| July | 98.7 | 97.7 | 89.9 | 74.8 | W | 80.9 | 86.5 | 85.8 | 80.4 | 66.9 | 62.0 | 71.7 |
| August | 96.2 | 95.5 | 87.6 | 74.4 | 64.7 | 80.0 | 84.4 | 83.9 | 78.5 | 66.3 | 61.8 | 70.8 |
| September | 96.5 | 95.7 | 87.1 | 74.8 | W | 80.3 | 84.1 | 83.5 | 78.4 | 67.1 | W | 71.5 |
| October | 97.5 | 96.7 | 88.4 | 78.7 | 75.6 | 82.9 | 85.0 | 84.5 | 79.9 | 70.8 | 70.9 | 74.3 |
| November | 100.2 | 99.4 | 90.5 | 80.7 79.9 | 74.3 | 84.2 | 88.0 88.7 | 87.5 | 82.0 82.1 | 73.1 72.1 | NA 74.0 | 76.5 75.7 |
| December 1996 Average | 101.6 96.1 | 100.8 95.3 | 90.6 86.8 | 75.1 | 72.8 70.2 | 83.4 80.0 | 84.2 | 88.3 83.7 | 78.4 | 67.6 | 71.0 65.4 | 71.6 |
| West Virginia | | | | | | | | | | | | |
| January | 88.0 | 86.7 | 75.4 | 66.2 | _ | 71.9 | 75.6 | 75.0 | 66.7 | 58.7 | W | 63.4 |
| February | 89.4 | 88.3 | 77.2 | 67.7 | _ | 73.4 | 76.4 | 75.8 | 68.3 | 60.0 | W | 64.7 |
| March | 92.8 | 91.8 | 81.7 | 73.2 | _ | 78.5 | 79.7 | 79.3 | 72.9 | 65.5 | W | 69.9 |
| April | 100.6 | 99.5 | 89.3 | 80.9 | _ | 86.2 | 87.2 | 86.8 | 80.5 | 73.2 | W | 77.6 |
| May | 104.8 | 103.4 | 90.1 | 82.0 | - | 87.1 | 90.9 | 90.4 | 81.0 | 74.1 | W | 78.2 |
| June | 102.1 | 100.7 | 84.9 | 77.0 | _ | 82.2 | 88.1 | 87.6 | 76.0 | 69.0 | - | 73.5 |
| July | 98.7 | 97.4 | 84.9 | 76.7 | - | 82.1 | 85.5 | 85.1 | 75.9 | 69.1 | - | 73.5 |
| August | 98.2 | 97.0 | 84.6 | 74.9 | - | 80.9 | 84.7 | 84.2 | 75.6 | 67.1 | - | 72.4 |
| September | 98.3 | 97.2 | 85.5 | 76.5 | - | 82.5 | 84.4 | 84.0 | 76.8 | 68.5 | - | 73.8 |
| October | 99.1 | 97.9 | 88.5 | 78.8 | - | 85.2 | 85.1 | 84.8 | 78.6 | 71.3 | - | 76.0 |
| November | 102.7 | 101.8 | 90.8 | 83.2 | - | 88.1 | 89.5 | 89.2 | 81.9 | 75.4 | - | 79.5 |
| December 1996 Average | 103.5 98.0 | 102.0 96.8 | 90.5 85.2 | 81.4 76.1 | _ | 87.4 81.9 | 90.2 85.1 | 89.8 84.6 | 81.5 76.5 | 73.4 68.9 | w | 78.5 73.6 |
| PAD District II | | | | | | | | | | | | |
| January | 85.3 | 84.8 | 74.3 | 64.5 | 55.7 | 68.0 | 73.2 | 72.9 | 65.5 | 57.5 | 52.4 | 59.6 |
| February | 85.6 | 85.1 | 75.2 | 66.2 | 57.7 | 69.3 | 73.7 | 73.5 | 66.8 | 59.4 | 53.5 | 61.1 |
| March | 91.9 | 91.3 | 81.8 | 73.3 | 62.5 | 76.3 | 79.7 | 79.5 | 73.0 | 66.3 | 59.5 | 67.9 |
| April | 98.7 | 98.2 | 88.6 | 80.3 | 70.3 | 83.1 | 86.3 | 86.0 | 79.4 | 72.8 | 64.7 | 74.1 |
| May | 100.4 | 99.8 | 90.5 | 80.9 | 68.4 | 84.3 | 87.8 | 87.5 | 81.0 | 73.1 | 65.7 | 75.0 |
| June | 97.3 | 96.7 | 86.7 | 76.7 | 68.1 | 80.2 | 84.9 | 84.7 | 77.3 | 69.5 | 63.3 | 71.3 |
| July | 95.3 | 94.8 | 84.6 | 76.0 | 66.1 | 78.7 | 83.1 | 83.0 | 75.5 | 68.7 | 62.2 | 70.3 |
| August | 93.9 | 93.4 | 83.1 | 75.1 | 66.8 | 77.8 | 82.0 | 81.8 | 74.3 | 68.4 | 62.2 | 69.8 |
| September | 95.0 | 94.6 | 84.7 | 76.5 | 67.0 | 79.3 | 83.0 | 82.9 | 75.7 | 69.6 | 63.2 | 71.0 |
| October | 96.1 | 95.8 | 87.7 | 79.1 | 68.7 | 82.0 | 84.1 | 84.0 | 78.4 | 71.9 | 64.9 | 73.4 |
| November | 101.1 | 100.6 | 91.8 | 83.4 | 72.8 | 86.3 | 88.7 | 88.6 | 82.5 | 76.1 | 68.9 | 77.5 |
| December | 99.7 | 99.3 | 89.2 | 79.6 | 68.9 | 82.7 | 87.5 | 87.3 | 79.9 | 72.1 | 65.9 | 73.8 |
| 1996 Average | 94.7 | 94.2 | 84.5 | 75.8 | 65.4 | 78.7 | 83.0 | 82.8 | 75.9 | 69.0 | 62.3 | 70.6 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Reg | ular | | | | | Midg | ırade | | |
|----------------------|------------------------------|----------------------|--------------|--------------|-----------|--------------|------------------------------|----------------------|--------------|--------------|-----------|--------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| Illinois | | | | | | | | | | | | |
| January | 73.2 | 72.9 | 68.8 | 55.9 | 51.0 | 59.2 | 79.2 | 79.3 | 76.1 | 61.0 | _ | 71.8 |
| February | | 73.4 | 69.3 | 57.3 | 50.8 | 59.3 | 79.7 | 79.8 | 76.6 | 62.9 | _ | 72.4 |
| March | 81.0 | 80.8 | 76.5 | 64.5 | 57.6 | 67.3 | 87.3 | 87.3 | 84.0 | 69.7 | _ | 79.6 |
| April | 87.6 | 87.5 | 82.7 | 72.3 | 64.6 | 74.4 | 93.7 | 93.7 | 90.0 | 77.6 | _ | 86.1 |
| May | | 88.9 | 85.7 | 74.6 | 66.9 | 77.5 | 95.6 | 95.5 | 93.2 | 79.9 | _ | 89.3 |
| June | | 86.2 | 82.8 | 68.5 | 63.5 | 71.4 | 95.7 | 95.3 | 90.5 | 74.2 | _ | 85.7 |
| July | | 83.9 | 79.2 | 67.6 | 61.8 | 70.3 | 93.1 | 92.8 | 87.1 | 73.7 | _ | 83.1 |
| August | 82.5 | 82.4 | 77.5 | 66.3 | 60.3 | 69.2 | 90.8 | 90.6 | 85.4 | 72.8 | _ | 81.7 |
| September | | 81.8 | 78.5 | 68.1 | 61.5 | 71.1 | 91.8 | 91.7 | 86.1 | 74.8 | _ | 83.0 |
| October | | 83.1 | 80.7 | 70.1 | 61.7 | 72.1 | 93.6 | 93.5 | 88.8 | 77.2 | _ | 85.5 |
| November | | 89.0 | 84.7 | 75.7 | 68.5 | 77.6 | 99.1 | 98.9 | 92.4 | 81.1 | _ | 89.3 |
| December | | 89.1 | 83.7 | 71.4 | 66.0 | 74.4 | 98.9 | 98.5 | 91.6 | 78.1 | _ | 88.0 |
| 1996 Average | | 83.5 | 79.5 | 67.9 | 61.0 | 70.5 | 90.7 | 90.6 | 86.7 | 73.4 | _ | 82.8 |
| Indiana | | | | | | | | | | | | |
| January | 67.5 | 67.5 | 60.3 | 54.6 | 52.8 | 56.5 | 75.7 | 75.8 | 67.3 | 60.0 | _ | 64.1 |
| February | | 68.6 | 62.7 | 56.6 | 52.7 | 58.4 | 76.9 | 77.0 | 69.2 | 61.5 | _ | 65.7 |
| March | | 74.9 | 68.8 | 63.6 | 56.5 | 64.6 | 83.3 | 83.3 | 75.3 | 68.8 | _ | 72.6 |
| April | 82.3 | 82.5 | 75.9 | 70.9 | 64.7 | 71.7 | 90.6 | 90.6 | 82.2 | 76.4 | _ | 79.8 |
| May | 84.7 | 84.7 | 78.7 | 72.5 | 69.0 | 74.3 | 93.2 | 93.2 | 85.5 | 78.1 | _ | 82.0 |
| June | 78.9 | 79.2 | 72.7 | 66.2 | 64.4 | 68.3 | 87.5 | 87.7 | 78.6 | 70.8 | _ | 74.4 |
| July | 77.7 | 77.9 | 70.7 | 65.7 | 62.2 | 66.9 | 86.5 | 86.6 | 77.3 | 71.4 | _ | 74.4 |
| August | 75.8 | 76.0 | 68.5 | 64.5 | 60.8 | 65.3 | 84.2 | 84.4 | 75.8 | 69.8 | _ | 72.9 |
| September | 77.9 | 78.2 | 70.5 | 66.5 | 63.5 | 67.6 | 86.1 | 86.3 | 77.2 | 72.1 | _ | 74.8 |
| October | 79.6 | 80.0 | 73.6 | 70.0 | 65.4 | 70.6 | 87.7 | 88.0 | 81.1 | 75.5 | _ | 78.4 |
| November | 85.1 | 85.3 | 78.5 | 74.5 | 67.4 | 75.3 | 93.4 | 93.5 | 86.0 | 78.1 | _ | 82.1 |
| December | | 84.9 | 76.4 | 70.1 | 66.1 | 71.5 | 93.2 | 93.2 | 83.8 | 75.2 | - | 79.8 |
| 1996 Average | 78.5 | 78.7 | 71.7 | 66.6 | 63.0 | 67.9 | 86.5 | 86.7 | 78.3 | 71.7 | - | 75.2 |
| lowa | 70.0 | 70.5 | 04.0 | 57 0 | | 57. 0 | 740 | 70.0 | 07.0 | 04.0 | | 05.0 |
| January | 70.3 | 70.5 | 64.0 | 57.0 | W | 57.8 | 74.2 | 73.8 | 67.3 | 61.8 | - | 65.2 |
| February | 71.4 | 71.7 | 65.0 | 59.6 | W | 60.1 | 75.5 | 75.0 | 68.8 | 64.1 | - | 67.2 |
| March | | 75.4 | 71.3 | 66.3 | 62.8 | 66.8 | 80.3 | 79.6 | 76.2 | 70.6 | - | 74.2 |
| April | 82.4 | 82.7 | 78.1 | 71.4 | 67.4 | 72.1 | 87.7 | 87.2 | 80.6 | 76.4 | - | 79.1 |
| May | | 82.8 | 77.4 | 70.1 | W | 70.9 | 87.0 | 86.5 | 80.4 | 75.7 | - | 78.7 |
| June | | 83.8 | 76.4 | 70.0 | W | 70.7 | 87.2 | 86.0 | 78.6 | 75.1 | - | 77.2 |
| July | | 80.3 | 73.6 | 68.0 | W | 68.6 | 84.9 | 85.1 | 76.7 | 74.2 | _ | 75.6 |
| August | 80.8 82.1 | 81.2 82.4 | 75.8 74.7 | 69.5 69.9 | W | 70.2 70.4 | 85.3 88.4 | 85.5 86.8 | 79.2 80.0 | 76.4 76.8 | _ | 77.9 78.5 |
| September October | | 83.2 | 76.7 | 71.9 | W | 72.4 | 88.6 | 88.0 | 81.4 | 77.5 | _ | 79.5 |
| November | | 86.2 | 78.5 | 76.0 | W | 76.2 | 92.9 | 91.5 | 83.4 | 79.6 | _ | 81.7 |
| December | | 85.6 | 76.0 | 72.0 | W | 72.4 | 90.7 | 89.2 | 80.6 | 75.7 | _ | 78.0 |
| 1996 Average | | 80.7 | 74.3 | 68.8 | w | 69.3 | 84.9 | 84.6 | 77.4 | 73.8 | _ | 75.9 |
| Kansas | | | | | | | | | | | | |
| January | 67.0 | 66.8 | 58.6 | 55.5 | 52.6 | 55.3 | 73.4 | 73.4 | 63.6 | 60.4 | _ | 62.1 |
| February | | 67.5 | 60.6 | 57.4 | 54.6 | 57.2 | 73.8 | 73.8 | 65.4 | 62.1 | _ | 63.9 |
| March | 73.1 | 73.1 | 66.6 | 64.3 | 61.3 | 64.2 | 79.4 | 79.3 | 70.7 | 69.3 | _ | 70.0 |
| April | 80.2 | 80.1 | 72.9 | 70.0 | 65.5 | 69.5 | 86.4 | 86.4 | 78.1 | 74.9 | _ | 76.5 |
| May | 80.7 | 80.6 | 72.1 | 68.8 | 63.7 | 68.4 | 86.5 | 86.6 | 77.7 | 73.6 | _ | 75.7 |
| June | | 80.8 | 72.6 | 69.8 | 64.5 | 69.1 | 87.3 | 87.3 | 78.2 | 75.3 | _ | 76.7 |
| July | 79.4 | 79.3 | 69.7 | 67.4 | 62.5 | 67.0 | 85.8 | 85.8 | 75.7 | 72.9 | _ | 74.4 |
| August | 79.5 | 79.4 | 71.0 | 68.8 | 63.8 | 68.4 | 86.3 | 86.3 | 76.3 | 73.9 | _ | 75.1 |
| September | 80.1 | 80.1 | 71.7 | 68.8 | 63.7 | 68.2 | 87.2 | 87.2 | 77.9 | 74.2 | _ | 76.2 |
| October | 80.8 | 80.9 | 74.4 | 70.0 | 65.2 | 69.9 | 87.6 | 87.7 | 81.7 | 76.8 | _ | 79.7 |
| November | 83.7 | 83.7 | 77.5 | 73.8 | 69.8 | 73.9 | 90.0 | 90.0 | 78.7 | 77.0 | _ | 78.0 |
| December | 82.5 | 82.5 | 73.6 | 70.0 | 64.9 | 69.6 | 88.7 | 88.7 | 79.5 | 74.7 | - | 77.3 |
| 1996 Average | 78.3 | 78.2 | 70.4 | 67.2 | 62.4 | 66.9 | 84.4 | 84.4 | 75.0 | 71.7 | _ | 73.5 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Pren | nium | | | | | All G | rades | | |
|-----------------|------------------------------|----------------------|------|--------------|-----------|---------------------|------------------------------|----------------------|--------------------------|--------------|-----------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales f | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| III a sta | | | | | | | | | | | | |
| Illinois | 90.7 | 90.2 | 01 1 | 64.0 | W | 72.0 | 76.0 | 76.6 | 72.1 | E7 6 | E1 0 | 62.0 |
| January | 89.7 | 89.2 | 81.1 | 64.8 | | 72.9 | 76.9 | 76.6 | 73.1 | 57.6 | 51.0 | 63.0 |
| February | | 89.3 | 81.3 | 67.0 | 56.6 | 73.8 | 77.2 | 77.0 | 73.6 | 59.1 | 51.1 | 63.1 |
| March | 96.7 | 96.1 | 88.5 | 74.0 | 59.1 | 80.7 | 84.4 90.7 | 84.2 | 80.6 | 66.2 | 57.8 | 70.9 |
| April | | 102.7 | 94.9 | 81.6 | W | 88.3 | | 90.5 | 86.6 | 73.8 | 64.7 | 77.7 |
| May | 105.3 | 104.5 | 98.2 | 84.8 | | 91.9 | 92.1 89.9 | 91.9 | 89.5 | 76.2 | 66.9 | 80.8 |
| June | | 103.0 | 95.6 | 78.5 | - | 87.0 | | 89.5 | 86.7 | 70.1 | 63.5 | 74.8 |
| July | | 100.8 | 92.2 | 76.7 | W | 83.8 | 87.6 | 87.3 | 83.2 | 69.3 | 62.0 | 73.6 |
| August | 98.5 | 98.0 | 90.0 | 75.5 | W | 82.2 | 85.7 | 85.6 | 81.5 | 68.0 | 60.4 | 72.5 |
| September | | 97.7 | 90.8 | 77.7 | - | 84.3 | 85.3 | 85.3 | 82.4 | 69.8 | 61.5 | 74.5 |
| October | | 99.9 | 93.5 | 80.1 | W | 86.6 | 86.6 | 86.7 | 84.7 | 71.8 | 61.7 | 75.4 |
| November | 105.6 | 105.3 | 97.3 | 85.7 | - | 91.9 | 92.4 | 92.3 | 88.6 | 77.3 | 68.5 | 80.8 |
| December | | 105.2 | 96.2 | 81.1 | W | 88.3 | 92.6 | 92.3 | 87.6 | 72.9 | 65.9 | 77.7 |
| 1996 Average | 99.5 | 99.0 | 91.4 | 77.0 | 61.1 | 84.0 | 86.8 | 86.7 | 83.3 | 69.5 | 61.0 | 73.8 |
| Indiana | | | | | | | | | | | | |
| January | 82.7 | 82.5 | 71.7 | 64.7 | _ | 68.0 | 71.5 | 71.4 | 63.6 | 56.7 | 52.8 | 59.3 |
| February | 83.8 | 83.6 | 74.2 | 66.1 | W | 69.5 | 72.4 | 72.5 | 66.0 | 58.7 | 52.8 | 61.2 |
| March | 90.2 | 90.1 | 80.4 | 73.5 | _ | 76.8 | 78.5 | 78.5 | 71.9 | 65.4 | 56.5 | 67.2 |
| April | 97.2 | 97.1 | 87.6 | 80.5 | W | 83.3 | 85.6 | 85.6 | 78.7 | 72.7 | 64.9 | 74.1 |
| May | 99.2 | 99.0 | 90.3 | 82.4 | W | 85.6 | 87.8 | 87.8 | 81.3 | 74.4 | 69.0 | 76.5 |
| June | 93.8 | 93.7 | 84.2 | 75.9 | W | 79.2 | 82.2 | 82.4 | 75.2 | 68.0 | 64.4 | 70.4 |
| July | 92.7 | 92.6 | 82.3 | 75.1 | 66.7 | 76.9 | 81.1 | 81.2 | 73.5 | 67.6 | 62.8 | 69.1 |
| August | 91.1 | 90.9 | 80.7 | 74.1 | W | 76.6 | 79.2 | 79.4 | 71.4 | 66.4 | 60.9 | 67.6 |
| September | 93.0 | 92.9 | 82.1 | 76.4 | W | 78.9 | 81.2 | 81.4 | 73.3 | 68.4 | 63.7 | 70.0 |
| October | 94.6 | 94.6 | 86.3 | 79.3 | W | 82.1 | 82.8 | 83.1 | 76.7 | 71.9 | 65.4 | 73.0 |
| November | | 99.9 | 89.2 | 85.2 | W | 86.9 | 88.3 | 88.4 | 81.1 | 76.3 | 67.4 | 77.5 |
| December | 99.9 | 99.7 | 87.6 | 80.3 | W | 82.5 | 88.0 | 88.0 | 79.1 | 71.9 | 66.2 | 73.7 |
| 1996 Average | 92.8 | 92.7 | 82.7 | 75.9 | 66.2 | 78.6 | 81.7 | 81.8 | 74.5 | 68.4 | 63.1 | 70.2 |
| lowa | | | | | | | | | | | | |
| January | 80.5 | 80.1 | 71.8 | 64.4 | _ | 65.5 | 71.3 | 71.4 | 65.5 | 57.8 | W | 58.9 |
| February | 80.9 | 80.4 | 73.0 | 66.3 | _ | 67.3 | 72.4 | 72.6 | 66.8 | 60.3 | W | 61.2 |
| March | 83.5 | 83.3 | 79.3 | 73.5 | _ | 74.4 | 75.9 | 76.2 | 73.3 | 66.9 | 62.8 | 67.8 |
| April | 92.6 | 92.3 | 85.6 | 79.6 | _ | 80.5 | 83.3 | 83.6 | 79.3 | 72.1 | 67.4 | 73.0 |
| May | 92.6 | 92.2 | 85.6 | 77.4 | _ | 78.7 | 83.5 | 83.6 | 78.8 | 70.7 | W | 71.8 |
| June | 92.2 | 91.9 | 84.3 | 78.1 | _ | 79.1 | 84.4 | 84.4 | 77.4 | 70.6 | W | 71.5 |
| July | 89.7 | 89.6 | 81.3 | 75.3 | _ | 76.3 | 80.8 | 81.2 | 74.8 | 68.6 | W | 69.4 |
| August | | 90.5 | 82.9 | 77.4 | _ | 78.3 | 81.6 | 82.0 | 77.0 | 70.1 | W | 71.1 |
| September | 92.5 | 92.3 | 83.8 | 78.3 | _ | 79.2 | 83.0 | 83.3 | 76.2 | 70.5 | W | 71.2 |
| October | | 93.0 | 86.5 | 79.9 | _ | 80.9 | 83.5 | 84.1 | 78.1 | 72.4 | W | 73.2 |
| November | 96.3 | 95.9 | NA | 84.2 | _ | 85.1 | 86.9 | 87.2 | 80.3 | 76.5 | W | 77.0 |
| December | 94.7 | 94.6 | 85.1 | 80.1 | _ | 80.9 | 86.2 | 86.4 | 77.7 | 72.6 | W | 73.3 |
| 1996 Average | | 89.4 | 82.0 | 75.8 | _ | 76.8 | 81.2 | 81.5 | 75.5 | 69.3 | w | 70.2 |
| Kansas | | | | | | | | | | | | |
| January | 80.2 | 79.5 | 66.5 | 62.3 | W | 63.4 | 68.7 | 68.4 | 60.0 | 56.3 | 52.6 | 56.2 |
| February | 80.5 | 79.8 | 68.5 | 64.4 | W | 64.2 | 69.2 | 69.0 | 62.0 | 58.1 | 54.8 | 58.1 |
| March | 87.0 | 86.5 | 74.5 | 71.5 | W | 71.7 | 74.7 | 74.6 | 67.9 | 65.1 | 61.4 | 64.9 |
| April | 93.3 | 92.5 | 81.7 | 77.4 | W | 77.5 | 81.6 | 81.4 | 74.1 | 70.6 | 65.6 | 70.2 |
| May | 93.9 | 93.2 | 80.7 | 76.2 | W | 77.1 | 82.1 | 81.9 | 73.3 | 69.5 | 63.7 | 69.2 |
| June | 94.5 | 93.8 | 80.4 | 77.5 | W | 78.0 | 82.4 | 82.2 | 73.8 | 70.5 | 64.6 | 69.9 |
| July | 92.8 | 91.6 | 77.9 | 77.5 75.1 | W | 75.7 | 80.9 | 80.7 | 71.1 | 68.2 | 62.5 | 67.9 |
| August | 93.3 | 92.5 | 79.2 | 76.5 | W | 76.9 | 81.0 | 80.8 | 72.2 | 69.6 | 63.9 | 69.2 |
| September | 93.7 | 93.4 | 80.3 | 76.4 | W | 76.7 | 81.6 | 81.5 | 73.0 | 69.5 | 63.8 | 69.1 |
| October | 94.4 | 93.4 | 81.4 | 70.4 77.1 | W | 70.7 77.6 | 82.2 | 82.2 | 75.4 | 70.7 | 65.6 | 70.7 |
| | 9 4 .4 97.4 | | | 81.2 | W | 82.4 | 85.1 | 85.0 | 78. 4 78.6 | 70.7 74.5 | 69.8 | 70.7 74.6 |
| November | | 96.3 94.7 | 86.3 | | | | | | | | | |
| December | 95.5 91.2 | 94.7 90.5 | 82.3 | 76.8 | 68.7 | 77.6 74.6 | 83.8 79.7 | 83.7 79.6 | 74.9 71.5 | 70.6 | 65.0 | 70.4 67.6 |
| 1996 Average | 91.2 | 90.5 | 78.0 | 74.2 | 64.7 | 74.6 | 79.7 | 79.6 | 71.5 | 67.9 | 62.5 | 67.6 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Reg | ular | | | | | Midg | ırade | | |
|-----------------|------------------------------|----------------------|---------------------|---------------------|-----------|---------------------|------------------------------|----------------------|---------------------|---------------------|-----------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| Kentucky | | | | | | | | | | | | |
| | 70.8 | 69.8 | 60.4 | 55.1 | W | 56.7 | 81.2 | 80.2 | 66.9 | 60.3 | | 63.0 |
| January | | | | | | | | | | | _ | |
| February | 71.0 | 70.1 | 62.1 | 57.1 | - | 58.6 | 81.3 | 80.3 | 68.0 | 61.9 | | 64.6 |
| March | 76.1 | 75.2 | 68.4 | 64.4 | _ | 65.6 | 86.7 | 85.6 | 74.6 | 69.6 | _ | 71.8 |
| April | 83.2 | 82.3 | 75.5 | 72.0 | W | 73.0 | 93.8 | 92.5 | 81.8 | 76.8 | - | 79.0 |
| May | 86.9 | 85.7 | 77.1 | 73.5 | _ | 74.6 | 97.8 | 96.0 | 84.0 | 79.1 | - | 81.2 |
| June | 83.6 | 82.4 | 72.4 | 66.9 | _ | 68.6 | 94.0 | 92.5 | 79.6 | 73.0 | _ | 76.0 |
| July | 81.6 | 80.4 | 71.0 | 66.3 | _ | 67.7 | 90.9 | 89.7 | 78.1 | 72.6 | _ | 75.0 |
| August | 80.2 | 79.1 | 70.4 | 65.2 | _ | 66.8 | 91.3 | 90.1 | 77.1 | 70.1 | _ | 73.1 |
| September | 80.4 | 79.5 | 71.5 | 67.0 | _ | 68.4 | 91.6 | 90.3 | 77.8 | 72.0 | _ | 74.5 |
| October | 80.9 | 80.1 | 74.0 | 69.7 | W | 70.9 | 91.2 | 90.1 | 80.9 | 74.5 | _ | 77.1 |
| November | 84.9 | 84.1 | 77.5 | 74.3 | _ | 75.2 | 95.5 | 94.5 | 84.1 | 79.6 | _ | 81.4 |
| December | 84.3 | 83.3 | 75.5 | 70.4 | _ | 71.8 | 94.9 | 93.8 | 82.2 | 75.5 | _ | 78.2 |
| 1996 Average | 80.7 | 79.7 | 71.6 | 67.2 | 60.2 | 68.5 | 90.9 | 89.7 | 77.9 | 72.1 | _ | 74.6 |
| Michigan | | | | | | | | | | | | |
| January | 68.7 | 68.5 | 60.9 | 55.7 | _ | 58.0 | 77.0 | 76.9 | 66.6 | 60.6 | _ | 65.1 |
| February | 69.2 | 69.0 | 61.1 | 57.9 | _ | 59.3 | 77.3 | 77.3 | 66.6 | 63.1 | _ | 65.7 |
| March | 77.2 | 76.9 | 67.9 | 64.9 | _ | 66.3 | 85.4 | 85.2 | 73.8 | 70.2 | _ | 72.9 |
| April | 83.2 | 82.9 | 75.0 | 72.3 | _ | 73.4 | 91.3 | 91.2 | 80.3 | 77.2 | _ | 79.5 |
| | 85.5 | 85.3 | 78.4 | 74.6 | _ | 76.3 | 94.1 | 94.0 | 84.4 | 78.3 | _ | 82.7 |
| May | | | | | | | | | | | | |
| June | 81.3 | 81.2 | 74.0 | 69.1 | W | 71.2 | 89.7 | 89.6 | 80.8 | 73.8 | _ | 78.7 |
| July | 78.8 | 78.8 | 71.7 | 67.8 | - | 69.5 | 86.3 | 86.4 | 77.1 | 72.4 | - | 75.7 |
| August | 76.2 | 76.3 | 69.0 | 65.7 | | 67.2 | 83.7 | 83.8 | 74.8 | 70.5 | _ | 73.6 |
| September | 78.3 | 78.3 | 71.3 | 67.7 | W | 69.3 | 85.7 | 85.8 | 77.0 | 72.4 | _ | 75.7 |
| October | 80.6 | 80.6 | 74.5 | 71.3 | _ | 72.7 | 88.0 | 88.0 | 80.1 | 76.7 | _ | 79.2 |
| November | 87.5 | 87.4 | 80.0 | 76.4 | W | 78.0 | 95.0 | 94.9 | 85.3 | 79.5 | _ | 83.6 |
| December | 84.0 | 83.9 | 76.4 | 70.6 | _ | 73.2 | 92.1 | 92.0 | 82.6 | 74.5 | _ | 80.2 |
| 1996 Average | 79.4 | 79.3 | 71.9 | 68.1 | 63.4 | 69.8 | 87.0 | 86.9 | 77.2 | 72.6 | - | 76.0 |
| Minnesota | | | | | | | | | | | | |
| January | 75.3 | 74.7 | 64.7 | 59.2 | W | 59.9 | 82.9 | 82.1 | 72.8 | 64.6 | _ | 67.4 |
| February | 76.6 | 76.1 | 66.6 | 61.2 | W | 61.8 | 83.2 | 82.5 | 74.5 | 66.7 | _ | 69.4 |
| March | 81.5 | 80.9 | 72.0 | 68.2 | 63.8 | 68.5 | 87.5 | 86.9 | 81.3 | 73.4 | _ | 76.1 |
| April | 88.4 | 87.7 | 78.4 | 73.1 | 68.3 | 73.6 | 96.4 | 95.0 | 86.7 | 77.9 | _ | 81.1 |
| May | 90.9 | 90.1 | 77.6 | 72.1 | 66.8 | 72.6 | 97.7 | 96.1 | 86.6 | 77.8 | _ | 81.0 |
| June | 90.0 | 89.1 | 77.1 | 72.4 | W | 72.9 | 96.6 | 95.4 | 85.8 | 77.9 | _ | 80.6 |
| July | 88.6 | 87.8 | 75.9 | 70.7 | W | 71.5 | 95.3 | 94.1 | 84.9 | 76.9 | _ | 79.8 |
| August | 90.0 | 89.2 | 75.7 | 73.3 | W | 73.5 | 96.8 | 95.3 | 85.6 | 80.2 | _ | 82.0 |
| September | 91.1 | 90.3 | 76.5 | 73.2 | 66.5 | 73.3 | 98.8 | 97.1 | 86.7 | 80.3 | _ | 82.5 |
| October | 90.9 | 90.2 | 78.9 | 74.1 | 68.7 | 74.5 | 98.4 | 96.4 | 87.1 | 79.9 | _ | 82.8 |
| November | 93.3 | 92.6 | 80.6 | 77.4 | 72.0 | 77.6 | 100.6 | 99.4 | 88.0 | 81.9 | _ | 84.0 |
| | | | | | 69.2 | | | | | | | |
| 1996 Average | 93.5 87.8 | 92.8 87.1 | 79.4 75.5 | 73.4 71.1 | 65.9 | 74.1 71.5 | 100.5 94.4 | 99.3 93.3 | 84.0 83.5 | 77.7 76.0 | _ | 80.1 78.7 |
| Missouri | | | | | | | | | | | | |
| | 67.4 | 67.2 | 60.0 | 55.0 | W | 56.4 | 76.2 | 76.2 | 66.9 | 59.3 | | 64.2 |
| January | 67.4 | 67.3 | 60.0 | | | | 76.2 | | 66.8 | | _ | 64.2 |
| February | 67.7 | 67.8 | 63.5 | 56.9 | W | 58.7 | 77.0 | 77.1 | 69.5 | 61.5 | _ | 66.9 |
| March | 73.2 | 73.2 | 69.2 | 64.2 | W | 65.5 | 83.0 | 82.9 | 75.4 | 68.8 | - | 73.1 |
| April | 80.1 | 80.0 | 75.6 | 70.3 | W | 71.6 | 90.2 | 90.1 | 81.7 | 75.9 | _ | 79.7 |
| May | 80.6 | 80.6 | 74.7 | 69.9 | 66.5 | 71.2 | 90.0 | 89.9 | 82.1 | 77.3 | - | 80.7 |
| June | 79.4 | 79.4 | 72.8 | 68.3 | 62.9 | 69.2 | 88.6 | 88.5 | 79.3 | 73.1 | - | 77.2 |
| July | 78.4 | 78.3 | 71.7 | 66.9 | 63.7 | 68.1 | 87.5 | 87.4 | 78.4 | 72.9 | - | 76.5 |
| August | 78.2 | 78.1 | 72.3 | 67.2 | 64.5 | 68.6 | 86.8 | 86.6 | 77.6 | 72.4 | - | 75.9 |
| September | 78.2 | 78.2 | 72.5 | 67.8 | W | 69.0 | 86.6 | 86.4 | 77.7 | 73.6 | - | 76.5 |
| October | 79.1 | 79.1 | 76.2 | 69.6 | W | 71.4 | 88.3 | 88.0 | 82.0 | 75.8 | _ | 80.5 |
| November | 83.6 | 83.4 | 77.8 | 74.0 | W | 74.9 | 92.4 | 92.1 | 83.7 | 78.3 | _ | 82.3 |
| December | 82.3 | 82.2 | 77.1 | 70.1 | 69.6 | 72.0 | 91.4 | 91.1 | 83.7 | 75.5 | _ | 81.8 |
| 1996 Average | 77.6 | 77.5 | 72.1 | 66.9 | 63.2 | 68.3 | 86.5 | 86.3 | 78.0 | 71.3 | _ | 75.9 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Pren | nium | | | | | All G | rades | | |
|-----------------------|------------------------------|----------------------|---------------------|---------------------|------------------|---------------------|------------------------------|----------------------|---------------------|---------------------|------------------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales f | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| Kentucky | | | | | | | | | | | | |
| January | 86.8 | 85.6 | 72.1 | 64.6 | _ | 66.9 | 75.3 | 74.3 | 63.7 | 57.6 | W | 59.5 |
| February | 87.3 | 86.1 | 73.3 | 66.2 | W | 68.3 | 75.6 | 74.6 | 65.2 | 59.4 | W | 61.3 |
| March | 92.8 | 91.5 | 79.7 | 73.5 | _ | 75.4 | 80.5 | 79.5 | 71.4 | 66.6 | _ | 68.2 |
| April | 99.7 | 98.2 | 86.7 | 81.1 | _ | 82.8 | 87.2 | 86.2 | 78.3 | 74.0 | W | 75.3 |
| May | 103.0 | 101.3 | 88.6 | 83.1 | _ | 84.7 | 90.6 | 89.3 | 79.7 | 75.6 | _ | 76.9 |
| June | 99.8 | 97.9 | 84.5 | 76.5 | _ | 78.8 | 87.4 | 86.1 | 75.1 | 68.9 | _ | 70.9 |
| July | 96.9 | 95.5 | 83.1 | 76.3 | _ | 78.3 | 85.2 | 84.0 | 73.8 | 68.6 | _ | 70.2 |
| August | 96.5 | 94.8 | 82.2 | 74.4 | _ | 76.7 | 84.3 | 83.1 | 73.1 | 67.2 | _ | 69.1 |
| September | 96.9 | 95.6 | 82.7 | 75.9 | _ | 78.0 | 84.4 | 83.4 | 74.1 | 69.0 | _ | 70.6 |
| October | 96.1 | 95.1 | 85.2 | 78.8 | _ | 80.6 | 84.7 | 83.8 | 76.8 | 71.8 | W | 73.2 |
| November | 101.4 | 100.1 | 89.0 | 83.8 | - | 85.3 | 88.7 | 87.7 | 80.2 | 76.3 | _ | 77.5 |
| December | 100.5 | 99.2 | 87.1 | 80.0 | _ | 81.9 | 88.1 | 87.0 | 78.3 | 72.4 | - | 74.1 |
| 1996 Average | 96.2 | 94.8 | 82.5 | 76.1 | W | 77.9 | 84.5 | 83.4 | 74.2 | 69.2 | 59.5 | 70.8 |
| Michigan | | | | | | | | | | | | |
| January | 83.7 | 83.3 | 72.7 | 65.2 | _ | 69.2 | 71.7 | 71.4 | 63.8 | 57.4 | _ | 60.5 |
| February | 84.2 | 83.6 | 72.6 | 67.0 | _ | 69.9 | 72.2 | 72.0 | 64.0 | 59.5 | _ | 61.7 |
| March | 91.4 | 90.7 | 79.7 | 74.1 | - | 77.2 | 79.9 | 79.5 | 70.7 | 66.4 | - | 68.5 |
| April | 97.5 | 96.9 | 86.6 | 80.9 | _ | 83.8 | 85.7 | 85.4 | 77.5 | 73.6 | - | 75.4 |
| May | 100.4 | 99.7 | 90.2 | 83.8 | _ | 87.0 | 87.9 | 87.6 | 80.9 | 75.9 | | 78.2 |
| June | 96.3 | 95.8 | 86.1 | 78.1 | _ | 81.9 | 83.8 | 83.6 | 76.6 | 70.5 | W | 73.2 |
| July | 92.8 | 92.5 | 83.1 | 77.2 | _ | 80.1 | 81.2 | 81.2 | 74.1 | 69.3 | _ | 71.6 |
| August | 90.5 | 89.9 | 80.4 | 74.8 | _ | 77.6 | 78.7 | 78.6 | 71.5 | 67.2 | - | 69.3 |
| September | 92.7 | 92.2 | 83.0 | 76.9 | - | 80.0 | 80.6 | 80.6 | 73.8 | 69.1 | W | 71.3 |
| October | 95.1 | 94.7 | 86.2 | 80.3 | _ | 83.3 | 82.9 | 82.8 | 77.0 | 72.7 | - | 74.7 |
| November | 102.2 | 101.7 | 92.0 | 85.6 | W | 88.5 | 89.7 | 89.5 | 82.4 | 77.7 | W | 79.8 |
| December 1996 Average | 99.3 93.3 | 98.9 92.8 | 88.5 83.0 | 80.0 76.8 | W | 84.1 79.9 | 86.4 81.8 | 86.2 81.6 | 78.9 74.3 | 72.0 69.5 | W 67.5 | 75.3 71.8 |
| Minnesota | | | | | | | | | | | | |
| January | 89.0 | 88.8 | 77.1 | 67.0 | W | 68.8 | 77.3 | 76.7 | 67.1 | 60.3 | W | 61.4 |
| February | 90.0 | 89.8 | 78.4 | 69.4 | W | 70.7 | 78.5 | 78.0 | 68.8 | 62.4 | W | 63.3 |
| March | 95.4 | 94.8 | 84.5 | 76.5 | W | 77.7 | 83.2 | 82.6 | 74.3 | 69.2 | 64.3 | 69.8 |
| April | 102.0 | 101.7 | 90.7 | 81.6 | W | 83.2 | 90.1 | 89.4 | 80.4 | 74.0 | 68.7 | 74.8 |
| May | 103.6 | 103.2 | 90.0 | 80.7 | W | 82.1 | 92.4 | 91.5 | 79.6 | 73.0 | 67.2 | 73.8 |
| June | 102.5 | 102.2 | 89.1 | 80.5 | W | 81.8 | 91.5 | 90.6 | 79.1 | 73.4 | W | 74.0 |
| July | 102.0 | 101.7 | 87.4 | 78.9 | W | 80.3 | 90.1 | 89.4 | 77.8 | 71.8 | W | 72.7 |
| August | 102.5 | 102.0 | 87.1 | 81.2 | W | 82.0 | 91.5 | 90.7 | 77.6 | 74.3 | W | 74.7 |
| September | 103.3 | 102.7 | 88.0 | 81.5 | W | 82.4 | 92.6 | 91.8 | 78.6 | 74.2 | 67.0 | 74.5 |
| October | 104.5 | 104.2 | 89.9 | 82.4 | W | 83.5 | 92.5 | 91.7 | 80.8 | 75.0 | 69.0 | 75.6 |
| November | 106.4 | 106.1 | 91.5 | 85.2 | W | 86.1 | 94.8 | 94.1 | 82.3 | 78.2 | 72.4 | 78.6 |
| December | 105.9 | 105.6 | 86.4 | 81.0 | W | 81.8 | 95.0 | 94.3 | 80.6 | 74.2 | 69.5 | 75.0 |
| 1996 Average | 100.2 | 99.8 | 86.4 | 78.5 | W | 79.7 | 89.3 | 88.6 | 77.4 | 71.9 | 66.2 | 72.6 |
| Missouri | | | | | | | | | | | | |
| January | 84.9 | 84.4 | 71.1 | 62.8 | - | 65.7 | 70.5 | 70.4 | 62.8 | 56.3 | W | 58.3 |
| February | 85.1 | 84.8 | 74.4 | 64.8 | - | 68.1 | 70.8 | 70.9 | 66.2 | 58.3 | W | 60.7 |
| March | 91.0 | 90.7 | 79.9 | 72.1 | - | 74.8 | 76.3 | 76.2 | 71.7 | 65.5 | W | 67.3 |
| April | 98.8 | 98.3 | 86.6 | 78.2 | - | 81.1 | 83.0 | 82.8 | 78.0 | 71.4 | W | 73.3 |
| May | 98.4 | 97.9 | 86.0 | 78.2 | _ | 80.9 | 83.2 | 83.1 | 77.1 | 71.1 | 66.5 | 72.8 |
| June | 97.2 | 96.9 | 84.4 | 76.4 | W | 79.0 | 82.1 | 82.0 | 75.1 | 69.4 | 63.0 | 70.8 |
| July | 96.4 | 95.8 | 82.7 | 75.1 | - | 77.7 | 81.1 | 81.0 | 74.1 | 68.1 | 63.7 | 69.8 |
| August | 95.5 | 94.9 | 82.9 | 75.4 | W | 77.8 | 80.8 | 80.7 | 74.4 | 68.4 | 64.6 | 70.1 |
| September | 95.7 | 95.3 | 83.1 | 75.9 | - | 78.4 | 80.9 | 80.8 | 74.6 | 68.9 | W | 70.6 |
| October | 97.3 | 96.9 | 87.0 | 77.2 | - | 80.7 | 81.8 | 81.6 | 78.4 | 70.7 | W | 73.0 |
| November | 101.6 | 101.0 | 88.8 | 81.6 | W | 83.3 | 86.1 | 85.9 | 79.9 | 75.0 | 68.3 | 76.3 |
| December 1996 Average | 100.5 | 99.9 | 87.5 | 77.9 | W 70.4 | 81.1 | 84.8 | 84.6 | 79.3 | 71.1 | 69.7 | 73.5 |
| IMMN AVERSINE | 94.9 | 94.4 | 82.5 | 74.3 | 70.1 | 77.1 | 80.3 | 80.1 | 74.3 | 68.0 | 63.5 | 69.8 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Reg | ular | | | | | Midg | rade | | |
|-----------------|------------------------------|----------------------|------|----------|-----------|---------|------------------------------|----------------------|------|----------|-----------|---------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| Nebraska | | | | | | | | | | | | |
| January | 69.2 | 69.3 | 62.7 | 56.7 | W | 57.8 | 74.1 | 74.0 | 64.9 | 63.0 | _ | 63.7 |
| February | 71.2 | 71.3 | 64.8 | 58.5 | W | 59.7 | 75.1 | 74.8 | 66.5 | 64.8 | _ | 65.4 |
| March | 76.7 | 76.8 | 71.7 | 65.9 | W | 67.0 | 81.4 | 81.3 | 72.6 | 71.7 | _ | 72.0 |
| April | 82.1 | 82.4 | 77.5 | 71.0 | W | 72.2 | 87.0 | 86.8 | 81.2 | 76.7 | _ | 78.2 |
| May | 83.8 | 83.9 | 77.0 | 69.7 | W | 71.1 | 89.0 | 88.8 | 79.0 | 76.2 | _ | 77.1 |
| June | 83.5 | 83.4 | 75.5 | 69.6 | W | 70.7 | 88.6 | 88.5 | 77.9 | 75.8 | _ | 76.5 |
| July | 80.7 | 80.7 | 73.7 | 67.4 | W | 68.5 | 85.6 | 85.5 | 76.7 | 73.4 | _ | 74.6 |
| August | 80.8 | 81.0 | 74.9 | 69.7 | _ | 70.7 | 86.3 | 86.3 | 76.5 | 77.5 | _ | 77.2 |
| September | 82.1 | 82.2 | 75.3 | 69.6 | W | 70.7 | 89.0 | 88.9 | 79.0 | 78.6 | _ | 78.7 |
| October | 82.3 | 82.6 | 77.8 | 71.0 | W | 72.2 | 89.4 | 89.5 | 80.2 | 79.2 | _ | 79.5 |
| November | 85.0 | 85.3 | 81.2 | 75.2 | W | 76.4 | 91.9 | 91.8 | 82.8 | 80.2 | _ | 81.1 |
| December | 84.1 | 84.4 | 77.7 | 71.2 | W | 72.5 | 90.0 | 89.9 | 77.5 | 73.6 | _ | 75.2 |
| 1996 Average | 80.3 | 80.5 | 74.3 | 68.1 | W | 69.2 | 85.5 | 85.3 | 75.3 | 73.3 | _ | 74.0 |
| North Dakota | | | | | | | | | | | | |
| January | 80.9 | 80.5 | 67.3 | 58.6 | _ | 60.4 | 83.2 | 82.1 | 69.6 | 66.3 | _ | 68.4 |
| February | 81.5 | 81.2 | 69.1 | 60.6 | _ | 62.3 | 83.0 | 82.2 | 70.1 | 68.4 | _ | 69.6 |
| March | 84.5 | 84.0 | 74.3 | 67.2 | _ | 68.6 | 86.6 | 86.4 | 74.6 | 74.7 | _ | 74.6 |
| April | 89.5 | 89.2 | 81.5 | 73.0 | _ | 74.6 | 92.2 | 92.2 | 80.2 | 81.2 | _ | 80.6 |
| May | 92.0 | 91.4 | 79.8 | 70.7 | _ | 72.4 | 94.6 | 94.3 | 81.9 | 79.7 | _ | 81.0 |
| June | 90.9 | 90.3 | 78.5 | 70.9 | _ | 72.4 | 94.2 | 92.9 | 80.1 | 78.9 | _ | 79.6 |
| July | 89.6 | 89.4 | 77.4 | 70.1 | _ | 71.4 | 94.0 | 92.6 | 78.7 | 77.0 | _ | 77.9 |
| August | 90.1 | 90.1 | 80.1 | 72.2 | _ | 73.7 | 93.7 | 92.6 | 77.4 | 79.8 | _ | 78.5 |
| September | 90.9 | 90.7 | 80.8 | 72.3 | _ | 73.9 | 96.4 | 94.7 | 78.8 | 81.0 | _ | 79.8 |
| October | 91.4 | 91.3 | 81.8 | 73.6 | _ | 75.1 | 97.3 | 95.9 | 81.4 | 82.1 | _ | 81.7 |
| November | 93.9 | 93.6 | 84.8 | 75.7 | _ | 77.5 | 100.7 | 98.6 | 83.6 | 79.5 | _ | 81.9 |
| December | 95.7 | 95.1 | 80.0 | 72.1 | _ | 73.8 | 100.7 | 98.5 | 81.9 | 78.5 | _ | 80.6 |
| 1996 Average | 89.5 | 89.2 | 78.3 | 70.2 | - | 71.7 | 93.5 | 92.4 | 78.0 | 77.3 | - | 77.7 |
| Ohio | | | | | | | | | | | | |
| January | 70.0 | 69.6 | 61.2 | 54.6 | 47.8 | 57.2 | 79.5 | 78.8 | 67.7 | 59.3 | _ | 64.7 |
| February | 70.3 | 70.0 | 61.9 | 56.5 | 52.3 | 58.5 | 79.0 | 78.7 | 68.2 | 61.1 | _ | 65.7 |
| March | 77.8 | 77.4 | 68.8 | 63.8 | W | 65.8 | 86.9 | 86.3 | 75.2 | 68.2 | _ | 72.7 |
| April | 83.3 | 82.9 | 75.0 | 70.9 | W | 72.6 | 92.7 | 92.1 | 81.2 | 75.4 | _ | 79.1 |
| May | 84.8 | 84.4 | 77.1 | 72.8 | 65.0 | 74.4 | 93.7 | 93.1 | 82.7 | 77.4 | _ | 80.8 |
| June | 77.8 | 77.7 | 71.2 | 66.6 | 62.6 | 68.5 | 86.1 | 85.9 | 76.8 | 71.1 | _ | 74.7 |
| July | 76.7 | 76.7 | 70.4 | 66.0 | W | 67.5 | 85.2 | 84.9 | 76.0 | 70.4 | _ | 73.8 |
| August | 74.6 | 74.5 | 68.6 | 64.5 | W | 66.2 | 83.0 | 82.7 | 74.3 | 68.9 | _ | 72.2 |
| September | 77.9 | 77.7 | 71.2 | 66.8 | W | 68.6 | 86.0 | 85.6 | 76.7 | 71.1 | _ | 74.4 |
| October | 79.3 | 79.2 | 73.4 | 69.6 | 63.0 | 71.1 | 87.8 | 87.7 | 79.2 | 73.9 | _ | 77.1 |
| November | 85.5 | 85.3 | 78.9 | 74.6 | 67.8 | 76.2 | 94.1 | 93.7 | 84.4 | 77.6 | _ | 81.5 |
| December | 81.5 | 81.4 | 74.2 | 69.3 | 67.0 | 71.2 | 89.6 | 89.5 | 80.2 | 73.7 | _ | 77.5 |
| 1996 Average | 78.5 | 78.3 | 71.2 | 66.7 | 60.6 | 68.4 | 86.9 | 86.5 | 76.8 | 70.8 | _ | 74.5 |
| Oklahoma | | | | | | | | | | | | |
| January | 64.6 | 64.4 | 59.5 | 54.2 | 52.5 | 54.0 | 70.5 | 70.4 | 64.5 | 57.5 | _ | 61.3 |
| February | 65.0 | 64.9 | 60.8 | 56.6 | 53.8 | 55.6 | 70.9 | 70.4 | 66.2 | 60.6 | _ | 63.8 |
| March | 71.1 | 70.9 | 66.9 | 63.6 | 59.4 | 62.4 | 77.1 | 76.8 | 73.2 | 67.1 | _ | 70.7 |
| April | 77.5 | 77.1 | 73.5 | 69.0 | 63.2 | 66.5 | 83.8 | 83.4 | 80.1 | 72.2 | _ | 76.6 |
| May | 77.3 | 77.0 | 73.6 | 67.3 | 64.4 | 66.8 | 83.6 | 82.9 | 78.9 | 70.3 | _ | 74.9 |
| June | 77.3 | 77.1 | 72.6 | 68.2 | 62.3 | 65.9 | 83.3 | 82.7 | 76.9 | 71.5 | _ | 74.6 |
| July | 77.3 75.1 | 75.0 | 70.6 | 66.0 | 61.6 | 64.6 | 80.5 | 80.1 | 75.5 | 69.0 | _ | 72.4 |
| August | 74.6 | 74.6 | 71.0 | 67.3 | 61.9 | 65.4 | 80.1 | 79.7 | 76.0 | 71.0 | _ | 73.9 |
| September | 76.2 | 75.9 | 71.6 | 67.7 | 62.6 | 65.6 | 82.3 | 81.9 | 76.7 | 71.1 | _ | 74.1 |
| October | 77.3 | 77.2 | 71.0 | 68.8 | 65.0 | 67.6 | 83.7 | 83.3 | 78.2 | 72.6 | _ | 75.7 |
| November | 80.2 | 79.5 | 75.7 | 72.9 | 68.1 | 71.2 | 86.0 | 85.6 | 80.6 | 76.5 | _ | 78.5 |
| | 79.1 | 78.9 | 74.4 | 68.9 | 64.8 | 67.2 | 84.7 | 84.2 | 79.6 | 72.3 | _ | 76.3 |
| December | | | | | | | | | | | | |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Pren | nium | | | | | All G | rades | | |
|-----------------|------------------------------|----------------------|--------------------------|--------------|-----------------------|--------------|------------------------------|----------------------|--------------|--------------|-----------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| Nebraska | | | | | | | | | | | | |
| January | 79.8 | 83.8 | 71.4 | 63.8 | _ | 65.9 | 70.4 | 70.8 | 63.6 | 57.4 | W | 58.7 |
| February | 81.7 | 85.0 | 72.5 | 66.0 | _ | 67.8 | 72.3 | 72.7 | 65.7 | 59.2 | W | 60.5 |
| March | 86.5 | 90.8 | 79.3 | 73.3 | _ | 75.0 | 77.7 | 78.2 | 72.4 | 66.6 | W | 67.8 |
| April | 92.3 | 97.6 | 86.0 | 78.9 | _ | 80.9 | 83.1 | 83.8 | 78.5 | 71.7 | W | 73.0 |
| May | 93.0 | 98.2 | 85.7 | 77.1 | _ | 79.2 | 84.8 | 85.3 | 77.7 | 70.3 | W | 71.8 |
| June | | 98.0 | 84.6 | 77.2 | _ | 79.0 | 84.5 | 84.8 | 76.3 | 70.2 | W | 71.4 |
| July | 90.4 | 95.7 | 81.7 | 74.9 | _ | 76.5 | 81.6 | 82.0 | 74.5 | 68.0 | W | 69.2 |
| August | 90.6 | 96.0 | 82.8 | 75.9 | _ | 77.4 | 81.8 | 82.4 | 75.5 | 70.3 | _ | 71.4 |
| September | | 97.5 | 83.6 | 77.3 | _ | 79.0 | 83.1 | 83.6 | 76.1 | 70.3 | W | 71.4 |
| October | 92.0 | 97.7 | 86.2 | 78.4 | _ | 80.4 | 83.3 | 84.1 | 78.5 | 71.5 | W | 72.9 |
| November | | 102.6 | 88.8 | 82.8 | _ | 84.6 | 86.1 | 86.8 | 81.9 | 75.8 | W | 77.0 |
| December | 94.4 | 102.6 | 85.0 | 78.9 | _ | 80.5 | 85.3 | 86.0 | 78.2 | 71.7 | W | 73.0 |
| 1996 Average | 89.9 | 95.1 | 82.1 | 75.3 | _ | 77.1 | 81.3 | 81.9 | 74.9 | 68.6 | w | 69.9 |
| North Dakota | | | | | | | | | | | | |
| January | 86.9 | 87.0 | 78.0 | 67.3 | _ | 71.2 | 81.5 | 81.1 | 68.9 | 59.4 | _ | 61.6 |
| February | 87.3 | 87.3 | 78.9 | 69.3 | _ | 73.1 | 82.0 | 81.7 | 70.5 | 61.3 | _ | 63.4 |
| March | 89.6 | 89.8 | 84.2 | 76.1 | _ | 79.0 | 84.9 | 84.6 | 75.3 | 67.8 | _ | 69.6 |
| April | | 96.5 | 91.4 | 82.1 | _ | 85.1 | 90.0 | 89.9 | 82.2 | 73.6 | _ | 75.3 |
| May | 98.0 | 99.0 | 90.5 | 80.1 | _ | 83.8 | 92.5 | 92.0 | 80.9 | 71.3 | _ | 73.3 |
| June | | 96.9 | 88.7 | 80.5 | _ | 83.3 | 91.4 | 90.9 | 79.5 | 71.5 | _ | 73.3 |
| July | 95.8 | 96.3 | 86.3 | 79.6 | _ | 81.8 | 90.1 | 90.0 | 78.4 | 70.7 | _ | 72.3 |
| August | | 96.1 | 88.6 | 81.9 | _ | 83.9 | 90.5 | 90.6 | 80.5 | 72.8 | _ | 74.4 |
| September | | 99.9 | 89.7 | 81.6 | _ | 83.9 | 91.7 | 91.4 | 81.2 | 72.9 | _ | 74.4 |
| October | | 99.2 | 91.5 | 82.7 | _ | 85.1 | 92.2 | 92.1 | 82.5 | 74.1 | _ | 75.9 |
| November | | 103.4 | 93.4 | 85.0 | _ | 87.8 | 94.8 | 94.5 | 85.4 | 76.2 | _ | 78.3 |
| December | | 105.4 | 93. 4 89.8 | 81.2 | _ | 84.2 | 96.8 | 96.0 | 81.0 | 76.2 72.7 | _ | 76.3 74.6 |
| 1996 Average | 96.0 | 96.2 | 87.0 | 78.9 | _ | 81.6 | 90.0 90.1 | 89.9 | 79.1 | 70.7 | _ | 74.6 72.5 |
| Ohio | | | | | | | | | | | | |
| January | 86.8 | 86.1 | 74.2 | 64.4 | W | 69.3 | 74.1 | 73.6 | 64.5 | 56.4 | 49.0 | 60.0 |
| February | | 85.8 | 74.5 | 65.6 | - | 70.4 | 74.1 | 73.8 | 65.2 | 58.2 | 52.3 | 61.2 |
| March | 94.1 | 93.4 | 81.4 | 73.0 | _ | 77.6 | 81.4 | 80.9 | 71.8 | 65.3 | W | 68.2 |
| April | | 98.8 | 87.6 | 80.3 | W | 84.0 | 86.6 | 86.1 | 77.7 | 72.4 | W | 74.8 |
| May | | 99.9 | 89.3 | 82.4 | W | 85.9 | 87.8 | 87.3 | 79.6 | 74.2 | 65.9 | 76.5 |
| June | | 93.3 | 83.4 | 76.1 | _ | 79.8 | 80.8 | 80.7 | 73.8 | 68.2 | 62.6 | 70.6 |
| July | | 92.1 | 82.6 | 75.4 | _ | 78.9 | 79.9 | 79.8 | 73.0 | 67.7 | W | 69.7 |
| August | 90.5 | 90.0 | 81.0 | 73.7 | _ | 77.2 | 77.8 | 77.6 | 71.3 | 66.1 | W | 68.4 |
| September | | 93.2 | 83.6 | 76.1 | _ | 79.7 | 81.0 | 80.7 | 73.8 | 68.4 | W | 70.8 |
| October | 93.4 | 93.1 | 86.3 | 78.8 | _ | 82.4 | 82.2 | 82.1 | 76.1 | 71.2 | 63.0 | 73.2 |
| November | | 100.2 | 91.5 | 83.9 | W | 87.1 | 88.4 | 88.1 | 81.4 | 76.0 | 68.6 | 78.2 |
| December | | 96.6 | 86.8 | 78.9 | W | 82.6 | 84.5 | 84.3 | 76.8 | 70.9 | 67.0 | 73.3 |
| 1996 Average | 93.8 | 93.2 | 83.1 | 75.6 | 68.1 | 79.3 | 81.6 | 81.4 | 73.8 | 68.2 | 60.9 | 70.6 |
| Oklahoma | | | | | | | | | | | | |
| January | 76.6 | 76.2 | 69.3 | 61.3 | 55.6 | 61.9 | 67.0 | 66.7 | 61.4 | 55.4 | 52.6 | 55.0 |
| February | 77.7 | 77.3 | 69.9 | 63.7 | 58.2 | 63.6 | 67.5 | 67.3 | 62.7 | 57.8 | 54.0 | 56.7 |
| March | 83.8 | 83.1 | 77.0 | 70.8 | 63.8 | 71.3 | 73.5 | 73.2 | 69.0 | 64.8 | 59.6 | 63.6 |
| April | 89.9 | 88.9 | 83.7 | 76.5 | 70.5 | 76.6 | 79.6 | 79.2 | 75.4 | 70.1 | 63.5 | 67.6 |
| May | 89.6 | 88.7 | 83.6 | 74.8 | 66.1 | 75.6 | 79.3 | 78.9 | 75.3 | 68.4 | 64.4 | 67.8 |
| June | 90.0 | 89.4 | 80.7 | 75.6 | 68.4 | 76.2 | 79.4 | 79.1 | 74.0 | 69.3 | 62.4 | 66.9 |
| July | 88.0 | 87.4 | 79.9 | 73.4 | 65.3 | 73.0 | 77.2 | 77.0 | 72.3 | 67.2 | 61.8 | 65.7 |
| August | 86.8 | 86.3 | 79.6 | 73.4 74.7 | 67.0 | 73.9 | 76.6 | 76.5 | 72.5 72.6 | 68.4 | 62.2 | 66.5 |
| September | 88.9 | 87.8 | 80.6 | 74.7 75.2 | 66.1 | 73.9 74.4 | 78.3 | 78.0 | 73.1 | 68.8 | 62.8 | 66.6 |
| October | | 89.8 | 82.6 | 76.1 | 67.3 | 76.3 | 79.3 | 79.2 | 74.6 | 69.8 | 65.1 | 68.6 |
| November | 90.2 | 91.7 | 84.7 | 80.4 | 72.4 | 80.6 | 79.3 82.1 | 81.4 | 74.6 77.2 | 73.9 | 68.2 | 72.1 |
| December | 90.6 | 90.3 | 83.6 | 76.3 | 72. 4 W | 77.1 | 81.0 | 80.7 | 76.1 | 69.9 | 64.9 | 68.1 |
| | 90.6 86.7 | | | | 65.0 | | | | | | | |
| 1996 Average | 00.7 | 86.1 | 79.4 | 72.9 | 03.0 | 72.9 | 76.9 | 76.6 | 72.1 | 67.1 | 61.8 | 65.5 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Reg | Jular | | | | | Midg | jrade | | |
|----------------------|------------------------------|--------------------------|---------------------|---------------------|--------------|---------------------|------------------------------|----------------------|---------------------|---------------------|-----------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | _ |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| South Dakota | | | | | | | | | | | | |
| January | 73.4 | 72.3 | 65.5 | 57.3 | _ | 59.4 | 81.5 | 81.1 | 68.0 | W | _ | 64.4 |
| February | 75.0 | 74.1 | 67.1 | 59.5 | _ | 61.6 | 83.1 | 82.8 | 69.1 | NA | _ | NA |
| March | 79.9 | 78.9 | 72.3 | 66.4 | _ | 68.1 | 88.5 | 88.4 | 75.8 | W | _ | 76.6 |
| April | 87.4 | 86.5 | 80.1 | 72.6 | _ | 74.6 | 96.0 | 95.9 | 83.1 | W | _ | 80.5 |
| May | 90.0 | 88.8 | 79.5 | 71.0 | _ | 73.3 | 96.7 | 94.8 | 82.5 | W | _ | 77.7 |
| June | 89.8 | 88.3 | 78.0 | 70.5 | _ | 72.4 | 96.4 | 94.7 | 82.1 | W | _ | 76.3 |
| July | 88.3 | 87.5 | 76.9 | 69.5 | _ | 71.4 | 94.6 | 93.5 | 81.4 | W | _ | 77.6 |
| August | 87.5 | 87.0 | 80.0 | 71.6 | _ | 74.0 | 93.7 | 94.0 | 84.7 | 79.6 | _ | 81.9 |
| September | 88.1 | 88.3 | 79.7 | 72.0 | _ | 74.1 | 95.0 | 94.7 | NA | W | _ | NA |
| October | 87.3 | 88.2 | 81.1 | 73.5 | _ | 75.5 | 96.1 | 95.7 | 86.0 | W | _ | 81.6 |
| November | 89.5 | 90.2 | 84.8 | 76.2 | - | 78.5 | 95.3 | 96.5 | 86.8 | W | _ | 83.8 |
| December | 90.0 | 90.0 | 79.4 | 71.8 | - | 73.9 | 94.2 | 94.7 | 82.7 | W | _ | 76.9 |
| 1996 Average | 86.1 | 85.4 | 77.5 | 69.7 | - | 71.8 | 92.7 | 92.8 | 80.7 | W | _ | 77.0 |
| Tennessee | | | | | | | | | | | | |
| January | 64.9 | 64.5 | 61.5 | 54.0 | W | 55.3 | 76.2 | 75.8 | 67.8 | 59.1 | _ | 61.2 |
| February | 65.2 | 64.9 | 63.5 | 55.1 | W | 56.4 | 76.7 | 76.4 | 69.8 | 60.1 | _ | 62.7 |
| March | 71.0 | 70.7 | 68.1 | 62.3 | W | 63.3 | 82.0 | 81.7 | 74.2 | 67.2 | - | 68.8 |
| April | 80.0 | 79.7 | 75.6 | 70.7 | W | 71.5 | 90.6 | 90.3 | 81.7 | 75.7 | _ | 77.1 |
| May | 82.1 | 81.7 | 76.5 | 69.4 | W | 70.6 | 92.7 | 92.4 | 82.8 | 74.3 | _ | 76.4 |
| June | 80.5 | 80.1 | 71.6 | 62.0 | W | 63.6 | 90.8 | 90.5 | 78.3 | 67.2 | _ | 69.7 |
| July | 78.9 | 78.6 | 71.7 | 63.9 | W | 65.3 | 89.0 | 88.8 | 77.4 | 68.7 | _ | 70.7 |
| August | 77.5 | 77.1 | 71.0 | 62.7 | W | 64.1 | 88.0 | 87.9 | 77.2 | 67.6 | _ | 69.8 |
| September | 77.1 | 76.7 | 71.9 | 64.1 | W | 65.4 | 87.5 | 87.3 | 77.7 | 69.2 | _ | 71.2 |
| October | 77.3 | 77.1 | 75.8 | 67.9 | W | 69.3 | 87.8 | 87.6 | 81.0 | 72.8 | _ | 74.7 |
| November | 80.0 | 79.8 | 77.9 | 70.7 | W | 72.0 | 90.4 | 90.3 | 83.3 | 75.4 | _ | 77.2 |
| December | 80.2 | 79.9 | 76.5 | 68.8 | W | 70.2 | 90.6 | 90.4 | 81.8 | 73.7 | _ | 75.5 |
| 1996 Average | 76.7 | 76.4 | 72.2 | 64.6 | W | 65.9 | 87.1 | 86.8 | 77.7 | 69.4 | - | 71.3 |
| Wisconsin | | | | | | | | | | | | |
| January | 72.9 | 72.8 | 62.8 | 57.0 | _ | 58.9 | 81.2 | 81.4 | 69.4 | 62.5 | _ | 65.1 |
| February | 73.6 | 73.6 | 64.7 | 59.5 | _ | 61.1 | 81.6 | 81.9 | 69.8 | 64.9 | _ | 66.8 |
| March | 78.8 | 78.8 | 70.9 | 66.0 | _ | 67.6 | 86.5 | 86.8 | 76.6 | 71.3 | _ | 73.3 |
| April | 85.4 | 85.5 | 77.5 | 72.5 | _ | 74.1 | 93.6 | 94.0 | 83.2 | 78.1 | _ | 80.0 |
| May | 88.0 | 87.9 | 78.5 | 73.4 | _ | 75.0 | 96.5 | 96.9 | 85.3 | 78.3 | _ | 80.9 |
| June | 86.0 | 85.8 | 75.2 | 70.0 | _ | 71.6 | 94.3 | 94.6 | 81.8 | 75.7 | _ | 78.0 |
| July | 83.9 | 83.9 | 74.5 | 69.1 | _ | 70.8 | 91.9 | 92.4 | 80.8 | 74.2 | _ | 76.8 |
| August | 82.3 | 82.2 | 72.2 | 67.2 | W | 68.7 | 89.9 | 90.4 | 78.1 | 72.9 | _ | 74.8 |
| September | 83.0 | 82.9 | 73.4 | 68.9 | - | 70.3 | 90.4 | 91.1 | 79.4 | 74.3 | _ | 76.2 |
| October | 83.4 | 83.5 | 75.7 | 71.3 | - | 72.7 | 90.9 | 91.8 | 81.8 | 77.4 | - | 79.1 |
| November | 88.7 | 88.5 | 80.6 | 75.8 | W | 77.3 | 96.9 | 97.3 | 86.1 | 80.5 | - | 82.8 |
| 1996 Average | 87.8 83.0 | 87.7 83.0 | 76.8 73.8 | 71.8 68.9 | w | 73.4 70.4 | 95.6 90.5 | 96.1 91.0 | 82.6 79.4 | 77.1 73.7 | _ | 79.2 75.9 |
| _ | | | | | | | | | | | | |
| PAD District III | 60.6 | 60.0 | 64.2 | E4.0 | 40.0 | E 4 O | 77.0 | 76.0 | GE O | E0.0 | | G4 F |
| January | 68.6 | 68.0 | 61.3 | 54.3 | 49.9 | 54.2 | 77.6 | 76.8 | 65.3 | 58.9 | _ | 61.5 |
| February | 69.5 | 69.0 | 64.1 | 55.5 | 50.5 | 55.3 | 78.0 | 77.3 | 67.9 | 59.7 | - | 63.2 |
| March | 74.8 | 74.4 | 70.3 | 62.9 | 55.8 | 62.1 | 83.3 | 82.7 | 73.6 | 66.8 | W | 69.6 |
| April | 83.2 | 82.7 | 78.4 | 71.1 | 62.0 | 68.9 | 91.7 | 90.9 | 80.9 | 75.4 | | 77.7 76.0 |
| May | 84.7 81.9 | 84.2 81.1 | 77.3 72.9 | 70.0 63.3 | 63.4 58.4 | 69.1 62.9 | 93.5 90.8 | 92.7 89.7 | 80.4 76.2 | 74.5 | _ | 76.9 70.8 |
| June | 79.5 | 78.9 | 72.9 72.1 | 64.3 | 58.4 58.4 | 63.3 | 90.8 88.3 | 89.7 87.3 | 76.2 75.2 | 67.2 68.2 | _ | 70.8 70.9 |
| July August | 79.5 77.9 | 76.9 77.4 | 71.3 | 63.7 | 58.0 | 63.2 | 86.7 | 85.8 | 73.2 74.7 | 67.7 | W | 70.9 |
| | 77.9 77.9 | 77. 4 77.5 | 71.3 71.9 | 64.8 | 58.5 | 64.0 | 86.8 | 86.1 | 74.7 75.3 | 68.7 | - VV | 70.3 71.3 |
| September October | 79.3 | 77.5 78.9 | 74.9 | 67.6 | 60.1 | 66.6 | 88.0 | 87.3 | 75.3 77.8 | 71.6 | _ | 71.3 74.0 |
| November | 79.3 81.7 | 76.9 81.4 | 74.9 76.5 | 70.1 | 64.4 | 69.0 | 90.2 | 89.6 | 77.8 79.7 | 74.2 | _ | 74.0 76.3 |
| | 82.1 | 81.7 | 76.5 76.0 | 68.5 | 63.5 | 67.8 | 90.2 | 89.9 | 79.7 78.8 | | W | 76.3 75.0 |
| December | | | | | | | | | | 72.5 | | |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Pren | nium | | | | | All G | rades | | |
|----------------------|------------------------------|----------------------|---------------------|---------------------|--------------|---------------------|------------------------------|----------------------|---------------------|---------------------|--------------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| South Dakota | | | | | | | | | | | | |
| January | 88.7 | 88.4 | 72.4 | 65.7 | _ | 67.3 | 75.2 | 73.9 | 66.1 | 58.3 | _ | 60.3 |
| February | 90.5 | 89.7 | 73.5 | 68.0 | _ | 69.4 | 76.8 | 75.7 | 67.7 | 60.5 | _ | 62.5 |
| March | 95.8 | 95.6 | 79.1 | 75.3 | _ | 76.4 | 81.8 | 80.6 | 73.0 | 67.7 | _ | 69.2 |
| April | 99.6 | 99.4 | 87.5 | 82.9 | _ | 84.1 | 89.0 | 88.0 | 80.7 | 73.6 | _ | 75.5 |
| May | 102.5 | 102.5 | 87.9 | 81.3 | - | 82.9 | 91.2 | 89.9 | 80.1 | 71.8 | - | 74.1 |
| June | 104.2 | 103.0 | 85.4 | 79.9 | _ | 81.2 | 91.0 | 89.5 | 78.7 | 71.2 | _ | 73.1 |
| July | 103.2 | 101.2 | 83.7 | 79.9 | - | 80.7 | 89.6 | 88.7 | 77.6 | 70.5 | _ | 72.4 |
| August | 100.9 | 100.2 | 88.9 | 82.3 | - | 84.4 | 89.0 | 88.6 | 81.1 | 72.8 | _ | 75.2 |
| September | | 99.7 | 88.5 | 82.5 | _ | 84.2 | 89.5 | 89.6 | 80.5 | 73.0 | _ | 75.0 |
| October | 98.5 | 98.4 | 88.9 | 83.5 | _ | 85.0 | 88.6 | 89.5 | 81.8 | 74.2 | _ | 76.3 |
| November | | 99.8 | 91.6 | 85.6 | - | 87.3 | 90.6 | 91.3 | 85.3 | 77.0 | _ | 79.2 |
| December | 100.8 | 100.0 | 85.8 | 80.0 | _ | 81.3 | 91.0 | 91.1 | 79.9 | 72.5 | _ | 74.4 |
| 1996 Average | 98.9 | 98.3 | 84.9 | 78.9 | - | 80.4 | 87.4 | 86.8 | 78.1 | 70.6 | - | 72.6 |
| Tennessee | | | | | | | | | | | | |
| January | 85.1 | 84.5 | 74.7 | 64.5 | _ | 66.4 | 71.4 | 71.0 | 65.9 | 57.4 | W | 58.9 |
| February | 84.5 | 83.9 | 75.9 | 65.6 | _ | 67.6 | 71.7 | 71.3 | 68.2 | 58.3 | W | 60.1 |
| March | 90.8 | 90.1 | 80.8 | 72.7 | _ | 74.2 | 77.1 | 76.7 | 72.3 | 65.4 | W | 66.6 |
| April | 99.4 | 98.8 | 88.9 | 80.9 | _ | 82.3 | 85.5 | 85.2 | 79.5 | 73.6 | W | 74.5 |
| May | 101.1 | 100.6 | 89.2 | 79.8 | _ | 81.5 | 87.3 | 86.9 | 80.1 | 72.1 | W | 73.5 |
| June | 98.7 | 98.2 | 85.1 | 73.7 | - | 75.6 | 85.7 | 85.2 | 75.4 | 65.0 | W | 66.7 |
| July | 96.5 | 96.1 | 83.9 | 75.0 | _ | 76.5 | 84.1 | 83.7 | 75.1 | 66.9 | W | 68.3 |
| August | 96.0 | 95.4 | 83.8 | 73.1 | _ | 75.1 | 82.9 | 82.5 | 74.8 | 65.5 | W | 67.1 |
| September | 95.5 | 95.0 | 84.4 | 74.2 | _ | 76.0 | 82.5 | 82.1 | 75.4 | 66.9 | W | 68.3 |
| October | 96.5 | 96.0 | 88.0 | 78.3 | _ | 80.1 | 82.8 | 82.5 | 79.2 | 70.7 | W | 72.2 |
| November | 98.8 | 98.4 | 90.4 | 80.9 | - | 82.6 | 85.3 | 85.1 | 81.5 | 73.4 | W | 74.8 |
| 1996 Average | 98.6 95.0 | 98.1 94.5 | 88.9 84.3 | 79.4 74.8 | _ | 81.2 76.5 | 85.4 82.1 | 85.1 81.7 | 80.0 75.8 | 71.8 67.4 | W W | 73.2 68.9 |
| Wisconsin | | | | | | | | | | | | |
| January | 86.6 | 86.0 | 72.3 | 66.2 | _ | 68.4 | 75.5 | 75.4 | 64.8 | 58.7 | _ | 60.7 |
| February | 87.2 | 86.7 | 74.6 | 68.3 | _ | 70.5 | 76.2 | 76.1 | 66.7 | 61.1 | _ | 62.9 |
| March | 92.2 | 91.7 | 81.0 | 75.1 | _ | 77.2 | 81.0 | 81.0 | 72.8 | 67.4 | _ | 69.1 |
| April | 99.0 | 98.6 | 87.7 | 81.7 | _ | 83.9 | 87.5 | 87.5 | 79.1 | 73.7 | _ | 75.5 |
| May | 101.3 | 100.8 | 89.0 | 82.9 | _ | 85.0 | 89.9 | 89.8 | 80.1 | 74.6 | _ | 76.3 |
| June | 99.3 | 98.6 | 85.8 | 79.1 | _ | 81.5 | 88.0 | 87.7 | 77.0 | 71.2 | _ | 73.0 |
| July | 96.7 | 96.2 | 84.9 | 78.4 | _ | 80.7 | 85.9 | 85.8 | 76.3 | 70.4 | _ | 72.3 |
| August | 95.7 | 95.0 | 81.9 | 76.1 | _ | 78.1 | 84.4 | 84.2 | 73.9 | 68.5 | W | 70.2 |
| September | 95.2 | 94.5 | 83.5 | 77.8 | _ | 79.8 | 84.9 | 84.7 | 75.1 | 70.2 | _ | 71.7 |
| October | 96.4 | 95.8 | 86.3 | 80.0 | _ | 82.0 | 85.2 | 85.3 | 77.4 | 72.6 | _ | 74.1 |
| November | 101.8 | 101.1 | 90.4 | 85.0 | _ | 86.8 | 90.5 | 90.4 | 82.0 | 76.9 | W | 78.5 |
| December | 100.4 | 99.7 | 86.7 | 80.8 | - | 82.8 | 89.6 | 89.5 | 78.3 | 73.0 | - | 74.7 |
| 1996 Average | 95.5 | 94.9 | 83.1 | 77.1 | - | 79.2 | 85.0 | 84.9 | 75.4 | 70.1 | W | 71.8 |
| PAD District III | | | | | | | | | | | | |
| January | 86.1 | 84.8 | 71.8 | 64.2 | 54.5 | 64.6 | 73.3 | 72.5 | 64.3 | 56.7 | 50.4 | 56.6 |
| February | 86.9 | 85.4 | 74.1 | 65.0 | 53.5 | 65.6 | 74.1 | 73.4 | 67.0 | 57.6 | 50.8 | 57.8 |
| March | 92.0 | 90.9 | 79.9 | 72.3 | 60.8 | 73.3 | 79.2 | 78.7 | 73.0 | 65.0 | 56.2 | 64.7 |
| April | 99.8 | 98.8 | 87.4 | 80.6 | 70.9 | 81.6 | 87.2 | 86.6 | 80.7 | 73.1 | 62.4 | 71.4 |
| May | 101.1 | 99.9 | 87.0 | 79.6 | 71.9 | 80.7 | 88.6 | 87.9 | 79.7 | 71.9 | 64.0 | 71.4 |
| June | 98.7 | 97.2 | 82.8 | 72.7 | 65.1 | 74.5 | 85.9 | 84.9 | 75.4 | 65.2 | 58.8 | 65.1 |
| July | 96.4 | 95.2 | 81.8 | 73.7 | 65.3 | 74.7 | 83.5 | 82.8 | 74.6 | 66.2 | 58.9 | 65.5 |
| August | 94.9 | 93.7 | 81.2 | 73.1 | 61.0 | 73.3 | 82.0 | 81.3 | 73.8 | 65.6 66.7 | 58.3 | 65.3 |
| September October | 95.2 96.4 | 94.1 | 81.7 84.4 | 74.3 77.2 | 63.8 65.8 | 74.9 76.7 | 82.0 | 81.4 82.8 | 74.4 77.3 | 66.7 | 58.9 60.8 | 66.2 |
| November | 96.4 98.8 | 95.3 98.0 | 84.4 86.4 | 77.2 79.8 | 65.8 | 76.7 80.4 | 83.3 85.7 | 82.8 85.2 | 77.3 78.9 | 69.6 72.0 | 60.8 64.6 | 68.9 71.2 |
| December | 98.8 | 98.0 98.2 | 86.4 85.4 | 79.8 78.0 | 69.4 68.0 | 80.4 77.2 | 85.7 86.1 | 85.2 85.5 | 78.9 78.3 | 72.0 70.4 | 64.6 64.1 | 71.2 69.8 |
| 1996 Average | 95.3 | 94.1 | 81.8 | 74.0 | 63.9 | 74.6 | 82.7 | 82.1 | 74.8 | 66.8 | 59.3 | 66.3 |
| 1990 Average | 93.3 | 94. I | 01.0 | 74.0 | 03.9 | 14.0 | 02.7 | 02.1 | 14.0 | 6.00 | 59.5 | 00.3 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Reg | ular | | | | | Midg | rade | | |
|---------------------|------------------------------|----------------------|---------------------|---------------------|---------------------|---------------------|------------------------------|----------------------|---------------------|---------------------|-----------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| Alabama | | | | | | | | | | | | |
| | 68.5 | 67.9 | 64.3 | 53.9 | W | 56.2 | 77.5 | 76.5 | 71.2 | 58.9 | _ | 62.6 |
| January February | 69.4 | 69.4 | 65.0 | 55.0 | W | 57.0 | 77.7 | 76.9 | 74.9 | 59.8 | _ | 65.4 |
| | | | | | | | | | | | _ | |
| March | 73.4 | 73.6 | 71.2 | 61.9 | W | 64.0 | 82.3 | 81.8 | 78.6 | 66.9 | _ | 70.3 |
| April | 82.0 | 82.1 | 78.7 | 70.2 | W | 72.1 | 90.7 | 90.0 | 86.5 | 75.2 | | 78.4 |
| May | 82.8 | 82.8 | 79.0 | 68.7 | W | 71.1 | 91.7 | 90.9 | 85.8 | 74.2 | - | 77.6 |
| June | 80.7 | 80.5 | 75.6 | 61.1 | W | 64.4 | 89.8 | 88.8 | 82.5 | 66.3 | - | 71.4 |
| July | 78.7 | 78.8 | 74.0 | 63.0 | W | 65.3 | 87.7 | 86.9 | 81.0 | 67.9 | - | 71.9 |
| August | 77.2 | 77.0 | 73.1 | 62.1 | W | 64.4 | 86.3 | 85.7 | 80.4 | 67.4 | _ | 71.3 |
| September | 77.4 | 77.2 | 74.4 | 64.0 | W | 66.2 | 86.3 | 85.8 | 80.8 | 69.0 | _ | 72.5 |
| October | 79.7 | 79.6 | 77.2 | 67.4 | W | 69.5 | 88.7 | 88.2 | 83.8 | 72.1 | _ | 75.3 |
| November | 83.0 | 82.9 | 80.3 | 69.9 | W | 72.3 | 91.9 | 91.5 | 86.6 | 74.6 | - | 78.0 |
| December | 83.1 | 82.9 | 79.3 | 68.4 | W | 70.7 | 91.6 | 90.9 | 84.9 | 73.1 | _ | 76.3 |
| 1996 Average | 78.3 | 78.2 | 74.7 | 64.0 | W | 66.4 | 87.0 | 86.3 | 81.3 | 69.0 | _ | 72.7 |
| Arkansas | | | | | | | | | | | | |
| January | 64.6 | 63.5 | 60.7 | 54.1 | 50.2 | 54.9 | 74.1 | 73.1 | 65.8 | 58.2 | _ | 60.2 |
| February | 65.0 | 65.0 | 62.9 | 55.6 | 51.2 | 56.2 | 74.0 | 73.1 | 67.9 | 59.7 | _ | 61.9 |
| March | 71.5 | 71.3 | 67.5 | 62.7 | W | 63.5 | 80.0 | 79.0 | 72.4 | 66.7 | _ | 68.2 |
| April | 79.1 | 78.4 | 74.5 | 70.2 | 65.4 | 70.7 | 87.7 | 86.5 | 80.2 | 74.6 | _ | 76.0 |
| May | 80.9 | 79.8 | 74.9 | 68.6 | 62.0 | 69.3 | 90.3 | 88.8 | 81.3 | 73.1 | _ | 75.1 |
| June | 78.5 | 76.3 | 70.7 | 63.3 | 57.1 | 64.2 | 87.7 | 85.5 | 76.1 | 66.7 | _ | 68.9 |
| | 76.7 | 74.8 | 71.0 | 64.2 | W | 65.2 | 85.8 | 83.9 | 76.1 | 67.9 | _ | 69.7 |
| July | | | | | | | | | | | | |
| August | 75.9 | 74.5 | 70.1 | 64.1 | 57.6 | 64.5 | 84.9 | 83.5 | 75.2 | 67.5 | - | 69.2 |
| September | 75.8 | 74.8 | 70.7 | 65.0 | W | 65.3 | 84.5 | 83.1 | 75.7 | 68.9 | - | 70.5 |
| October | 76.5 | 75.7 | NA | 68.3 | 64.3 | 69.1 | 85.1 | 84.4 | 80.4 | 72.4 | - | 74.2 |
| November | 80.6 | 80.6 | 77.4 | 72.6 | 65.1 | 72.8 | 89.3 | 88.6 | 83.5 | 76.3 | _ | 77.9 |
| 1996 Average | 81.8 75.9 | 81.2 74.8 | 77.4 71.2 | 69.4 65.2 | 63.2 59.1 | 69.9 65.7 | 90.2 84.5 | 89.3 83.2 | 82.6 76.2 | 73.8 69.0 | _ | 75.7 70.7 |
| _ | | | | | •••• | •••• | •• | | | 00.0 | | |
| Louisiana | | | | | | | | | | | | |
| January | 64.8 | 64.4 | 60.5 | 53.2 | 50.0 | 53.3 | 75.7 | 74.7 | 66.5 | 58.3 | _ | 61.0 |
| February | 65.1 | 64.7 | 62.5 | 54.2 | 50.9 | 54.7 | 76.0 | 75.1 | 68.0 | 58.9 | _ | 61.8 |
| March | 70.0 | 69.8 | 67.8 | 60.8 | 55.5 | 59.9 | 80.7 | 80.0 | 73.2 | 65.6 | _ | 68.1 |
| April | 78.9 | 78.7 | 75.4 | 69.2 | 63.7 | 68.6 | 89.2 | 88.6 | 80.7 | 73.6 | _ | 76.1 |
| May | 81.2 | 81.0 | 74.8 | 67.6 | 63.2 | 68.5 | 91.7 | 90.8 | 80.3 | 72.5 | _ | 75.2 |
| June | 79.1 | 78.6 | 69.6 | 60.8 | 58.0 | 61.7 | 89.5 | 88.4 | 76.0 | 65.4 | _ | 68.9 |
| July | 77.3 | 76.9 | 69.4 | 62.2 | 57.8 | 62.2 | 87.6 | 86.7 | 75.1 | 66.8 | _ | 69.5 |
| August | 76.0 | 75.6 | 68.6 | 61.7 | 58.1 | 62.4 | 86.4 | 85.5 | 74.2 | 66.4 | _ | 68.9 |
| September | 75.7 | 75.4 | 69.4 | 62.9 | 59.1 | 62.6 | 85.9 | 85.2 | 74.9 | 67.4 | _ | 69.8 |
| October | 76.7 | 76.5 | 72.1 | 65.9 | 62.3 | 66.3 | 86.8 | 86.2 | 77.8 | 70.5 | _ | 72.8 |
| November | 79.4 | 79.1 | 74.7 | 69.0 | 67.2 | 69.5 | 89.2 | 88.6 | 80.4 | 73.4 | _ | 75.7 |
| December | 80.3 | 79.8 | 74.0 | 67.1 | 64.1 | 67.1 | 90.3 | 89.6 | 79.6 | 71.5 | _ | 74.1 |
| 1996 Average | 75.7 | 75.3 | 70.1 | 63.1 | 59.0 | 63.2 | 85.9 | 85.0 | 75.7 | 67.6 | _ | 70.2 |
| Mississippi | | | | | | | | | | | | |
| | 69.8 | 69.4 | 59.9 | 53.6 | 49.5 | 5 A A | 70.7 | 79.3 | 65.0 | 58.3 | | 60.4 |
| January | | | | | | 54.1 | 79.7 | | 65.8 | | _ | 60.1 |
| February | 70.9 | 70.6 | 61.3 | 54.7 | 50.3 | 54.9 | 80.6 | 80.1 | 68.0 | 59.2 | - | 61.3 |
| March | 75.3 | 75.1 | 67.9 | 61.7 | 52.5 | 60.8 | 84.6 | 84.3 | 73.7 | 66.2 | - | 67.9 |
| April | 83.9 | 83.6 | 75.6 | 70.2 | 62.5 | 69.6 | 93.2 | 92.6 | 81.2 | 74.8 | - | 76.3 |
| May | 84.9 | 84.5 | 75.1 | 69.0 | 61.2 | 68.5 | 94.3 | 93.8 | 80.5 | 73.8 | - | 75.3 |
| June | 83.2 | 82.8 | 70.8 | 60.7 | 59.3 | 62.0 | 92.8 | 92.3 | 77.0 | 65.9 | - | 68.5 |
| July | 81.7 | 81.3 | 70.8 | 63.5 | 58.8 | 63.3 | 91.5 | 91.1 | 76.7 | 67.5 | - | 69.6 |
| August | 80.7 | 80.4 | 70.5 | 62.2 | 58.4 | 62.4 | 90.9 | 90.4 | 77.2 | 66.8 | - | 69.1 |
| September | 80.3 | 80.0 | 70.8 | 63.4 | 58.7 | 63.6 | 90.3 | 89.8 | 76.6 | 68.4 | - | 70.3 |
| October | 81.3 | 81.2 | 73.1 | 67.4 | 61.2 | 67.0 | 91.3 | 90.9 | 78.5 | 71.7 | - | 73.3 |
| November | 84.0 | 83.8 | 75.8 | 69.4 | 67.6 | 69.9 | 93.1 | 92.8 | 81.1 | 74.4 | - | 75.8 |
| December | 84.1 | 83.6 | 74.5 | 68.5 | 64.1 | 68.8 | 93.4 | 93.0 | 80.8 | 72.9 | - | 74.4 |
| | 80.3 | 80.0 | 70.6 | 63.9 | 58.9 | 63.9 | 89.7 | 89.3 | 76.3 | 68.3 | _ | 70.1 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Pren | nium | | | | | All G | rades | | |
|---------------------|------------------------------|----------------------|---------------------|---------------------|---------------------|---------------------|------------------------------|----------------------|---------------------|---------------------|---------------------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| Alabama | | | | | | | | | | | | |
| January | 87.0 | 85.5 | 78.0 | 64.6 | _ | 67.5 | 74.0 | 73.2 | 68.6 | 57.1 | W | 59.7 |
| February | 87.4 | 86.3 | 79.4 | 65.7 | _ | 68.8 | 74.7 | 74.4 | 70.8 | 58.2 | W | 61.1 |
| March | 91.7 | 90.8 | 84.3 | 72.5 | _ | 75.2 | 78.7 | 78.6 | 75.4 | 65.1 | W | 67.4 |
| April | 100.0 | 99.0 | 92.4 | 80.8 | _ | 83.5 | 86.8 | 86.6 | 82.9 | 73.1 | W | 75.4 |
| May | 100.6 | 99.3 | 92.8 | 79.6 | _ | 82.7 | 87.5 | 87.1 | 82.9 | 71.6 | W | 74.3 |
| June | 98.3 | 97.0 | 89.8 | 72.0 | _ | 76.3 | 85.4 | 85.0 | 79.7 | 64.0 | W | 67.7 |
| July | 95.9 | 94.8 | 87.3 | 73.6 | _ | 76.7 | 83.4 | 83.2 | 77.9 | 65.8 | W | 68.5 |
| August | 95.2 | 94.1 | 86.8 | 72.6 | _ | 75.7 | 82.0 | 81.6 | 77.1 | 64.9 | W | 67.6 |
| September | 95.5 | 94.5 | 87.7 | 74.5 | _ | 77.5 | 82.1 | 81.9 | 78.2 | 66.7 | W | 69.3 |
| October | 97.9 | 96.2 | 90.7 | 77.8 | _ | 80.7 | 84.5 | 84.3 | 81.0 | 70.2 | W | 72.5 |
| November | 101.3 | 100.2 | 93.5 | 80.4 | _ | 83.3 | 87.6 | 87.4 | 83.8 | 72.6 | W | 75.2 |
| December | 101.0 | 99.9 | 91.2 | 78.9 | _ | 81.7 | 87.6 | 87.3 | 82.6 | 71.0 | W | 73.6 |
| 1996 Average | 95.9 | 94.7 | 87.8 | 74.3 | - | 77.3 | 83.1 | 82.7 | 78.6 | 66.8 | w | 69.5 |
| Arkansas | | | | | | | | | | | | |
| January | 81.7 | 79.9 | 71.0 | 63.4 | _ | 65.1 | 68.6 | 67.2 | 63.5 | 56.3 | 50.2 | 57.3 |
| February | 82.8 | 77.4 | 74.0 | 63.4 | _ | 65.5 | 69.0 | 68.3 | 65.8 | 57.7 | 51.2 | 58.5 |
| March | 88.5 | 87.2 | 78.9 | 72.0 | W | 73.4 | 75.3 | 74.8 | 70.4 | 64.8 | W | 65.8 |
| April | 95.5 | 94.2 | 85.6 | 79.6 | _ | 81.0 | 82.5 | 81.6 | 77.2 | 72.2 | 65.4 | 72.9 |
| May | 96.6 | 94.3 | 86.4 | 78.1 | _ | 79.9 | 84.1 | 82.8 | 77.6 | 70.5 | 62.0 | 71.5 |
| June | 93.9 | 90.4 | 80.4 | 72.6 | _ | 74.4 | 81.8 | 79.3 | 73.2 | 65.1 | 57.1 | 66.2 |
| July | 92.7 | 89.6 | 81.4 | 73.7 | _ | 75.5 | 80.1 | 78.0 | 73.6 | 66.1 | W | 67.3 |
| August | 92.1 | 89.3 | 81.0 | 73.5 | W | 74.8 | 79.2 | 77.6 | 72.4 | 65.9 | 57.8 | 66.5 |
| September | 92.1 | 89.5 | 81.2 | 74.7 | _ | 76.1 | 79.2 | 77.8 | 73.2 | 67.0 | W | 67.4 |
| October | 93.4 | 90.8 | 85.5 | 77.9 | _ | 79.5 | 79.9 | 78.8 | NA | 70.3 | 64.3 | 71.2 |
| November | 97.2 | 96.2 | 88.1 | 81.7 | W | 82.5 | 83.8 | 83.7 | 79.9 | 74.3 | 65.4 | 74.7 |
| December | 98.0 | 96.6 | 87.9 | 78.6 | W | 80.3 | 85.0 | 84.3 | 79.8 | 71.2 | 63.4 | 71.9 |
| 1996 Average | 91.9 | 89.2 | 81.6 | 73.8 | W | 75.4 | 79.2 | 77.9 | 73.7 | 67.0 | 59.2 | 67.7 |
| Louisiana | | | | | | | | | | | | |
| January | 84.4 | 82.5 | 73.6 | 62.9 | 52.9 | 64.1 | 70.9 | 70.2 | 65.4 | 56.2 | 50.4 | 56.5 |
| February | 84.0 | 82.4 | 75.1 | 63.5 | 53.0 | 65.5 | 71.1 | 70.4 | 67.2 | 57.0 | 51.2 | 58.0 |
| March | 89.0 | 87.8 | 80.0 | 70.6 | 62.3 | 73.1 | 75.8 | 75.5 | 72.3 | 63.7 | 55.8 | 63.2 |
| April | 97.1 | 96.3 | 87.2 | 78.6 | 68.5 | 79.9 | 84.1 | 83.8 | 79.6 | 71.7 | 64.3 | 71.7 |
| May | 99.5 | 98.2 | 87.2 | 77.6 | 68.9 | 79.6 | 86.2 | 85.7 | 79.0 | 70.2 | 64.4 | 71.7 |
| June | 97.5 | 95.8 | 82.1 | 70.5 | 63.9 | 74.0 | 84.1 | 83.4 | 74.1 | 63.3 | 58.4 | 64.8 |
| July | 95.5 | 94.3 | 82.2 | 72.0 | 62.4 | 73.5 | 82.3 | 81.8 | 73.8 | 64.8 | 58.5 | 65.3 |
| August | 94.0 | 92.6 | 81.4 | 71.6 | 62.4 | 73.7 | 81.1 | 80.5 | 73.0 | 64.3 | 58.7 | 65.6 |
| September | 93.7 | 92.7 | 81.6 | 72.6 | 63.5 | 73.9 | 80.7 | 80.3 | 73.6 | 65.4 | 59.5 | 65.4 |
| October | 94.7 | 93.7 | 85.1 | 75.8 | 66.5 | 77.9 | 81.7 | 81.3 | 76.6 | 68.4 | 62.7 | 69.4 |
| November | 97.2 | 96.3 | 86.8 | 78.8 | W | 81.1 | 84.2 | 83.8 | 78.8 | 71.4 | 67.4 | 72.2 |
| 1996 Average | 98.3 93.6 | 96.5 92.2 | 86.7 82.4 | 76.8 72.3 | 68.2 63.6 | 76.3 74.2 | 85.3 80.9 | 84.6 80.3 | 78.2 74.5 | 69.5 65.6 | 65.0 59.6 | 69.7 66.2 |
| | | | | | | | | | | | | |
| Mississippi January | 88.6 | 87.9 | 72.5 | 64.1 | 56.6 | 64.0 | 75 1 | 74.6 | 63.5 | 56.5 | 51.7 | 57 N |
| February | 89.7 | 89.1 | 72.5 74.6 | 65.0 | 36.6 W | 66.5 | 75.1 76.2 | 74.6 75.7 | 65.1 | 56.5 57.5 | 50.6 | 57.0 57.8 |
| March | 93.9 | 93.3 | 80.1 | 72.0 | 55.3 | 72.0 | 80.3 | 80.0 | 71.4 | 64.5 | 52.8 | 63.8 |
| April | 100.9 | 100.4 | 88.0 | 80.1 | - | 81.7 | 88.3 | 87.9 | 78.9 | 72.8 | 62.5 | 72.5 |
| May | 100.3 | 100.4 | 87.8 | 79.4 | 72.0 | 79.4 | 89.2 | 88.7 | 78.3 | 71.4 | 63.5 | 71.3 |
| June | 101.1 | 100.6 | 83.8 | 71.7 | 61.5 | 71.4 | 87.5 | 87.0 | 74.1 | 63.3 | 59.9 | 64.5 |
| July | 99.3 | 98.6 | 83.1 | 73.4 | W | 74.5 | 86.0 | 85.6 | 74.1 | 65.8 | 59.2 | 65.7 |
| August | 99.1 | 98.4 | 83.6 | 72.4 | 61.4 | 72.4 | 85.1 | 84.7 | 73.9 | 64.6 | 58.8 | 64.8 |
| September | 98.7 | 97.9 | 83.6 | 74.1 | W | 75.1 | 84.8 | 84.4 | 74.1 | 65.9 | 59.3 | 66.2 |
| October | 99.6 | 99.0 | 85.8 | 77.7 | 65.2 | 76.7 | 85.7 | 85.5 | 76.3 | 69.7 | 62.0 | 69.4 |
| November | 101.7 | 101.1 | 89.0 | 80.0 | W | 80.2 | 88.1 | 87.9 | 79.0 | 71.9 | 68.0 | 72.2 |
| December | 101.8 | 101.2 | 87.7 | 78.6 | W | 78.5 | 88.4 | 87.9 | 77.9 | 70.9 | 64.5 | 71.2 |
| December | | | | | v v | | | 07.9 | 11.9 | | 04.0 | |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Reg | ular | | | | | Midg | rade | | |
|-----------------|------------------------------|----------------------|---------------------|-------------|------------------|---------------------|------------------------------|----------------------|---------------------|---------------------|-----------|--------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| New Mexico | | | | | | | | | | | | |
| January | 75.5 | 75.3 | 64.1 | 60.3 | _ | 61.1 | 83.6 | 83.6 | 67.1 | 67.1 | _ | 67.1 |
| February | 75.7 | 75.5 75.5 | 65.7 | 62.0 | _ | 62.9 | 84.5 | 84.5 | 70.1 | 69.0 | _ | 69.2 |
| March | 82.3 | 82.2 | 72.9 | 68.8 | _ | 69.7 | 90.8 | 90.9 | 76.4 | 74.3 | _ | 74.8 |
| | 90.7 | 90.6 | 82.3 | 77.1 | _ | 78.2 | 99.2 | 99.3 | 85.2 | 82.1 | _ | 82.8 |
| April | | | | | _ | | | | | | _ | |
| May | | 92.7 | 81.8 | 77.9 | | 78.8 | 102.6 | 102.5 | 85.5 | 83.1 | | 83.6 |
| June | 91.6 | 91.3 | 78.6 | 74.7 | - | 75.6 | 99.8 | 99.4 | 82.8 | 80.2 | - | 80.8 |
| July | | 89.5 | 77.9 | 74.0 | - | 74.8 | 97.9 | 97.7 | 81.8 | 79.3 | - | 79.9 |
| August | 88.7 | 88.4 | 77.5 | 73.7 | _ | 74.5 | 96.8 | 96.8 | 82.0 | 79.3 | _ | 79.8 |
| September | 88.4 | 88.1 | 78.1 | 75.1 | _ | 75.7 | 96.7 | 96.7 | 82.5 | 80.5 | _ | 80.9 |
| October | 88.8 | 88.6 | 79.5 | 75.3 | - | 76.2 | 96.7 | 96.7 | 83.6 | 81.0 | - | 81.7 |
| November | 90.7 | 90.5 | 78.3 | 75.4 | _ | 76.1 | 99.0 | 99.1 | 82.4 | 82.6 | - | 82.6 |
| December | 90.2 | 89.8 | 76.1 | 73.3 | W | 73.6 | 99.0 | 98.8 | 80.5 | 79.8 | _ | 80.0 |
| 1996 Average | 87.2 | 87.0 | 76.3 | 72.4 | W | 73.2 | 95.6 | 95.5 | 79.6 | 78.4 | - | 78.7 |
| Texas | | | | | | | | | | | | |
| January | 68.8 | 68.3 | 61.0 | 54.2 | 49.9 | 53.6 | 77.6 | 76.9 | 64.2 | 58.7 | _ | 61.4 |
| February | 69.9 | 69.3 | 64.4 | 55.3 | 50.4 | 54.8 | 78.2 | 77.6 | 66.6 | 59.5 | _ | 63.1 |
| March | 75.4 | 74.8 | 70.8 | 63.1 | 55.9 | 61.8 | 83.8 | 83.1 | 73.1 | 66.7 | W | 69.9 |
| April | 83.6 | 83.1 | 79.2 | 71.3 | 61.7 | 67.9 | 92.1 | 91.3 | 80.2 | 75.7 | _ | 78.1 |
| May | 85.3 | 84.7 | 77.6 | 70.5 | 63.4 | 68.5 | 94.0 | 93.2 | 79.5 | 74.9 | _ | 77.2 |
| June | 81.9 | 81.2 | 73.0 | 63.6 | 58.4 | 62.3 | 90.8 | 89.8 | 75.2 | 67.4 | _ | 71.2 |
| July | 79.0 | 78.5 | 72.0 | 64.2 | 58.4 | 62.5 | 87.8 | 86.8 | 74.1 | 67.9 | _ | 70.8 |
| August | 77.2 | 76.8 | 71.3 | 63.6 | 58.0 | 62.4 | 85.9 | 85.0 | 73.6 | 67.5 | W | 70.2 |
| September | 77.4 | 77.0 | 71.8 | 64.5 | 58.4 | 63.2 | 86.3 | 85.6 | 74.3 | 68.2 | _ | 71.1 |
| October | 78.8 | 78.4 | 74.8 | 67.2 | 59.8 | 65.4 | 87.4 | 86.6 | 76.6 | 71.0 | _ | 73.6 |
| November | 80.9 | 80.6 | 75.9 | 69.5 | 64.0 | 67.9 | 89.2 | 88.6 | 78.2 | 73.4 | _ | 75.0 75.7 |
| | 81.3 | 80.8 | 75.8 75.8 | 68.1 | 63.5 | 67.0 | 89.7 | 89.0 | 77.6 | 71.9 | W | 74.7 |
| 1996 Average | 78.5 | 78.0 | 72.3 | 64.7 | 58.9 | 63.3 | 86.9 | 86.2 | 74.4 | 68.5 | ΝA | 71.4 |
| PAD District IV | | | | | | | | | | | | |
| January | 74.4 | 74.2 | 63.8 | 59.0 | W | 60.1 | 83.9 | 83.4 | 69.2 | 63.5 | _ | 65.7 |
| | 74.4 75.1 | 74.2 | 64.9 | 60.7 | W | 61.8 | 84.5 | 83.8 | 70.6 | 65.3 | _ | 67.3 |
| February | | | | | | | | | | | | |
| March | 78.7 | 78.2 | 69.8 | 65.2 | W | 66.4 | 88.9 | 88.0 | 74.6 | 69.5 | - | 71.5 |
| April | 87.2 | 87.0 | 80.9 | 75.2 | W | 76.7 | 97.0 | 95.9 | 85.3 | 80.1 | _ | 82.2 |
| May | | 93.4 | 85.9 | 80.8 | W | 82.1 | 101.7 | 101.3 | 89.8 | 86.5 | | 87.9 |
| June | 90.6 | 90.8 | 81.7 | 76.6 | W | 77.9 | 98.4 | 98.1 | 86.6 | 81.8 | - | 83.8 |
| July | 88.5 | 88.8 | 79.5 | 74.3 | W | 75.6 | 96.8 | 96.0 | 84.2 | 79.2 | - | 81.2 |
| August | | 89.1 | 81.0 | 75.6 | W | 77.0 | 97.3 | 96.6 | 85.6 | 80.8 | - | 82.8 |
| September | 89.4 | 89.8 | 82.0 | 77.3 | - | 78.5 | 97.7 | 96.9 | 86.1 | 82.2 | - | 83.8 |
| October | 89.7 | 89.8 | 81.0 | 76.9 | W | 78.0 | 98.1 | 97.4 | 86.5 | 81.5 | - | 83.4 |
| November | 90.9 | 90.5 | 79.5 | 76.0 | W | 76.8 | 99.3 | 98.6 | 84.3 | 80.4 | _ | 81.9 |
| December | 89.0 | 88.6 | 76.8 | 72.6 | W | 73.7 | 98.0 | 97.3 | 82.0 | 77.5 | _ | 79.3 |
| 1996 Average | 86.6 | 86.6 | 77.8 | 73.0 | 62.0 | 74.2 | 95.5 | 94.8 | 82.4 | 77.4 | _ | 79.4 |
| Colorado | | | | | | | | | | | | |
| January | 77.0 | 76.9 | 66.2 | 59.2 | W | 60.5 | 88.5 | 87.8 | 72.5 | 63.9 | - | 67.8 |
| February | 77.9 | 77.8 | 67.4 | 61.4 | W | 62.8 | 88.5 | 87.8 | 74.0 | 66.0 | - | 69.4 |
| March | 82.2 | 82.1 | 71.0 | 65.1 | W | 66.5 | 94.0 | 93.3 | 77.3 | 69.8 | - | 73.2 |
| April | 87.3 | 87.2 | 78.4 | 72.0 | W | 73.5 | 98.6 | 98.1 | 84.9 | 76.5 | - | 80.4 |
| May | 88.6 | 88.6 | 78.5 | 71.4 | W | 73.0 | 99.9 | 99.3 | 85.4 | 76.0 | _ | 80.3 |
| June | | 88.1 | 77.5 | 71.2 | W | 72.7 | 98.6 | 98.3 | 84.7 | 75.6 | _ | 79.8 |
| July | 86.9 | 86.8 | 75.6 | 68.8 | W | 70.4 | 97.3 | 96.9 | 82.8 | 72.9 | _ | 77.5 |
| August | 86.7 | 86.6 | 77.0 | 69.6 | _ | 71.2 | 96.9 | 96.5 | 83.8 | 74.3 | _ | 78.5 |
| September | 87.6 | 87.6 | 79.1 | 72.6 | _ | 74.2 | 97.8 | 97.4 | 85.6 | 77.1 | _ | 80.9 |
| October | 89.6 | 89.5 | 80.1 | 73.7 | W | 75.2 | 100.2 | 99.7 | 88.4 | 78.7 | _ | 83.1 |
| | 93.6 | | | | W | | | | | | _ | |
| November | | 93.4 | 82.2 | 76.3 | | 77.6 | 104.3 | 103.8 | 87.8 85.6 | 81.0 77.7 | | 84.0 |
| December | 91.5 | 91.2 | 79.2 76.2 | 72.7 | W 61.5 | 74.1 71.1 | 102.6 97.5 | 102.2 96.9 | 85.6 82.9 | 77.7 74.2 | - | 81.1 |
| 1996 Average | 86.5 | 86.5 | | 69.7 | | | | | | | _ | 78.1 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Prer | nium | | | | | All G | rades | | |
|-------------------------------|------------------------------|-----------------------|---------------------|---------------------|--------------|---------------------|------------------------------|----------------------|---------------------|---------------------|------------------|---------------------|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average |
| New Mexico | | | | | | | | | | | | |
| January | 90.8 | 90.6 | 75.2 | 69.6 | _ | 70.4 | 78.2 | 78.0 | 65.5 | 62.0 | _ | 62.7 |
| February | 91.0 | 91.0 | 77.8 | 71.0 | _ | 72.2 | 78.5 | 78.3 | 67.2 | 63.7 | _ | 64.4 |
| March | 97.0 | 97.2 | 84.2 | 77.7 | _ | 78.9 | 85.0 | 84.9 | 74.3 | 70.3 | _ | 71.2 |
| April | 104.9 | 105.0 | 92.4 | 86.1 | _ | 87.1 | 93.1 | 93.0 | 83.4 | 78.5 | _ | 79.5 |
| May | 108.7 | 108.4 | 91.9 | 86.9 | _ | 87.8 | 95.6 | 95.4 | 83.0 | 79.3 | _ | 80.1 |
| June | 105.9 | 105.4 | 90.2 | 83.5 | - | 84.7 | 94.0 | 93.7 | 80.0 | 76.2 | _ | 77.0 |
| July | 104.0 | 103.7 | 87.6 | 83.2 | - | 84.0 | 92.4 | 92.0 | 79.3 | 75.5 | - | 76.3 |
| August | 104.2 | 103.8 | 89.3 | 82.8 | - | 84.0 | 91.4 | 91.1 | 79.1 | 75.2 | - | 76.0 |
| September | 104.2 | 103.7 | 88.4 | 84.4 | - | 85.0 | 91.1 | 90.8 | 79.4 | 76.5 | - | 77.1 |
| October | 103.6 | 103.4 | 90.9 | 84.8 | _ | 85.8 | 91.3 | 91.1 | 80.8 | 76.8 | - | 77.6 |
| November | 105.0 | 104.7 | 91.0 | 84.9 | _ | 85.9 | 93.1 | 92.9 | 79.6 | 76.9 | _ | 77.5 |
| December | 104.4 | 104.0 | 88.9 | 82.4 | - | 83.5 | 92.7 | 92.3 | 77.5 | 74.8 | W | 75.1 |
| 1996 Average | 101.8 | 101.6 | 87.3 | 81.3 | _ | 82.4 | 89.8 | 89.5 | 77.6 | 73.9 | W | 74.7 |
| Texas | | | | | | | | | | | | |
| January | 86.0 | 84.9 | 70.4 | 64.4 | 54.5 | 63.9 | 73.3 | 72.7 | 63.6 | 56.3 | 50.4 | 55.8 |
| February | 87.1 | 86.1 | 73.0 | 65.1 | 53.5 | 64.7 | 74.3 | 73.6 | 66.6 | 57.1 | 50.7 | 57.0 |
| March | 92.4 | 91.4 | 79.2 | 72.4 | 61.1 | 72.8 | 79.7 | 79.0 | 73.0 | 64.9 | 56.3 | 64.2 |
| April | 100.1 | 99.1 | 86.7 | 81.1 | 71.5 | 81.5 | 87.6 | 86.9 | 80.8 | 73.1 | 62.2 | 70.3 |
| May | 101.3 | 100.2 | 86.0 | 80.1 | 72.4 | 80.6 | 89.1 | 88.4 | 79.6 | 72.1 | 64.0 | 70.5 |
| June | 98.7 | 97.4 | 81.8 | 73.0 | 65.7 | 74.2 | 85.8 | 84.9 | 75.1 | 65.2 | 58.8 | 64.3 |
| July | 96.2 | 95.1 | 80.5 | 73.5 | 65.8 | 74.0 | 83.0 | 82.3 | 74.0 | 65.8 | 58.9 | 64.4 |
| August | 94.1 94.7 | 93.1 93.7 | 79.8 80.5 | 72.9 73.9 | 60.8 63.8 | 72.1 73.9 | 81.2 81.4 | 80.6 80.9 | 73.3 73.9 | 65.2 66.1 | 58.2 58.8 | 64.3 65.1 |
| September October | 95.9 | 94.9 | 82.9 | 76.4 | 65.8 | 74.9 | 82.8 | 82.2 | 76.7 | 68.8 | 60.5 | 67.5 |
| November | 98.0 | 97.2 | 84.6 | 79.0 | 69.1 | 79.0 | 84.8 | 84.3 | 78.0 | 71.2 | 64.2 | 69.7 |
| December | 98.5 | 97.5 | 83.8 | 77.4 | 68.0 | 76.0 | 85.3 | 84.6 | 77.7 | 69.8 | 63.9 | 68.7 |
| 1996 Average | 95.1 | 94.1 | 80.6 | 74.0 | 63.9 | 73.7 | 82.5 | 81.8 | 74.4 | 66.4 | 59.3 | 65.3 |
| PAD District IV | | | | | | | | | | | | |
| January | 90.7 | 89.8 | 73.7 | 68.4 | _ | 69.9 | 78.6 | 78.1 | 66.5 | 61.2 | W | 62.5 |
| February | 91.5 | 90.3 | 74.9 | 70.0 | W | 71.4 | 79.3 | 78.7 | 67.6 | 62.9 | W | 64.2 |
| March | 95.1 | 93.8 | 79.3 | 74.5 | _ | 76.0 | 82.9 | 82.1 | 72.4 | 67.3 | W | 68.7 |
| April | 103.7 | 102.6 | 90.5 | 84.3 | _ | 86.3 | 90.9 | 90.4 | 83.3 | 77.1 | W | 78.8 |
| May | 109.9 | 109.0 | 95.4 | 90.4 | - | 92.1 | 96.6 | 96.5 | 88.0 | 82.5 | W | 84.1 |
| June | 106.4 | 105.6 | 91.5 | 86.2 | W | 87.8 | 93.9 | 93.8 | 84.0 | 78.5 | W | 80.0 |
| July | 104.6 | 103.5 | 89.7 | 84.3 | W | 85.9 | 92.0 | 91.9 | 82.0 | 76.3 | W | 77.9 |
| August | 105.1 | 104.2 | 91.3 | 85.7 | - | 87.4 | 92.3 | 92.3 | 83.5 | 77.7 | W | 79.3 |
| September | 105.7 | 104.7 | 91.7 | 87.2 | _ | 88.6 | 92.9 | 92.9 | 84.2 | 79.2 | _ | 80.7 |
| October | 106.3 | 105.1 | 91.2 | 86.4 | W | 87.8 | 93.2 | 92.9 | 83.4 | 78.8 | W | 80.1 |
| November | 106.8 | 105.5 | 89.2 | 85.2 | W | 86.4 | 94.3 | 93.7 | 81.8 | 77.8 | W | 78.9 |
| 1996 Average | 105.6 102.3 | 104.0 101.2 | 86.7 87.2 | 82.1 81.9 | W | 83.4 83.5 | 92.6 90.2 | 91.9 89.9 | 79.2 80.1 | 74.6 74.8 | W 62.8 | 75.8 76.3 |
| Colorado | | | | | | | | | | | | |
| Colorado January | 96.7 | 96.1 | 77.6 | 67.7 | | 70.6 | 81.9 | 81.7 | 69.3 | 61.0 | W | 62.9 |
| | 97.3 | 96.6 | 77.8 78.8 | 69.8 | W | 70.6 72.4 | 82.7 | 82.5 | 70.5 | 63.2 | W | 65.1 |
| February March | 102.0 | 101.4 | 76.6 82.1 | 73.5 | - vv | 72.4 75.9 | 87.0 | 86.8 | 70.5 74.1 | 66.8 | W | 68.8 |
| April | 107.1 | 106.4 | 89.4 | 79.7 | _ | 82.4 | 91.7 | 91.5 | 81.4 | 73.6 | W | 75.6 |
| May | 107.1 | 108.2 | 89.7 | 80.1 | _ | 82.9 | 93.0 | 92.8 | 81.5 | 73.0 | W | 75.2 |
| | 106.9 | 106.5 | 88.7 | 79.9 | W | 82.3 | 92.3 | 92.2 | 80.7 | 72.8 | W | 74.9 |
| June | 105.7 | 105.2 | 87.1 | 77.5 | W | 80.2 | 91.2 | 90.9 | 78.8 | 70.4 | W | 72.7 |
| June July | | | 88.2 | 78.4 | _ | 81.0 | 91.0 | 90.9 | 80.0 | 71.3 | _ | 73.5 |
| July | 105.7 | 105.3 | 00.2 | | | | | | | | | |
| July August | | 105.3 106.3 | 89.5 | 81.2 | _ | 83.4 | 91.9 | 91.8 | 81.9 | 74.3 | _ | 76.3 |
| July | 105.8 | | | | _ W | 83.4 84.9 | 91.9 93.9 | 91.8 93.7 | 81.9 83.4 | 74.3 75.4 | _ W | 76.3 77.6 |
| July August September | 105.8 106.7 | 106.3 | 89.5 | 81.2 | | | | | | | | |
| July August September October | 105.8 106.7 109.5 | 106.3 109.0 | 89.5 91.5 | 81.2 82.5 | W | 84.9 | 93.9 | 93.7 | 83.4 | 75.4 | W | 77.6 |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Reg | ular | | | Midgrade | | | | | | |
|-----------------|------------------------------|----------------------|------|--------------|-----------|-------------|------------------------------|----------------------|------|-------------|-----------|-------------|--|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | |
| Idaho | | | | | | | | | | | | | |
| January | 69.9 | 70.0 | 60.5 | 55.0 | _ | 56.8 | 78.0 | 77.4 | 64.9 | 58.3 | _ | 60.9 | |
| February | 68.6 | 69.0 | 61.1 | 56.8 | _ | 58.2 | 77.0 | 76.8 | 65.8 | 60.9 | _ | 62.9 | |
| March | 69.7 | 70.5 | 66.6 | 61.6 | _ | 63.2 | 79.6 | 79.3 | 71.1 | 65.9 | _ | 67.9 | |
| April | 84.6 | 85.2 | 81.3 | 75.9 | _ | 77.8 | 94.2 | 94.1 | 86.3 | 80.6 | _ | 83.1 | |
| May | 101.4 | 100.3 | 91.0 | 90.5 | _ | 90.7 | 107.4 | 106.3 | 97.1 | 94.8 | _ | 96.0 | |
| June | 96.5 | 95.8 | 86.1 | 83.4 | _ | 84.3 | 103.2 | 102.5 | 91.7 | 87.5 | _ | 89.4 | |
| July | 91.1 | 90.8 | 82.5 | 78.7 | _ | 80.0 | 99.8 | 98.1 | 88.1 | 83.0 | _ | 85.3 | |
| August | 90.9 | 90.5 | 82.9 | 80.4 | _ | 81.3 | 99.0 | 97.2 | 88.3 | 84.4 | _ | 86.1 | |
| September | 92.1 | 91.5 | 83.7 | 81.0 | _ | 82.0 | 99.0 | 97.5 | 88.7 | 85.0 | _ | 86.7 | |
| October | 91.4 | 90.7 | 82.2 | 79.0 | _ | 80.2 | 98.7 | 97.5 | 87.2 | 83.2 | _ | 85.1 | |
| November | 90.7 | 90.1 | 78.7 | 75.6 | _ | 76.7 | 99.0 | 98.0 | 83.3 | 79.6 | _ | 81.4 | |
| December | 87.5 | 87.0 | 76.1 | 72.5 | _ | 73.8 | 96.2 | 94.5 | 80.8 | 76.9 | _ | 78.8 | |
| 1996 Average | 87.1 | 86.9 | 78.8 | 74.8 | - | 76.2 | 94.3 | 93.6 | 83.1 | 77.6 | _ | 80.0 | |
| Montana | | | | | | | | | | | | | |
| January | 74.5 | 75.7 | 68.2 | 62.8 | _ | 63.8 | 78.5 | 78.5 | 71.3 | 67.9 | _ | 68.2 | |
| February | 77.7 | 78.3 | 69.1 | 63.8 | _ | 64.8 | 84.2 | 84.2 | 72.4 | 69.0 | _ | 69.3 | |
| March | 83.2 | 83.4 | NA | 69.5 | _ | 70.8 | 90.6 | 90.5 | 77.4 | 74.4 | _ | 74.6 | |
| April | 92.6 | 93.1 | 89.0 | 78.9 | _ | 80.7 | 101.0 | 101.0 | 88.3 | 84.0 | _ | 84.4 | |
| May | 94.3 | 95.5 | 90.9 | 84.0 | _ | 85.2 | 98.3 | 98.4 | 91.9 | 89.7 | _ | 89.9 | |
| June | 92.6 | 93.7 | 85.9 | 78.9 | _ | 80.2 | 97.5 | 97.5 | 87.6 | 83.8 | _ | 84.1 | |
| July | 90.4 | 91.7 | 84.4 | 78.1 | _ | 79.3 | 96.1 | 96.1 | 87.1 | 83.0 | _ | 83.4 | |
| August | NA | NA | 87.3 | 80.5 | _ | 81.8 | NA | NA | 89.4 | 86.1 | _ | 86.4 | |
| September | 94.6 | 95.5 | 88.9 | 81.2 | _ | 82.6 | 101.8 | 101.7 | 90.7 | 87.7 | _ | 88.0 | |
| October | 94.7 | 95.6 | 87.6 | 81.2 | _ | 82.3 | 101.1 | 101.7 | 90.0 | 86.4 | _ | 86.8 | |
| November | 92.6 | 93.6 | 83.0 | 77.7 | _ | 78.6 | 98.6 | 98.6 | 86.2 | 83.6 | _ | 83.8 | |
| December | 91.1 | 92.0 | 80.4 | 74.5 | _ | 75.5 | 98.4 | 98.4 | 84.3 | 80.0 | _ | 80.3 | |
| 1996 Average | 89.8 | 90.7 | 83.1 | 76.7 | _ | 77.9 | 95.7 | 95.7 | 85.4 | 81.5 | _ | 81.9 | |
| Utah | | | | | | | | | | | | | |
| January | 70.0 | 69.3 | 61.1 | 59.1 | _ | 59.8 | 77.9 | 77.6 | 67.0 | 64.2 | _ | 65.2 | |
| February | 70.9 | 70.2 | 62.4 | 60.3 | _ | 61.0 | 79.2 | 78.4 | 68.8 | 65.5 | _ | 66.6 | |
| March | 73.7 | 72.6 | 66.6 | 64.5 | _ | 65.1 | 82.0 | 81.1 | 72.7 | 69.6 | _ | 70.8 | |
| April | 85.2 | 84.0 | 78.9 | 76.6 | _ | 77.4 | 93.7 | 91.6 | 84.6 | 81.9 | _ | 82.9 | |
| May | 96.4 | 96.3 | 88.5 | 90.3 | _ | 89.7 | 104.2 | 103.6 | 92.6 | 95.2 | _ | 94.1 | |
| June | 90.0 | 90.3 | 80.6 | 80.1 | _ | 80.2 | 97.1 | 96.5 | 86.8 | 85.5 | _ | 86.0 | |
| July | 87.5 | 88.7 | 78.5 | 77.6 | _ | 77.9 | 95.1 | 93.5 | 83.9 | 83.0 | _ | 83.3 | |
| August | 89.1 | 90.3 | 80.4 | 79.0 | W | 79.4 | 97.4 | 96.2 | 86.4 | 84.6 | _ | 85.3 | |
| September | 88.0 | 89.1 | 79.8 | 79.2 | | 79.4 | 95.9 | 94.7 | 85.0 | 84.8 | _ | 84.9 | |
| October | 86.1 | 86.0 | 77.5 | 76.7 | _ | 77.0 | 93.3 | 92.3 | 82.9 | 81.8 | _ | 82.2 | |
| November | 83.4 | 82.3 | 74.3 | 73.5 | _ | 73.8 | 90.6 | 89.6 | 79.4 | 78.6 | _ | 78.9 | |
| December | 81.5 | 80.8 | 72.0 | 71.2 | _ | 71.5 | 89.4 | 88.6 | 77.3 | 76.6 | _ | 76.9 | |
| 1996 Average | 84.0 | 83.8 | 75.8 | 74.4 | W | 74.9 | 91.7 | 91.0 | 81.1 | 79.2 | _ | 79.9 | |
| Wyoming | | | | | | | | | | | | | |
| January | 77.0 | 76.6 | 63.4 | 57.8 | _ | 59.0 | 83.6 | 83.5 | 65.6 | 60.5 | _ | 65.0 | |
| February | 76.9 | 77.0 | 66.6 | 59.7 | _ | 61.2 | 84.0 | 84.0 | 67.7 | 63.2 | _ | 67.2 | |
| March | 82.3 | 82.1 | 74.6 | 66.1 | _ | 68.1 | 90.1 | 90.0 | 74.8 | 71.1 | _ | 74.2 | |
| April | 91.5 | 91.5 | 85.9 | 75.3 | _ | 77.6 | 100.0 | 99.9 | 90.0 | 80.1 | _ | 88.6 | |
| May | 96.7 | 96.3 | 86.1 | 78.8 | _ | 80.3 | 103.6 | 103.6 | 85.2 | 80.6 | _ | 84.3 | |
| June | 94.3 | 93.4 | 82.2 | 74.4 | _ | 76.1 | 100.7 | 100.5 | 82.0 | W | _ | 81.7 | |
| July | 93.0 | 92.2 | 81.4 | 73.8 | _ | 75.5 | 99.6 | 99.4 | 82.5 | 77.1 | _ | 81.2 | |
| August | 92.6 | 92.1 | 83.4 | 75.6 | _ | 77.3 | 99.9 | 100.0 | 85.5 | 80.2 | _ | 84.4 | |
| September | 93.5 | 93.2 | 84.8 | 78.0 | _ | 79.7 | 100.7 | 100.7 | 86.0 | 85.4 | _ | 85.9 | |
| October | 92.7 | 92.7 | 82.8 | 77.2 | _ | 78.5 | 100.7 | 100.7 | 84.2 | 83.9 | _ | 84.1 | |
| November | 93.4 | 93.4 | 82.2 | 76.6 | _ | 77.8 | 100.8 | 100.0 | 82.7 | 83.4 | _ | 82.9 | |
| December | 93.4 | 92.9 | 79.4 | 71.8 | _ | 73.4 | 102.1 | 102.0 | 81.6 | 79.6 | _ | 80.9 | |
| 1996 Average | 90.4 | 90.2 | 80.1 | 71. 0 | _ | 74.3 | 98.0 | 97.9 | 81.1 | 79.1 | _ | 80.7 | |
| TOOU A TOTAGE | 30.4 | JU.2 | 00.1 | 14.1 | | 14.5 | 55.0 | 51.3 | U | 7 3.1 | | 30.1 | |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Pren | nium | | | All Grades | | | | | | |
|-----------------------|------------------------------|----------------------|---------------------|---------------------|-----------|---------------------|------------------------------|----------------------|---------------------|---------------------|-----------|---------------------|--|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | _ | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | |
| Idaho | | | | | | | | | | | | | |
| January | 82.4 | 81.8 | 70.2 | 64.5 | _ | 66.6 | 72.5 | 72.4 | 63.0 | 56.9 | _ | 59.0 | |
| February | 81.7 | 81.5 | 71.0 | 66.4 | _ | 68.1 | 71.3 | 71.5 | 63.5 | 58.8 | _ | 60.4 | |
| March | 82.7 | 82.5 | 76.5 | 71.3 | _ | 73.2 | 72.5 | 73.1 | 69.1 | 63.6 | _ | 65.5 | |
| April | 96.5 | 96.5 | 92.0 | 85.1 | - | 87.9 | 86.6 | 87.1 | 83.4 | 77.5 | - | 79.7 | |
| May | 112.4 | 111.0 | 101.5 | 100.4 | - | 100.9 | 102.8 | 101.6 | 93.1 | 91.8 | - | 92.3 | |
| June | 108.4 | 107.4 | 96.6 | 93.1 | _ | 94.6 | 98.2 | 97.5 | 88.2 | 84.8 | - | 86.1 | |
| July | 103.5 | 102.3 | 93.3 | 88.6 | - | 90.6 | 93.1 | 92.5 | 84.9 | 80.3 | - | 81.9 | |
| August | 102.3 | 101.6 | 94.1 | 90.2 | - | 91.8 | 92.7 | 92.2 | 85.2 | 82.0 | - | 83.2 | |
| September | 103.4 | 102.3 | 94.8 | 90.9 | - | 92.5 | 93.7 | 93.0 | 85.9 | 82.5 | - | 83.8 | |
| October | 103.5 | 102.2 | 92.6 | 88.8 | _ | 90.5 | 93.1 | 92.4 | 84.4 | 80.5 | - | 82.0 | |
| November | 103.5 | 102.6 | 89.7 | 85.4 | - | 87.3 | 92.7 | 92.0 | 80.9 | 77.1 | - | 78.5 | |
| December | 101.1 | 99.6 | 87.3 | 82.5 | - | 84.5 | 89.6 | 88.9 | 78.4 | 74.2 | - | 75.8 | |
| 1996 Average | 97.4 | 96.6 | 87.9 | 82.4 | - | 84.7 | 88.9 | 88.5 | 80.7 | 76.0 | - | 77.8 | |
| Montana | | | | | | | | | | | | | |
| January | 83.8 | 84.8 | 76.6 | 73.0 | _ | 73.8 | 76.4 | 77.2 | 70.1 | 65.1 | - | 66.1 | |
| February | 86.8 | 87.4 | 77.9 | 73.9 | - | 74.7 | 80.0 | 80.3 | 71.2 | 66.1 | - | 67.1 | |
| March | 92.5 | 93.2 | NA | 79.9 | - | 81.1 | 85.5 | 85.5 | NA | 71.7 | - | 73.0 | |
| April | 102.0 | 102.5 | 98.6 | 90.2 | - | 92.1 | 94.8 | 94.9 | 91.1 | 81.0 | - | 82.8 | |
| May | 103.9 | 104.8 | 99.5 | 96.0 | _ | 97.0 | 95.8 | 96.7 | 92.8 | 85.8 | - | 87.1 | |
| June | 102.3 | 103.1 | 94.6 | 90.6 | - | 91.6 | 94.3 | 95.1 | 87.8 | 80.9 | - | 82.2 | |
| July | 100.6 | 101.2 | 93.7 | 89.6 | - | 90.6 | 92.4 | 93.2 | 86.6 | 80.2 | - | 81.5 | |
| August | NA 105.1 | NA 100.1 | 96.6 | 92.5 | - | 93.4 | NA | NA 07.4 | 89.3 | 82.8 | - | 84.0 | |
| September | 105.1 | 106.1 | 97.8 | 94.0 | - | 95.0 | 96.8 | 97.4 | 90.8 | 83.5 | - | 84.8 | |
| October | 105.5 | 106.1 | 97.1 | 92.8 | _ | 93.8 | 96.8 | 97.2 | 89.7 | 83.2 | _ | 84.4 | |
| November December | 102.8 101.0 | 103.5 101.8 | 91.3 NA | 90.1 86.1 | _ | 90.4 86.8 | 94.6 93.2 | 95.2 93.7 | 84.7 82.3 | 79.9 76.7 | _ | 80.8 77.6 | |
| 1996 Average | 98.9 | 99.6 | 91.8 | 87.4 | _ | 88.4 | 91.7 | 92.3 | 85.1 | 78.7 | _ | 79.9 | |
| Utah | | | | | | | | | | | | | |
| January | 85.3 | 84.1 | 71.0 | 68.6 | _ | 69.4 | 74.5 | 73.7 | 64.2 | 62.1 | _ | 62.8 | |
| February | 86.8 | 84.8 | 72.2 | 69.8 | _ | 70.6 | 75.6 | 74.5 | 65.7 | 63.3 | _ | 64.1 | |
| March | 89.7 | 87.9 | 75.9 | 74.0 | _ | 74.7 | 78.3 | 76.9 | 70.1 | 67.3 | _ | 68.2 | |
| April | 101.4 | 99.4 | 87.5 | 85.6 | _ | 86.3 | 89.5 | 87.8 | 81.8 | 79.1 | - | 80.1 | |
| May | 112.2 | 110.7 | 96.1 | 99.9 | _ | 98.3 | 100.2 | 99.9 | 90.5 | 92.5 | - | 91.7 | |
| June | 105.9 | 104.7 | 89.8 | 89.8 | _ | 89.8 | 93.8 | 93.8 | 83.3 | 82.5 | - | 82.8 | |
| July | 104.2 | 102.2 | 87.5 | 87.4 | - | 87.4 | 91.7 | 91.9 | 81.3 | 80.2 | - | 80.5 | |
| August | 105.9 | 104.3 | 89.5 | 88.9 | - | 89.1 | 93.5 | 93.7 | 83.5 | 81.7 | W | 82.2 | |
| September | 104.7 | 102.7 | 88.9 | 89.2 | - | 89.1 | 92.3 | 92.5 | 82.6 | 81.8 | - | 82.1 | |
| October | 102.1 | 100.3 | 87.0 | 85.8 | - | 86.2 | 90.1 | 89.6 | 80.1 | 79.2 | - | 79.5 | |
| November | 99.4 | 97.4 | 84.1 | 82.4 | - | 83.0 | 87.5 | 86.3 | 77.0 | 76.1 | - | 76.4 | |
| December 1996 Average | 98.0 99.2 | 96.2 97.6 | 82.2 84.3 | 80.5 82.8 | _ | 81.1 83.3 | 85.9 88.0 | 85.0 87.5 | 74.9 78.4 | 73.9 76.8 | w | 74.3 77.3 | |
| Wyoming | | | | | | | | | | | | | |
| | 88.9 | 88.5 | 72.2 | 67.1 | _ | 68.1 | 79.5 | 79.0 | 64.9 | 59.6 | _ | 60.7 | |
| January February | 88.9 | 88.2 | 77.1 | 69.0 | _ | 70.3 | 79.6 | 79.4 | 68.2 | 61.5 | _ | 63.0 | |
| March | 93.9 | 92.7 | 84.4 | 75.2 | _ | 77.3 | 84.8 | 84.3 | 76.3 | 67.8 | _ | 69.8 | |
| April | 104.1 | 102.7 | 95.5 | 84.8 | _ | 87.1 | 94.0 | 93.6 | 87.7 | 77.0 | _ | 79.4 | |
| May | 109.8 | 108.0 | 95.1 | 88.7 | _ | 90.1 | 98.9 | 98.3 | 87.4 | 80.3 | _ | 81.8 | |
| June | 106.5 | 104.7 | 91.7 | 83.6 | - | 85.3 | 96.5 | 95.4 | 83.7 | 76.0 | _ | 77.8 | |
| July | 104.6 | 102.8 | 91.3 | 83.5 | - | 85.2 | 95.2 | 94.3 | 83.2 | 75.7 | - | 77.4 | |
| August | 105.3 | 103.6 | 94.5 | 85.3 | - | 87.1 | 95.3 | 94.5 | 85.3 | 77.5 | - | 79.2 | |
| September | 106.4 | 104.8 | 95.8 | 87.9 | - | 89.6 | 96.0 | 95.4 | 86.5 | 79.7 | - | 81.5 | |
| October | 106.4 | 104.5 | 94.3 | 86.9 | - | 88.3 | 95.2 | 94.8 | 84.4 | 78.9 | - | 80.2 | |
| November | 107.2 | 105.4 | 91.6 | 86.2 | - | 87.3 | 95.9 | 95.6 | 83.6 | 78.2 | - | 79.4 | |
| December | 106.2 | 103.8 | 88.2 | 81.9 | - | 83.2 | 95.8 | 95.0 | 80.9 | 73.5 | - | 75.1 | |
| 1996 Average | 102.3 | 100.9 | 90.0 | 81.9 | _ | 83.5 | 92.8 | 92.3 | 81.7 | 74.3 | _ | 76.0 | |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Reg | ular | | | Midgrade | | | | | | |
|-----------------|------------------------------|----------------------|-------|----------|-------------|---------|------------------------------|----------------------|-------|----------|-----------|---------|--|
| Geographic Area | Sales to | End Users | | Sales fo | r Resale | | Sales to | End Users | | Sales fo | or Resale | _ | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | |
| PAD District V | | | | | | | | | | | | | |
| January | 77.1 | 76.7 | 68.4 | 60.4 | 54.3 | 64.3 | 82.0 | 81.8 | 72.4 | 65.0 | _ | 70.8 | |
| February | 77.4 | 76.9 | 68.7 | 60.1 | 57.1 | 64.4 | 82.6 | 82.4 | 73.3 | 65.2 | _ | 71.6 | |
| March | 82.0 | 81.8 | 73.5 | 68.7 | 66.9 | 71.1 | 86.6 | 86.7 | 78.5 | 74.0 | _ | 77.7 | |
| April | 94.7 | 94.7 | 86.5 | 83.8 | 79.9 | 84.6 | 99.3 | 99.6 | 91.4 | 90.2 | _ | 91.2 | |
| | 105.4 | 104.8 | 94.9 | 86.5 | 79.9 | 89.6 | 112.7 | 112.2 | 98.3 | 91.9 | _ | 97.2 | |
| May | | | | | | | | | | | | | |
| June | 103.0 | 102.2 | 92.0 | 81.8 | 71.7 | 85.7 | 110.7 | 110.1 | 96.3 | 88.5 | _ | 94.9 | |
| July | 99.9 | 99.2 | 88.4 | 79.7 | 72.9 | 83.3 | 107.3 | 107.0 | 92.7 | 86.4 | | 91.5 | |
| August | 95.3 | 94.6 | 82.6 | 75.2 | 67.0 | 77.8 | 102.1 | 101.6 | 86.5 | 81.8 | W | 85.5 | |
| September | 91.2 | 91.0 | 78.9 | 75.2 | 69.1 | 76.3 | 97.0 | 97.0 | 82.5 | 81.0 | W | 82.1 | |
| October | 88.3 | 87.8 | 75.1 | 71.6 | 66.5 | 72.7 | 94.8 | 94.3 | 78.4 | 77.3 | W | 78.1 | |
| November | 83.0 | 82.8 | 69.4 | 65.7 | 61.8 | 67.2 | 89.4 | 89.1 | 72.8 | 70.7 | W | 72.3 | |
| December | 80.9 | 80.8 | 69.5 | 66.9 | 68.1 | 68.5 | 87.5 | 87.3 | 73.4 | 71.7 | W | 73.0 | |
| 1996 Average | 90.3 | 90.0 | 79.4 | 73.6 | 69.0 | 76.0 | 95.6 | 95.4 | 83.3 | 78.3 | W | 82.3 | |
| Alaska | | | | | | | | | | | | | |
| January | 112.2 | 107.4 | 86.2 | 74.9 | 63.1 | 80.4 | 103.4 | 104.1 | 97.1 | 83.7 | _ | 94.5 | |
| February | 113.2 | 108.5 | 88.2 | 73.4 | W | 80.7 | 103.9 | 103.8 | 97.9 | 83.7 | _ | 95.0 | |
| March | 114.0 | 110.2 | 90.0 | 73.6 | W | 70.5 | 105.7 | 106.6 | 100.7 | 82.4 | _ | 97.6 | |
| April | 118.5 | 115.7 | 96.9 | 78.8 | W | 88.2 | 111.8 | 113.8 | 107.1 | 98.4 | _ | 101.7 | |
| May | 124.0 | 122.2 | 103.2 | 85.7 | 83.1 | 93.4 | 115.2 | 117.6 | 114.5 | 97.0 | _ | 110.5 | |
| June | 122.7 | 121.5 | 103.2 | | 82.4 | 92.3 | 114.9 | 117.6 | 113.1 | 97.5 | | 109.4 | |
| | | | | 85.5 | | | | | | | _ | | |
| July | 123.7 | 121.8 | 99.8 | 84.8 | W | 91.1 | 113.2 | 116.8 | 112.2 | 96.5 | | 108.1 | |
| August | 123.1 | 121.2 | 100.9 | 84.2 | 77.3 | 91.2 | 113.4 | 114.9 | 112.5 | 94.2 | - | 107.9 | |
| September | 122.1 | 120.3 | 103.9 | 83.7 | W | 93.6 | 114.1 | 115.3 | 111.0 | 93.5 | _ | 107.6 | |
| October | 122.2 | 120.0 | 103.2 | 79.8 | W | 90.1 | 112.8 | 113.9 | 110.8 | 93.8 | _ | 106.6 | |
| November | 122.4 | 120.4 | 101.5 | 84.9 | W | 93.0 | 112.0 | 111.7 | 108.2 | 89.4 | _ | 104.0 | |
| December | 122.4 | 120.2 | 99.4 | 85.3 | W | 92.4 | 112.2 | 112.3 | 107.0 | 93.1 | - | 103.4 | |
| 1996 Average | 120.5 | 117.9 | 98.4 | 81.8 | 65.8 | 88.1 | 111.2 | 112.8 | 107.5 | 94.3 | - | 103.7 | |
| Arizona | 70.5 | 70.7 | 74.5 | 00.0 | 50 7 | 07.4 | 05.0 | 05.0 | 70.0 | 00.0 | | 74.4 | |
| January | 79.5 | 79.7 | 71.5 | 62.2 | 56.7 | 67.1 | 85.3 | 85.3 | 76.6 | 69.2 | _ | 74.4 | |
| February | 79.9 | 79.6 | 72.7 | 64.9 | 57.6 | 67.8 | 85.9 | 85.7 | 77.8 | 70.8 | _ | 75.7 | |
| March | 85.7 | 85.8 | 79.8 | 76.0 | 71.4 | 77.8 | 90.9 | 90.8 | 84.8 | 79.7 | _ | 83.5 | |
| April | 96.4 | 96.0 | 87.2 | 82.0 | 73.2 | 84.4 | 102.7 | 102.6 | 92.7 | 85.5 | _ | 90.9 | |
| May | 106.8 | 105.1 | 93.6 | 83.0 | 74.9 | 88.3 | 112.8 | 112.3 | 99.6 | 87.4 | _ | 96.6 | |
| June | 105.3 | 104.1 | 91.1 | 77.0 | 67.8 | 84.1 | 112.6 | 112.0 | 97.2 | 84.1 | _ | 93.9 | |
| July | 102.9 | 101.3 | 89.0 | 77.9 | 73.1 | 84.0 | 110.4 | 109.8 | 94.9 | 84.2 | _ | 92.4 | |
| August | 100.0 | 98.9 | 85.5 | 73.8 | 67.2 | 80.1 | 107.6 | 107.2 | 91.2 | 81.5 | - | 89.2 | |
| September | 97.4 | 96.3 | 82.8 | 75.8 | 70.8 | 79.4 | 105.1 | 104.8 | 88.1 | 82.9 | _ | 87.1 | |
| October | 94.8 | 93.7 | 82.9 | 72.1 | 69.0 | 77.7 | 102.4 | 102.0 | 88.4 | 80.8 | _ | 86.8 | |
| November | 90.4 | 89.6 | 77.1 | 66.2 | 60.0 | 71.8 | 98.7 | 98.2 | 82.2 | 74.4 | _ | 80.5 | |
| December | 85.4 | 85.0 | 74.1 | 70.2 | 64.3 | 71.1 | 93.9 | 93.5 | 79.0 | 75.5 | _ | 78.2 | |
| 1996 Average | 93.7 | 93.0 | 82.5 | 73.4 | 66.7 | 77.8 | 100.0 | 99.8 | 87.6 | 79.1 | - | 85.6 | |
| California | | | | | | | | | | | | | |
| January | 71.5 | 71.4 | 66.4 | 59.0 | 54.7 | 63.2 | 78.5 | 78.4 | 70.6 | 63.7 | _ | 69.5 | |
| February | 72.8 | 72.6 | 67.3 | 60.1 | 57.7 | 63.9 | 79.7 | 79.6 | 72.1 | 65.1 | _ | 70.9 | |
| March | 78.6 | 78.6 | 72.7 | 69.7 | 67.7 | 71.2 | 84.7 | 84.9 | 77.9 | 74.7 | _ | 77.4 | |
| April | 94.0 | 94.3 | 87.2 | 86.7 | 80.8 | 85.7 | 98.5 | 98.9 | 91.5 | 92.5 | _ | 91.7 | |
| • | | | | | | | | | | | | | |
| May | 105.8 | 105.4 | 95.4 | 85.7 | 79.9 | 89.6 | 113.6 | 113.1 | 98.1 | 91.0 | - | 97.1 | |
| June | 102.2 | 101.6 | 92.3 | 81.9 | 72.1 | 85.9 | 110.1 | 109.5 | 96.2 | 88.3 | - | 95.1 | |
| July | 97.9 | 97.7 | 88.3 | 80.3 | 73.0 | 83.5 | 105.9 | 105.7 | 92.2 | 86.9 | - | 91.5 | |
| August | 91.0 | 90.8 | 80.8 | 73.6 | 66.8 | 76.3 | 98.9 | 98.5 | 84.9 | 80.3 | W | 84.1 | |
| September | 84.9 | 85.4 | 76.1 | 73.1 | 68.9 | 74.1 | 91.9 | 92.2 | 80.2 | 78.6 | W | 79.9 | |
| October | 80.6 | 80.7 | 70.8 | 69.3 | 66.7 | 69.6 | 88.8 | 88.6 | 75.0 | 74.5 | W | 74.9 | |
| November | 73.9 | 74.3 | 64.6 | 63.2 | 62.1 | 63.8 | 82.1 | 82.1 | 69.3 | 67.6 | W | 69.0 | |
| December | 73.8 | 74.1 | 66.3 | 66.0 | 68.8 | 66.7 | 81.7 | 81.9 | 70.9 | 70.7 | W | 70.9 | |
| | 86.0 | 86.0 | 77.8 | 73.1 | 69.5 | 75.1 | 92.4 | 92.4 | 81.8 | 77.5 | W | 81.1 | |

See footnotes at end of table.

82

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Pren | nium | | | All Grades | | | | | | |
|-----------------|------------------------------|-----------------------|-----------------------|---------------------|-----------|-----------------------|------------------------------|-----------------------|-----------------------|---------------------|-----------|--------------|--|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | |
| PAD District V | | | | | | | | | | | | | |
| January | 93.8 | 93.2 | 81.4 | 72.0 | 60.2 | 78.2 | 80.5 | 80.1 | 71.8 | 62.5 | 55.0 | 67.7 | |
| February | | 94.0 | 82.5 | 71.8 | 63.0 | 78.1 | 80.9 | 80.4 | 72.3 | 62.4 | 58.0 | 67.9 | |
| March | | 98.6 | 87.6 | 80.7 | 75.2 | 85.3 | 85.2 | 84.9 | 77.1 | 70.9 | 67.5 | 74.4 | |
| April | | 110.9 | 99.4 | 95.5 | 90.0 | 97.8 | 97.6 | 97.5 | 89.8 | 85.9 | 80.8 | 87.6 | |
| May | | 121.7 | 107.6 | 98.4 | 84.5 | 103.8 | 108.3 | 107.7 | 97.5 | 88.2 | 80.2 | 92.3 | |
| June | | 119.3 | 106.1 | 93.7 | 78.0 | 101.5 | 106.1 | 105.2 | 95.0 | 83.6 | 72.2 | 89.0 | |
| July | | 116.2 | 102.5 | 91.5 | 77.3 | 98.1 | 103.0 | 102.3 | 91.5 | 81.7 | 73.2 | 86.4 | |
| August | | 111.0 | 95.9 | 87.5 | 72.3 | 92.6 | 98.3 | 97.7 | 85.5 | 77.2 | 67.4 | 80.9 | |
| September | | 107.2 | 91.4 | 87.7 | 77.2 | 89.1 | 94.1 | 93.9 | 81.6 | 77.2 | 70.1 | 78.9 | |
| October | | 103.7 | 87.2 | 83.7 | 73.6 | 85.4 | 91.3 | 90.7 | 77.7 | 73.4 | 67.2 | 75.2 | |
| November | | 98.8 | 81.8 | 77.5 | 65.3 | 79.6 | 86.0 | 85.7 | 72.1 | 67.5 | 62.2 | 69.7 | |
| December | | 97.3 | 81.4 | 79.2 | 74.6 | 80.5 | 84.0 | 83.9 | 72.3 | 68.7 | 68.7 | 70.8 | |
| 1996 Average | | 105.5 | 91.7 | 85.1 | 73.9 | 88.9 | 93.1 | 92.8 | 82.2 | 75.4 | 69.4 | 78.8 | |
| Alaska | | | • | •••• | | 00.0 | | 02.0 | V | | | | |
| | 1170 | 110 5 | 100.7 | 946 | ۱۸/ | 04.4 | 1117 | 107.7 | 00.7 | 76.0 | 62 E | 92.5 | |
| January | | 113.5 | 100.7 | 84.6 | W | 94.4 | 111.7 | 107.7 | 88.7 | 76.0 | 63.5 | 82.5 | |
| February | | 114.6 | 100.2 | 84.5 | W | 93.4 | 112.7 | 108.5 | 90.5 | 74.9 | W | 83.0 | |
| March | | 118.0 | 102.7 | 87.0 | - | 96.0 | 113.8 | 110.6 | 92.3 | 75.1 | W | 73.1 | |
| April | | 125.2 | 107.7 | 89.7 | - | 99.7 | 118.7 | 116.4 | 98.8 | 82.0 | W | 90.6 | |
| May | | 131.6 | 114.4 | 99.4 | - | 108.1 | 123.9 | 122.4 | 104.9 | 87.0 | 83.1 | 95.1 | |
| June | | 131.4 | 114.0 | 98.2 | _ | 106.6 | 122.9 | 121.9 | 103.0 | 86.7 | 82.4 | 94.0 | |
| July | | 131.3 | 111.8 | 97.9 | | 105.5 | 123.5 | 122.0 | 101.5 | 86.1 | W 77.0 | 92.8 | |
| August | | 129.5 | 112.9 | 97.4 | W | 106.1 | 122.8 | 121.2 | 102.7 | 85.4 | 77.6 | 92.9 | |
| September | | 129.8 | 113.0 | 96.4 | W | 105.6 | 122.1 | 120.5 | 105.1 | 85.0 | W | 95.1 | |
| October | | 128.2 | 113.9 | 97.3 | W | 106.8 | 121.8 | 119.8 | 104.8 | 81.2 | W | 92.1 | |
| November | | 129.5 | 112.2 | 98.4 | W | 106.1 | 121.9 122.2 | 120.0 | 103.1 | 86.2 | W | 94.7 93.9 | |
| 1996 Average | | 129.6 125.8 | 110.3 109.4 | 90.5 93.7 | w | 100.9 102.5 | 120.2 | 120.1 118.0 | 101.2 100.1 | 86.1 83.2 | 66.0 | 90.0 | |
| Arizona | | | | | | | | | | | | | |
| January | 97.3 | 96.9 | 85.5 | 74.6 | 64.2 | 81.3 | 82.9 | 82.8 | 74.4 | 64.8 | 57.1 | 70.1 | |
| February | | 97.9 | 86.2 | 75.6 | W | 82.8 | 83.3 | 82.9 | 75.5 | 67.0 | 57.8 | 70.6 | |
| March | | 103.2 | 92.9 | 86.0 | W | 90.8 | 88.8 | 88.7 | 82.4 | 77.7 | 71.8 | 80.1 | |
| April | | 113.1 | 100.6 | 93.5 | W | 97.9 | 99.2 | 98.8 | 89.6 | 83.9 | 73.9 | 86.8 | |
| May | | 121.5 | 108.0 | 93.5 | W | 102.7 | 109.2 | 107.6 | 96.0 | 84.4 | 75.8 | 90.7 | |
| June | | 120.4 | 106.2 | 86.4 | W | 98.9 | 108.1 | 106.9 | 93.7 | 78.7 | 68.4 | 86.7 | |
| July | 118.5 | 117.6 | 103.7 | 85.6 | W | 96.3 | 105.7 | 104.2 | 91.7 | 79.6 | 73.9 | 86.4 | |
| August | | 114.9 | 99.9 | 82.5 | W | 93.3 | 102.9 | 101.8 | 88.1 | 75.5 | 67.9 | 82.6 | |
| September | | 110.9 | 96.4 | 87.2 | W | 93.2 | 100.2 | 99.1 | 85.3 | 77.5 | 71.6 | 81.8 | |
| October | 109.1 | 108.4 | 96.7 | 83.0 | W | 90.8 | 97.6 | 96.5 | 85.5 | 73.7 | 70.6 | 80.1 | |
| November | 106.5 | 105.7 | 90.7 | 75.5 | _ | 85.0 | 93.4 | 92.5 | 79.5 | 67.8 | 60.0 | 74.2 | |
| December | 102.3 | 101.7 | 87.1 | 83.4 | W | 84.3 | 88.5 | 88.0 | 76.5 | 72.0 | 65.9 | 73.5 | |
| 1996 Average | 109.3 | 108.7 | 95.8 | 83.6 | 80.0 | 91.1 | 96.5 | 95.7 | 84.9 | 75.2 | 67.5 | 80.3 | |
| California | | | | | | | | | | | | | |
| January | | 89.1 | 79.4 | 69.9 | 59.8 | 76.8 | 76.0 | 75.8 | 70.1 | 61.2 | 55.3 | 66.8 | |
| February | | 90.4 | 80.9 | 71.1 | 65.0 | 77.5 | 77.2 | 76.9 | 71.2 | 62.4 | 58.8 | 67.6 | |
| March | | 95.9 | 86.6 | 80.9 | 75.9 | 85.0 | 82.6 | 82.5 | 76.6 | 72.0 | 68.3 | 74.6 | |
| April | | 109.9 | 99.1 | 97.1 | 89.8 | 98.0 | 97.1 | 97.3 | 90.4 | 88.9 | 81.6 | 88.6 | |
| May | | 122.3 | 107.3 | 97.2 | 83.6 | 103.7 | 109.2 | 108.7 | 97.9 | 87.5 | 80.2 | 92.5 | |
| June | | 119.0 | 105.8 | 93.7 | 77.9 | 101.7 | 105.6 | 104.9 | 95.3 | 83.7 | 72.6 | 89.3 | |
| July | | 115.2 | 101.8 | 91.8 | 78.0 | 98.5 | 101.5 | 101.3 | 91.4 | 82.2 | 73.4 | 86.8 | |
| August | | 107.8 | 94.1 | 86.0 | 71.5 | 91.3 | 94.6 | 94.4 | 84.0 | 75.7 | 67.1 | 79.6 | |
| September | | 102.5 | 88.8 | 85.1 | 76.9 | 86.9 | 88.4 | 88.8 | 79.2 | 75.0 | 69.9 | 76.9 | |
| October | | 97.7 | 83.4 | 80.5 | 73.3 | 82.0 | 84.3 | 84.3 | 73.9 | 71.2 | 67.3 | 72.3 | |
| November | | 91.5 | 77.7 | 74.2 | 65.4 | 76.0 | 77.7 | 78.0 | 67.9 | 64.8 | 62.4 | 66.5 | |
| December | | 91.7 | 78.1 | 77.7 | 74.5 | 77.8 | 77.6 | 77.9 | 69.4 | 67.8 | 69.3 | 69.0 | |
| 1996 Average | 102.1 | 101.9 | 89.9 | 84.0 | 74.1 | 87.7 | 89.4 | 89.3 | 80.9 | 74.9 | 69.9 | 78.0 | |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Reg | ular | | | Midgrade | | | | | | |
|-----------------------|------------------------------|----------------------|---------------------|---------------------|------------------|---------------------|------------------------------|----------------------|---------------------|---------------------|-----------|---------------------|--|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | _ | Sales to | End Users | | Sales fo | or Resale | | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | |
| Hawaii | | | | | | | | | | | | | |
| January | 99.7 | 93.2 | 93.8 | 83.1 | _ | 91.9 | 105.9 | 101.7 | 99.7 | W | _ | 99.4 | |
| February | 100.5 | 93.1 | 93.2 | 80.7 | _ | 91.4 | 107.3 | 102.4 | 99.7 | W | _ | 99.5 | |
| March | 100.8 | 95.4 | 95.1 | 83.1 | _ | 93.5 | 107.1 | 103.3 | 101.2 | W | - | 100.9 | |
| April | 105.0 | 101.7 | 98.4 | 87.7 | _ | 96.9 | 111.7 | 108.8 | 104.6 | W | - | 104.3 | |
| May | 112.8 | 109.3 | 106.0 | 92.9 | - | 104.0 | 119.2 | 116.6 | 109.8 | W | - | 109.6 | |
| June | 114.3 | 109.0 | 104.9 | 92.0 | - | 102.8 | 120.9 | 116.3 | 110.9 | W | - | 110.5 | |
| July | 114.8 | 109.2 | 105.3 | 87.4 | _ | 102.3 | 121.5 | 116.9 | 112.1 | W | - | 111.7 | |
| August | 115.3 | 111.1 | 104.2 | 86.7 | _ | 101.0 | 121.8 | 119.7 | 110.4 | W | - | 110.1 | |
| September | 114.9 | 111.3 | 103.7 | 86.3 | _ | 100.6 | 121.6 | 119.7 | 110.1 | W | _ | 109.8 | |
| October | 115.2 | 110.1 | 104.4 | 87.8 | - | 101.2 | 121.1 | 119.2 | 110.5 | W | - | 110.1 | |
| November | 114.7 | 109.8 | 102.4 | 83.5 | - | 98.6 | 120.7 | 118.6 | 107.9 | 97.0 | - | 107.5 | |
| December | 113.8 | 109.1 | 99.9 | 87.0 | - | 97.5 | 119.5 | 117.9 | 105.7 | W | - | 105.4 | |
| 1996 Average | 110.3 | 105.2 | 101.2 | 86.6 | - | 98.7 | 116.2 | 112.9 | 107.0 | W | _ | 106.7 | |
| Nevada | | | | | | | | | | | | | |
| January | 87.6 | 86.0 | 68.5 | 63.4 | 57.3 | 64.8 | 91.3 | 91.1 | 74.7 | 68.3 | - | 73.0 | |
| February | 87.8 | 86.1 | 68.2 | 63.2 | W | 65.6 | 93.0 | 92.7 | 75.4 | 65.3 | - | 72.9 | |
| March | 92.7 | 90.9 | 70.6 | 70.6 | W | 70.6 | 94.7 | 94.5 | 77.2 | 74.7 | - | 76.6 | |
| April | 103.7 | 102.2 | 80.7 | 82.7 | W | 81.9 | 103.5 | 103.4 | 86.3 | 87.3 | - | 86.6 | |
| May | 111.4 | 109.6 | 90.8 | 85.0 | 82.9 | 87.5 | 114.7 | 114.3 | 95.4 | 92.9 | - | 94.8 | |
| June | 107.3 | 105.4 | 87.9 | 80.0 | 71.9 | 83.1 | 113.2 | 112.7 | 92.8 | 87.4 | - | 91.5 | |
| July | 104.9 | 102.8 | 83.7 | 78.5 | W | 80.8 | 110.1 | 109.7 | 88.8 | 85.5 | - | 87.9 | |
| August | 102.0 | 100.4 | 79.2 | 74.2 | 68.1 | 76.0 | 106.4 | 106.1 | 84.5 | 81.2 | - | 83.6 | |
| September | 99.4 | 97.9 | 78.4 | 76.4 | 72.5 | 77.2 | 103.2 | 103.0 | 83.3 | 82.0 | - | 82.9 | |
| October | 100.3 | 98.5 | 79.5 | 75.8 | 66.8 | 77.2 | 104.9 | 104.7 | 84.9 | 81.4 | - | 83.9 | |
| November | 95.5 | 94.0 | 74.2 | 70.9 | W | 72.3 | 101.9 | 101.7 | 79.6 | 75.9 | - | 78.6 | |
| December 1996 Average | 92.5 99.2 | 91.2 97.6 | 72.0 78.2 | 72.4 74.9 | W 70.9 | 72.1 76.2 | 100.1 102.7 | 99.8 102.5 | 77.2 83.5 | 76.6 80.0 | _ | 77.0 82.6 | |
| Oregon | | | | | | | | | | | | | |
| January | 79.4 | 78.9 | 69.6 | 60.6 | 52.1 | 62.6 | 86.0 | 84.0 | 74.0 | 68.1 | _ | 71.4 | |
| February | 77.9 | 77.2 | 67.8 | 57.7 | 50.5 | 61.0 | 84.7 | 83.1 | 72.5 | 64.5 | _ | 69.1 | |
| March | 81.0 | 80.8 | 70.5 | 66.3 | 60.7 | 67.6 | 86.5 | 85.9 | 75.8 | 73.6 | _ | 74.9 | |
| April | 92.7 | 92.6 | 83.3 | 82.1 | 70.4 | 81.1 | 100.1 | 99.1 | 89.6 | 89.0 | _ | 89.4 | |
| May | 101.2 | 100.8 | 92.5 | 88.5 | 80.9 | 88.7 | 111.4 | 110.1 | 97.7 | 96.3 | _ | 97.1 | |
| June | 99.8 | 98.9 | 89.4 | 82.7 | 68.5 | 83.7 | 110.5 | 108.3 | 94.4 | 91.0 | _ | 93.0 | |
| July | 96.7 | 96.1 | 85.6 | 79.5 | 71.6 | 80.3 | 107.7 | 106.3 | 91.1 | 87.6 | _ | 89.6 | |
| August | 94.3 | 93.7 | 83.5 | 76.4 | 68.7 | 78.4 | 105.2 | 103.3 | 88.7 | 84.7 | _ | 86.9 | |
| September | 93.0 | 92.6 | 82.3 | 77.1 | 69.1 | 77.8 | 103.1 | 102.2 | 87.8 | 84.8 | _ | 86.5 | |
| October | 90.8 | 90.2 | 81.3 | 72.1 | 64.0 | 74.9 | 103.4 | 102.1 | 86.9 | 79.7 | _ | 83.7 | |
| November | 88.1 | 87.4 | 78.0 | 67.0 | 60.5 | 70.9 | 100.4 | 99.1 | 83.1 | 72.3 | - | 77.5 | |
| December | 84.9 | 84.4 | 74.5 | 66.4 | 65.2 | 69.5 | 96.6 | 95.7 | 80.0 | 73.1 | - | 76.6 | |
| 1996 Average | 91.0 | 90.4 | 80.3 | 73.7 | 66.6 | 75.3 | 99.3 | 97.8 | 85.1 | 80.0 | - | 82.9 | |
| Washington | | | | | | | | | | | | | |
| January | 79.8 | 79.6 | 73.1 | 59.7 | 50.0 | 65.2 | 85.2 | 85.2 | 78.4 | 65.2 | - | 73.4 | |
| February | 78.0 | 77.7 | 70.2 | 57.5 | 50.3 | 62.8 | 83.7 | 83.6 | 75.4 | 63.5 | - | 71.2 | |
| March | 79.2 | 79.4 | 71.3 | 64.8 | W | 67.6 | 85.5 | 85.7 | 77.7 | 70.3 | - | 75.4 | |
| April | 89.6 | 89.9 | 82.7 | 79.5 | 77.1 | 80.8 | 95.4 | 96.0 | 89.6 | 85.1 | - | 88.2 | |
| May | 101.0 | 100.9 | 92.6 | 88.4 | W | 89.9 | 108.1 | 107.7 | 97.8 | 93.6 | - | 96.6 | |
| June | 101.2 | 100.6 | 90.9 | 82.4 | 69.9 | 85.8 | 109.3 | 109.3 | 95.4 | 89.4 | - | 93.6 | |
| July | 99.1 | 98.5 | 88.5 | 78.8 | 70.4 | 82.8 | 107.5 | 107.0 | 93.2 | 85.2 | - | 90.7 | |
| August | 96.5 | 95.9 | 87.1 | 77.2 | W | 81.3 | 105.1 | 104.7 | 91.5 | 84.2 | - | 89.0 | |
| September | 95.2 | 94.8 | 86.2 | 77.6 | 68.9 | 81.3 | 104.0 | 103.9 | 93.9 | 84.5 | - | 89.7 | |
| October | 93.6 | 93.2 | 84.6 | 73.7 | 62.0 | 78.7 | 102.8 | 102.5 | 92.8 | 80.9 | - | 87.6 | |
| November | 89.4 | 89.2 | 80.3 | 66.7 | 59.3 | 73.2 | 99.0 | 98.8 | 87.9 | 74.5 | - | 82.4 | |
| December | 85.2 | 85.2 | 76.1 | 64.4 | 62.7 | 70.3 | 94.6 | NA | 83.3 | 71.0 | - | 78.3 | |
| 1996 Average | 91.3 | 91.0 | 82.3 | 73.4 | 64.4 | 77.2 | 97.8 | 97.8 | 88.0 | 78.5 | _ | 84.6 | |

Table 31. Motor Gasoline Prices by Grade, Sales Type, PAD District, and State

| | | | Pren | nium | | | All Grades | | | | | | |
|-----------------------|------------------------------|----------------------|-------|----------|-----------|--------------|------------------------------|--------------------------|--------------|---------------------|-----------|---------------------|--|
| Geographic Area | Sales to | End Users | | Sales fo | or Resale | | Sales to | End Users | | Sales fo | or Resale | | |
| Month | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | Through Retail Outlets | Average ^a | DTW | Rack | Bulk | Average | |
| Hawaii | | | | | | | | | | | | | |
| January | 117.2 | 108.2 | 106.7 | 97.2 | _ | 105.6 | 104.8 | 98.1 | 98.8 | 87.3 | _ | 97.2 | |
| February | | 109.1 | 106.6 | 95.5 | _ | 105.4 | 105.8 | 98.2 | 98.4 | 85.1 | _ | 96.9 | |
| March | | 109.4 | 108.2 | 97.5 | _ | 107.3 | 105.7 | 99.9 | 100.1 | 87.2 | _ | 98.7 | |
| April | | 116.1 | 111.5 | 102.6 | _ | 110.6 | 109.8 | 106.2 | 103.5 | 91.9 | _ | 102.2 | |
| May | | 122.8 | 117.4 | 106.0 | _ | 116.2 | 117.1 | 113.3 | 109.9 | 96.5 | _ | 108.3 | |
| June | | 123.5 | 117.7 | 101.9 | _ | 115.8 | 118.6 | 113.2 | 109.5 | 94.9 | _ | 107.5 | |
| July | | 123.6 | 118.8 | 103.9 | _ | 116.8 | 119.1 | 113.3 | 110.1 | 92.1 | _ | 107.5 | |
| August | | 125.8 | 117.9 | 105.8 | _ | 116.8 | 119.7 | 115.4 | 108.9 | 90.5 | _ | 106.3 | |
| September | | 125.8 | 117.5 | 105.2 | _ | 116.4 | 119.3 | 115.6 | 108.6 | 90.1 | _ | 106.1 | |
| October | | 124.3 | 117.9 | 106.5 | _ | 116.6 | 119.3 | 114.3 | 109.0 | 91.9 | _ | 106.5 | |
| November | 130.5 | 124.0 | 115.7 | 104.0 | _ | 114.5 | 118.9 | 114.0 | 106.9 | 87.6 | _ | 103.9 | |
| December | | 123.2 | 113.3 | 100.0 | _ | 111.9 | 118.1 | 113.4 | 104.5 | 89.8 | _ | 102.4 | |
| 1996 Average | | 119.2 | 113.9 | 102.1 | - | 112.7 | 114.7 | 109.4 | 105.8 | 90.5 | _ | 103.7 | |
| Nevada | | | | | | | | | | | | | |
| January | 101.8 | 101.3 | 79.4 | 74.1 | W | 76.7 | 90.3 | 88.9 | 71.5 | 65.3 | 57.9 | 67.6 | |
| February | | 102.5 | 83.5 | 74.2 | W | 79.6 | 90.9 | 89.3 | 72.1 | 64.9 | W | 68.6 | |
| March | | 107.3 | 84.4 | 82.6 | W | 83.4 | 95.0 | 93.4 | 73.9 | 72.5 | W | 73.3 | |
| April | | 116.5 | 92.7 | 93.7 | W | 93.3 | 105.3 | 104.0 | 83.5 | 84.6 | W | 84.0 | |
| May | | 125.5 | 101.6 | 96.0 | _ | 99.0 | 113.5 | 111.8 | 92.9 | 86.8 | 82.9 | 89.6 | |
| June | | 122.2 | 100.0 | 91.3 | W | 95.5 | 109.9 | 108.1 | 90.3 | 81.9 | 72.7 | 85.6 | |
| July | | 120.1 | 95.8 | 90.6 | W | 93.3 | 107.6 | 105.6 | 86.4 | 80.5 | W | 83.3 | |
| August | | 115.9 | 91.1 | 85.9 | W | 88.3 | 107.5 | 103.0 | 82.0 | 76.2 | 68.7 | 78.6 | |
| September | | 115.0 | 90.4 | 88.2 | W | 88.8 | 104.0 | 100.6 | 81.0 | 78.4 | 74.8 | 79.5 | |
| October | | 114.8 | 91.9 | 87.3 | W | 89.5 | 102.0 | 100.0 | 82.2 | 77.6 | 67.6 | 79.7 | |
| November | | 110.4 | 86.6 | 81.0 | _ | 84.3 | 98.5 | 97.0 | 77.0 | 72.6 | W | 74.6 | |
| | 109.1 | 108.5 | 84.2 | 82.9 | _ | 83.7 | 95.8 | 94.5 | 74.7 | 74.1 | W | 74.0 | |
| December 1996 Average | | 106.5 113.2 | 89.9 | 86.0 | w | 88.0 | 95.6 1 01.6 | 1 00.1 | 80.9 | 74.1 76.7 | 71.6 | 74.3 78.6 | |
| Oregon | | | | | | | | | | | | | |
| January | 95.0 | 94.2 | 84.3 | 75.2 | W | 75.9 | 82.1 | 81.3 | 72.0 | 62.8 | 53.4 | 64.9 | |
| February | 93.7 | 92.9 | 82.5 | 72.0 | 54.8 | 69.5 | 80.3 | 79.6 | 70.3 | 59.8 | 52.3 | 63.0 | |
| March | | 96.1 | 85.3 | 80.7 | 72.7 | 82.5 | 83.2 | 83.0 | 73.1 | 68.4 | 61.8 | 69.9 | |
| April | 108.4 | 108.2 | 98.5 | 96.3 | W | 97.1 | 94.8 | 94.7 | 85.7 | 83.9 | 71.1 | 83.3 | |
| May | | 116.5 | 107.5 | 103.4 | 90.2 | 103.7 | 103.3 | 102.9 | 94.5 | 90.2 | 81.5 | 90.5 | |
| June | | 114.2 | 104.4 | 96.3 | W | 98.9 | 101.9 | 101.0 | 91.4 | 84.5 | 68.8 | 85.7 | |
| July | | 111.5 | 100.7 | 91.9 | W | 95.2 | 99.0 | 98.2 | 87.8 | 81.3 | 71.7 | 82.3 | |
| August | | 109.2 | 98.5 | 89.9 | W | 92.8 | 96.6 | 95.9 | 85.7 | 78.3 | 69.1 | 80.5 | |
| September | | 108.2 | 97.5 | 91.7 | 79.0 | 92.4 | 95.3 | 94.8 | 84.5 | 79.0 | 70.1 | 79.9 | |
| October | | 106.3 | 96.6 | 87.0 | 71.0 | 88.9 | 93.4 | 92.6 | 83.4 | 74.0 | 65.0 | 76.9 | |
| November | | 104.1 | 93.1 | 81.5 | W | 85.7 | 90.7 | 89.9 | 80.1 | 68.8 | 60.7 | 72.9 | |
| December | | 99.7 | 89.4 | 81.2 | W | 84.9 | 87.6 | 87.0 | 76.7 | 68.3 | 65.4 | 71.5 | |
| 1996 Average | | 105.3 | 94.4 | 87.3 | 66.7 | 88.0 | 93.1 | 92.5 | 82.3 | 75.5 | 66.6 | 77.2 | |
| Washington | | | | | | | | | | | | | |
| January | 98.9 | 98.4 | 88.3 | 71.5 | _ | 80.4 | 83.1 | 82.9 | 76.3 | 62.0 | 50.0 | 68.5 | |
| February | 97.0 | 96.3 | 85.6 | 69.4 | W | 77.2 | 81.3 | 81.0 | 73.5 | 59.9 | 50.9 | 66.1 | |
| March | 99.2 | 99.0 | 86.6 | 77.3 | W | 81.4 | 82.6 | 82.7 | 74.8 | 67.0 | W | 70.7 | |
| April | | 109.0 | 98.3 | 92.0 | W | 94.9 | 92.6 | 92.9 | 86.1 | 81.5 | 80.6 | 83.7 | |
| May | 120.4 | 120.0 | 108.2 | 101.4 | W | 104.0 | 103.8 | 103.7 | 95.3 | 90.2 | W | 92.2 | |
| June | 120.4 | 119.0 | 106.2 | 95.4 | W | 100.8 | 104.0 | 103.7 | 93.4 | 84.3 | 70.0 | 88.4 | |
| July | 118.0 | 116.9 | 103.9 | 91.9 | W | 94.8 | 104.0 | 103.0 | 91.2 | 80.8 | 71.5 | 85.4 | |
| August | 115.2 | 114.1 | 103.9 | 90.4 | W | 95.4 | 99.6 | 99.0 | 89.8 | 79.4 | 68.6 | 84.1 | |
| September | | 113.5 | 102.4 | 90.4 | W | 94.5 | 98.2 | 97.8 | 89.2 | 79.4 | 71.5 | 83.9 | |
| October | 113.0 | 111.9 | 101.8 | 86.9 | W | 93.4 | 96.7 | 96.3 | 87.6 | 75.9 | 63.8 | 81.4 | |
| November | 109.4 | 108.7 | 96.0 | 80.0 | W | 93.4 88.9 | 90.7 | 90.3 | 83.3 | 69.0 | 59.6 | 76.1 | |
| December | 109.4 | 106.7 | 91.9 | 77.4 | W | 85.5 | 92.7 88.4 | 92. 4 88.3 | 63.3 79.1 | 66.6 | 62.8 | 73.0 | |
| 1996 Average | 105.1 109.6 | 104.5 109.0 | 97.1 | 85.2 | 75.8 | 90.7 | 94.1 | 93.9 | 85.2 | 75.3 | 66.3 | 73.0 79.8 | |
| 1990 Avelage | 103.0 | 103.0 | 31.1 | 03.2 | 73.0 | 30.1 | 34.1 | 33.3 | 03.2 | 13.3 | 00.5 | 13.0 | |

Dash (-) = No data reported.

NA = Not available.

W = Withheld to avoid disclosure of individual company data.

a Includes sales through retail outlets as well as all direct sales to end users that were not made through company-operated retail outlets, e.g., sales to agricultural customers, commercial sales, and industrial sales.

Sources: Energy Information Administration Forms EIA-782A, "Refiners'/Gas Plant Operators' Monthly Petroleum Product Sales Report," and EIA-782B, "Resellers'/Retailers' Monthly Petroleum Product Sales Report."